

STUDENT NUMBER – HS/2021/0051
NAME – H A D G MADUWANTHA
MODULE – PROG 14013
ASSIGNMENT – 01
DATE 2025-03-29

The screenshot shows a JupyterLab interface with a Python script and a GUI window. The script is as follows:

```
try:
    birth_date = get_correct_date(year, day_part)
    result_label.config(text=f"📅 Birthdate: {birth_date}\n👤 Gender: {gender}", fg="blue", font=("Arial", 12, "bold"))
except ValueError:
    messagebox.showerror("Invalid NIC", "Invalid NIC Number")

# Tkinter GUI
root = tk.Tk()
root.title("Lk Sri Lanka NIC Extractor")
root.geometry("400x250")

tk.Label(root, text="Enter NIC Number:", font=("Arial", 11)).pack(pady=5)
nic_entry = tk.Entry(root, font=("Arial", 11))
nic_entry.pack(pady=5)

tk.Button(root, text="Extract Details", font=("Arial", 11)).pack(pady=5)
result_label = tk.Label(root, text="", font=("Arial", 12, "bold"))
result_label.pack(pady=10)

root.mainloop()
```

The GUI window titled "Lk Sri Lanka NIC Extractor" displays the input field with the value "200281603636" and the "Extract Details" button. The output shows the extracted details: Birthdate: 2002-11-11 and Gender: Female.

The screenshot shows a JupyterLab interface with a Python script and a GUI window. The script is as follows:

```
try:
    birth_date = get_correct_date(year, day_part)
    result_label.config(text=f"📅 Birthdate: {birth_date}\n👤 Gender: {gender}", fg="blue", font=("Arial", 12, "bold"))
except ValueError:
    messagebox.showerror("Invalid NIC", "Invalid NIC Number")

# Tkinter GUI
root = tk.Tk()
root.title("Lk Sri Lanka NIC Extractor")
root.geometry("400x250")

tk.Label(root, text="Enter NIC Number:", font=("Arial", 11)).pack(pady=5)
nic_entry = tk.Entry(root, font=("Arial", 11))
nic_entry.pack(pady=5)

tk.Button(root, text="Extract Details", font=("Arial", 11)).pack(pady=5)
result_label = tk.Label(root, text="", font=("Arial", 12, "bold"))
result_label.pack(pady=10)

root.mainloop()
```

The GUI window titled "Lk Sri Lanka NIC Extractor" displays the input field with the value "200218101276" and the "Extract Details" button. The output shows the extracted details: Birthdate: 2002-06-29 and Gender: Male.

STUDENT NUMBER – HS/2021/0051
NAME – H A D G MADUWANTHA
MODULE – PROG 14013
ASSIGNMENT – 01
DATE 2025-03-29

+

.ipynb

ast Checkpoint: 1 minute ago

nel Settings Help

Code

JupyterLab

```
date = get_correct_date(year, day_part)
_label.config(text=f"📅 Birthdate: {birth_date}\n👤 Gender: {gender}", fg="blue", font=("Arial", 12, "bold"))
except ValueError:
    messagebox.showerror("Invalid NIC",
                          "Please enter a valid NIC number.")

Sri Lanka NIC Extractor")
'400x250")

text="Enter NIC Number:", font=
.Entry(root, font=("Arial", 11, "bold"),
(pady=5)

, text="Extract Details", font=
tk.Label(root, text="", font=
ack(pady=10)

)
```

Enter NIC Number:



gtrger34343

Invalid NIC


Please enter a valid NIC number.

OK

STUDENT NUMBER – HS/2021/0051
NAME – H A D G MADUWANTHA
MODULE – PROG 14013
ASSIGNMENT – 01
DATE 2025-03-29



STUDENT NUMBER – HS/2021/0051
NAME – H A D G MADUWANTHA
MODULE – PROG 14013
ASSIGNMENT – 01
DATE 2025-03-29



```
messagebox.showerror("Invalid NIC", "Please enter a valid NIC number.")
return

# Determine gender
if day_part > 500:
    gender = "Female"
    day_part -= 500
else:
    gender = "Male"

try:
    birth_date = get_correct_date(year, day_part)
    result_label.config(text=f"Birthdate: {birth_date}\n Gender: {gender}", fg="blue", font=("Arial", 12, "bold"))
except ValueError:
    messagebox.showerror("Invalid NIC", "Invalid birthdate calculation.")

# Tkinter GUI
root = tk.Tk()
root.title("Sri Lanka NIC Extractor")
root.geometry("400x250")

tk.Label(root, text="Enter NIC Number:", font=("Arial", 11)).pack(pady=5)
nic_entry = tk.Entry(root, font=("Arial", 11))
nic_entry.pack(pady=5)

tk.Button(root, text="Extract Details", font=("Arial", 11, "bold"), command=extract_details).pack(pady=5)
result_label = tk.Label(root, text="", font=("Arial", 11))
result_label.pack(pady=10)

root.mainloop()
```