Numerator	Denominator	Est. Odds Ratio [95% CrI]	Significance
Primary−DENV2	Secondary−DENV3	10.03 [0.48 to 48.92]	Not Significant
Primary−DENV3	Secondary−DENV3	9.18 [0.27 to 51.93]	Not Significant
Primary−DENV2	Secondary−DENV1	7.15 [0.37 to 36.54]	Not Significant
Primary−DENV3	Secondary−DENV1	6.32 [0.19 to 36.56]	Not Significant
Unknown−DENV4	Primary−DENV1	4.89 [0.20 to 27.98]	Not Significant
Unknown−DENV3	Primary−DENV1	4.58 [0.18 to 26.10]	Not Significant
Unknown−DENV4	Secondary−DENV3	3.97 [0.34 to 17.30]	Not Significant
Unknown−DENV3	Secondary−DENV3	3.69 [0.29 to 16.95]	Not Significant
Primary−DENV1	Secondary−DENV3	3.45 [0.06 to 18.56]	Not Significant
Unknown−DENV2	Primary−DENV1	3.37 [0.15 to 19.49]	Not Significant
Primary−DENV2	Primary−DENV3	3.33 [0.11 to 17.54]	Not Significant
Secondary−DENV1	Secondary−DENV3	3.03 [0.12 to 14.78]	Not Significant
Unknown−DENV4	Secondary−DENV1	2.85 [0.29 to 13.39]	Not Significant
Unknown−DENV2	Secondary−DENV3	2.73 [0.26 to 11.56]	Not Significant
Unknown−DENV3	Secondary−DENV1	2.69 [0.24 to 13.23]	Not Significant
Primary−DENV1	Secondary−DENV1	2.46 [0.04 to 13.97]	Not Significant
Primary−DENV2	Secondary−DENV2	2.42 [0.29 to 8.68]	Not Significant
Primary−DENV3	Secondary−DENV2	2.16 [0.14 to 9.84]	Not Significant
Unknown−DENV1	Primary−DENV1	2.06 [0.05 to 11.96]	Not Significant
Unknown−DENV2	Secondary−DENV1	1.95 [0.22 to 9.12]	Not Significant
Unknown−DENV1	Secondary−DENV3	1.68 [0.09 to 8.02]	Not Significant
Unknown−DENV4	Primary−DENV3	1.27 [0.08 to 5.91]	Not Significant
Unknown−DENV3	Primary−DENV3	1.24 [0.06 to 5.89]	Not Significant
Primary−DENV1	Primary−DENV3	1.20 [0.01 to 6.80]	Not Significant
Unknown−DENV1	Secondary−DENV1	1.17 [0.07 to 5.95]	Not Significant
Unknown−DENV3	Unknown−DENV4	1.13 [0.24 to 3.26]	Not Significant
Unknown−DENV4	Secondary−DENV2	0.97 [0.24 to 2.75]	Not Significant
Unknown−DENV2	Unknown−DENV3	0.93 [0.22 to 2.40]	Not Significant
Unknown−DENV3	Secondary−DENV2	0.92 [0.20 to 2.76]	Not Significant
Unknown−DENV2	Primary−DENV3	0.92 [0.05 to 4.39]	Not Significant
Primary−DENV1	Secondary−DENV2	0.84 [0.03 to 3.76]	Not Significant
Unknown−DENV2	Unknown−DENV4	0.83 [0.22 to 1.98]	Not Significant
Secondary−DENV1	Secondary−DENV2	0.75 [0.06 to 2.73]	Not Significant
Unknown−DENV4	Primary−DENV2	0.75 [0.09 to 3.13]	Not Significant
Unknown−DENV2	Secondary−DENV2	0.68 [0.18 to 1.88]	Not Significant
Unknown−DENV3	Primary−DENV2	0.68 [0.08 to 2.90]	Not Significant
Unknown−DENV1	Unknown−DENV2	0.67 [0.10 to 1.99]	Not Significant
Primary−DENV1	Primary−DENV2	0.64 [0.01 to 3.36]	Not Significant
Unknown−DENV1	Unknown−DENV3	0.56 [0.07 to 1.83]	Not Significant
Secondary−DENV3	Secondary−DENV2	0.55 [0.05 to 2.19]	Not Significant
Unknown−DENV1	Primary−DENV3	0.55 [0.02 to 2.79]	Not Significant
Unknown−DENV2	Primary−DENV2	0.50 [0.07 to 1.95]	Not Significant
Unknown−DENV1	Unknown−DENV4	0.50 [0.07 to 1.55]	Not Significant
Unknown−DENV1	Secondary−DENV2	0.40 [0.06 to 1.36]	Not Significant
Unknown−DENV1	Primary−DENV2	0.30 [0.02 to 1.30]	Not Significant

