

Grid Layout

Cascading Style Sheets (CSS3)



Table of Content

- Grid Layout



Grid Layout

(Cascading Style Sheets 3)

Grid Layout

(Basics)

- The CSS Grid Layout Module offers a grid-based layout system with
 - rows
 - Columns
- Grid layout is used to design web pages **without** having to use **floats** and **positioning**

Grid Layout


(Basics)

- A grid layout consists of a parent element (**container**), with one or more child elements (**grid item**)
- An HTML element becomes a grid container by setting the **display** property to **grid**, **inline-grid** or **subgrid**
- column, float, clear and vertical-align have no effect on a grid container


Syntax:

display : **grid** | **inline-grid** | **subgrid**;

Grid Layout (Basics)



Grid lines



Grid Layout

(Basics)

- The gap size can be adjusted using one of these properties
 - `grid-column-gap`
 - `grid-row-gap`
 - `grid-gap`

Grid container

- Following properties shall be set for grid container

Example:

```
.grid-container {  
  display: grid;  
  grid-gap: 50px 50px; /* row-gap column-gap */  
  /* 4 columns with equal size */  
  grid-template-columns: auto auto auto auto;  
}
```

Property grid-template-column

- The `grid-template-columns` defines the number of columns in grid layout, and it can define the width of each column
- The value is a space-separated-list, where each value defines the length of the respective column
- Width can be specified in pixels, % or fr (flex factor)
- “auto” means all columns have the same width

Grid container

Examples:

```
/* 3 columns with equal size */
```

```
Grid-template-columns: 1fr 1fr 1fr;
```

```
/* 3 columns with unequal size */
```

```
Grid-template-columns: 1fr 2fr 1fr;
```

Or

```
Grid-template-columns: 20% 60% 20%;
```

Or

```
Grid-template-columns: 1fr 60% 1fr;
```

Grid container

(repeat function)

Examples:

```
/* 4 columns with equal size */
```

```
Grid-template-columns: repeat(4, 1fr);
```

```
/* 6 columns with repeat pattern (second is double than first) size */
```

```
Grid-template-columns: repeat(6, 1fr 2fr);
```

Property grid-template-rows

- The `grid-template-rows` defines the height of each row
- The value is a space-separated-list, where each value defines the height of the respective row
- Height can be specified in pixels
- “auto” means all rows have the same height
- Rows are `automatically added` to accommodate grid items

Grid item

- Following properties shall be set for grid item

Example:

```
.grid-item {  
background-color: rgba(242, 242, 242, 0.8);  
border: 1px solid rgba(0, 0, 0, 0.8);  
}
```

The Grid

```
<div class="grid-container">  
  <div class="grid-item">Grid item 1</div>  
  <div class="grid-item">Grid item 2</div>  
  <div class="grid-item">Grid item 3</div>  
  <div class="grid-item">Grid item 4</div>  
  <div class="grid-item">Grid item 5</div>  
  <div class="grid-item">Grid item 6</div>  
  <div class="grid-item">Grid item 7</div>  
  <div class="grid-item">Grid item 8</div>  
  <div class="grid-item">Grid item 9</div>  
</div>
```

Spanning rows and columns

```
.spanning-column-item {  
  grid-column-start: 1;  
  grid-column-end: 3;  
}
```

```
.spanning-row-item {  
  grid-row-start: 2;  
  grid-row-end: 4;  
}
```


Spanning rows and columns

```
/* starting from column line 1 and ending at column line 3 */  
.spanning-column-item {  
  grid-column: 1 / 3;  
}  
  
/* starting from row line 2 and ending at row line 4 */  
.spanning-row-item {  
  grid-row: 2 / 4;  
}
```

Spanning rows and columns

```
/* starting from column line 1 and spanning over 2 columns */  
.spanning-column-item {  
  grid-column: 1 / span 2;  
}  
  
/* starting from row line 2 and spanning over 2 rows */  
.spanning-row-item {  
  grid-row: 2 / span 2;  
}
```

Grid area property

- The grid-area property can be used as a shorthand property for the
 - (grid-row-start, grid-column-start)
 - (grid-row-end, grid-column-end)

Grid area property

Syntax:

```
.grid-area-item {  
  grid-area: row-start / col-start / row-end / col-end;  
}
```


```
.grid-area-item {  
  grid-area: row-start / col-start / span rows-count / span cols-count;  
}
```

Grid area property

```
/* starting from row line 1 and ending at row line 4  
   starting from col line 2 and ending at col line 4 */  
.grid-area-item {  
  grid-area: 1 / 2 / 4 / 4;  
}  
  
/* starting from row line 1 and spanning over 3 rows  
   starting from col line 2 and spanning over 2 cols */  
.grid-area-item {  
  grid-area: 1 / 2 / span 3 / span 2;  
}
```


Grid Area

```
.grid-area-item {  
  grid-area: 1 / 2 / 4 / 4;  
}
```



Grid Area

```
.grid-area-item {  
  grid-area: 1 / 2 / span 3 / span 2;  
}
```




Grid area property

- The **grid-area** property can also be used to assign names to grid items
- Named grid items can be referred to by the **grid-template-areas** property of the grid container

```
.grid-item {  
  grid-area: itemname;  
}  
.grid-container {  
  grid-template-areas: 'itemname itemname itemname itemname';  
}
```


Class work

- Design following layout using grid properties
- Use media queries to alter the layout for mobile and desktop



Web Stack Academy (P) Ltd

#83, Farah Towers,
1st floor, MG Road,
Bangalore - 560001

M: +91-80-4128 9576

T: +91-98862 69112

E: info@www.webstackacademy.com

*Thank
you*