

Quotation and Computer Code

Hypertext Markup Language 5 (HTML5)




Table of Content

- Quotations
- Computer Code



Quotations

(Hypertext Markup Language 5)

Quotations

- HTML quotes are used to put a short quotation on website
- HTML quotation tags `<q>` and `<blockquote>` are used to put a quotation on website
- `<blockquote>` is used for multi-line quotation
- `<q>` tag is used for small quotation

The <q> tag Example

```
<!DOCTYPE html>
```

```
<html>
```

```
<body>
```

```
<h1> Real Life Quotation</h1>
```

```
<p> Abraham Lincoln said <q>In the end It is not the years in your life  
count. It's the life in your years.</q></p>
```

```
</body>
```

```
</html>
```

HTML <blockquote> tag

- HTML <blockquote> is used to define a large quoted section

The blockquote Example

```
<h2>Everyone has some story.</h2>
```

```
<p><blockquote> A 21 year old boy seeing out from the train's window shouted  
"Dad, look the trees are going behind !" Dad smiled and young couple sitting  
nearby, looked at the 21 year old childish behavior with pity, suddenly he again  
exclaimed "Dad look the clouds are running with us !" The couple said to the old  
man "Why don't you take your son to a good doctor?" The old man smiled and said  
"I did and we are just coming from the hospital, my son was blind from birth, he just  
got his eyes today. Every single person on the planet has a story. Don't judge  
people before you truly know them. The truth might surprise you.</blockquote></p>
```

The background is a dark purple gradient with a complex digital interface overlay. A hand in a blue sleeve points towards the center. The interface includes a 'DOWNLOAD PROGRESS' bar at the top left, a circular gauge showing '68%' on the left, and a sidebar menu with categories like 'CUSTOMER', 'PRODUCT', 'CORPORATE', and 'COLLABORATION'. Various icons for mail, airplane, checkmark, star, plus, heart, and minus are at the top. On the right, there are more gauges and a grid of icons. The overall theme is technology and data.

Computer Code

(Hypertext Markup Language 5)

Computer Code

- HTML `<code>` tag is used to represent computer code
- Code element does not preserve extra white space and line breaks
- Pre element can be used to preserve the code formatting

Example :

```
<code><pre>
int main()
{
    char x = 3, y = 2;
    printf("Sum = %d\n", x+y);
}
</pre></code>
```

The <var>

- HTML <var> element is used to identify a variable in a mathematical equation or computer program
- Text marked with <var> tags is displayed in an italics font style by most browsers
- The <var> tag is a phrase tag (semantic meaning for browser)
- This tag is used to achieve richer effect with CSS

The <var>

Example :

```
<p>Code example:</p>
<code>
<var> student </var> = {
    name : "Smith",
    course : "HTML"
}
</code>
```

Web Stack Academy (P) Ltd

#83, Farah Towers,
1st floor, MG Road,
Bangalore - 560001

M: +91-80-4128 9576

T: +91-98862 69112

E: info@www.webstackacademy.com

*Thank
you*