

# Testonside

*Easiest Way to PASS It Exams*

## Oracle

### EXAM 1Z0-862

*Java Enterprise Edition 5 Web Services Developer Certified*

*Professional Exam*

## Demo

<http://www.testonside.com/1Z0-862.html>

## Question: 1

Which two statements are true about XML schemas and WSDL 1.1? (Choose two.)

- A. `http://schemas.xmlsoap.org/wsdl/` is the WSDL namespace for SOAP binding.
- B. `xsi` is used as a prefix to represent the schema namespace as defined by XSD
- C. XSD schemas are used as a formal definition of WSDL grammar.
- D. `xsd` is used as a prefix to represent the schema namespace as defined by XSD
- E. `http://schemas.xmlsoap.org/wsdl/http/` is the WSDL namespace for SOAP binding.

**Answer: C,D**

## Question: 2

A company's new investment management Java application and a legacy stock trader application need to communicate, but they use different JMS implementations. A developer decides to implement a JMS bridge to solve the problem. Which two advantages does this pattern provide? (Choose two.)

- A. It converts the interface of a class into another interface that clients expect.
- B. It decouples an abstraction from its implementation so that the two can vary independently.
- C. It dynamically attaches additional responsibilities to an object.
- D. It optimizes network traffic.
- E. It is vendor independent.

**Answer: B,E**

## Question: 3

Which situation requires the client to use the Dispatch interface to access the Web service?

- A. The client and the server are on different platforms.
- B. The client has access to the portable artifacts, but not to the WSDL.
- C. The client has access to the WSDL, but not to the portable artifacts.
- D. The client will access a REST-based service.

**Answer: D**

## Question: 4

What are two features of a WSDL 1.1 document? (Choose two.)

- A. Service defines a collection of related endpoints.
- B. Service describes the message's payload using XML.
- C. Service assigns an Internet address to a specific binding.
- D. Porttype declares complex data types and elements used elsewhere.
- E. Porttype elements are used to group a set of abstract operations.
- F. Porttype defines a concrete protocol and data format specification.

**Answer: A,E**

## Question: 5

Which three can an EJB-based endpoint use? (Choose three.)

- A. HTTP sessions
- B. Java EE 5 declarative security
- C. Java EE 5 programmatic security
- D. client-demarcated transactions
- E. container-managed transactions

**Answer: B,C,E**

## Question: 6

What are two communication modes supported by JAX-WS? (Choose two.)

- A. Synchronous RPC
- B. Dynamic Service Binding
- C. Dynamic Proxy
- D. Endpoint Invocation
- E. Dispatch

**Answer: C,E**