

Cascading Style Sheets (CSS3)





Table of Content









- The CSS Grid Layout Module offers a grid-based layout system with
 - rows
 - Columns
- Grid layout is used to design web pages without having to use floats and positioning




- A grid layout consists of a parent element (container), with one or more child elements (grid item)
- An HTML element becomes a grid container by setting the display property to grid, inline-grid or subgrid
- column, float, clear, and vertical-align have no effect on a grid container

Syntax:

display: grid | inline-grid | subgrid;









- The gap size can be adjusted using one of these properties
 - grid-column-gap
 - grid-row-gap
 - grid-gap



Grid container

Following properties shall be set for grid container

```
Example:
.grid-container {
display: grid;
grid-gap: 50px 50px; /* row-gap column-gap */
/* 4 columns with equal size */
grid-template-columns: auto auto auto;
}
```



Property grid-template-column

- The grid-template-columns property defines the number of columns in grid layout, and it can define the width of each column
- The value is a space-separated-list, where each value defines the length of the respective column
- Width can be specified in pixels
- "auto" means all columns have the same width



Property grid-template-rows

- The grid-template-rows property defines the height of each row
- The value is a space-separated-list, where each value defines the height of the respective row
- Height can be specified in pixels
- "auto" means all rows have the same height
- Rows are automatically added to accommodate grid items



Grid item

Following properties shall be set for grid item

```
Example:
.grid-item {
background-color: rgba(242, 242, 242, 0.8);
border: 1px solid rgba(0, 0, 0, 0.8);
}
```




The Grid

```
<div class="grid-container">
 <div class="grid-item">Grid item 1</div>
 <div class="grid-item">Grid item 2</div>
 <div class="grid-item">Grid item 3</div>
 <div class="grid-item">Grid item 4</div>
 <div class="grid-item">Grid item 5</div>
 <div class="grid-item">Grid item 6</div>
 <div class="grid-item">Grid item 7</div>
 <div class="grid-item">Grid item 8</div>
 <div class="grid-item">Grid item 9</div>
</div>
```



Grid lines





Spanning rows and columns

```
.spanning-column-item {
 grid-column-start: 1;
 grid-column-end: 3;
.spanning-row-item {
 grid-row-start: 2;
 grid-row-end: 4;
```



Spanning rows and columns

```
/* starting from column line 2 and ending at column line 4 */
.spanning-column-item {
 grid-column: 1/3;
/* starting from row line 2 and ending at row line 4 */
.spanning-row-item {
 grid-row: 2 / 4;
```



Spanning rows and columns

```
/* starting from column line 1 and spanning over 2 columns */
.spanning-column-item {
 grid-column: 1 / span 2;
/* starting from row line 2 and spanning over 2 rows */
.spanning-row-item {
 grid-row: 2 / span 2;
```



Grid area property

- The grid-area property can be used as a shorthand property for the
 - (grid-row-start, grid-column-start)
 - (grid-row-end, grid-column-end)



Grid area property

```
/* starting from column line 1 and spanning over 2 columns */
.grid-area-item {
 grid-area: 1 / 2 / 5 / 6;
/* starting from row line 2 and spanning over 2 rows */
.grid-area-item {
 grid-area: 1 / 2 / span 4 / span 6;
```




Grid area property

- The grid-area property can also be used to assign names to grid items
- Named grid items can be referred to by the grid-templateareas property of the grid container

```
grid-item {
grid-area: itemname;
}
grid-container {
grid-template-areas: 'itemname itemname itemname itemname';
}
```

Class work

- Design following layout using grid properties
- Use media queries to alter the layout for mobile and desktop













#83, Farah Towers,

1st floor, MG Road,

Bangalore - 560001

M: +91-80-4128 9576

T: +91-98862 69112

E: info@www.webstackacademy.com

