

```

// =====
// NIBRAS ENGLISH - PLACEMENT TEST V2 (Quick CEFR Check)
// =====
// Three changes to apply in src/app/page.tsx:
//
// CHANGE 1 - Update the QuizQuestion interface (around line 60-68)
//   Add an optional `passage` and `type` field.
//
// CHANGE 2 - Replace the entire `placementQuestions` array
//   30 questions: 5 per CEFR level (A1, A2, B1, B2, C1, C2)
//   Mix of grammar, vocab, reading, and pragmatic question types.
//   Correct-answer positions distributed across A, B, C, D.
//
// CHANGE 3 - Replace the `getPlacementLevel` helper function
//   Uses per-level mastery thresholds, not just total score.
//
// CHANGE 4 - Small UI updates in the PlacementTest component
//   See "UI ADJUSTMENTS" section at the bottom for guidance.
// =====

// =====
// CHANGE 1 - UPDATED INTERFACE (replace the existing QuizQuestion interface)
// =====

interface QuizQuestion {
  id: number;
  level: string;           // "A1" | "A2" | "B1" | "B2" | "C1" | "C2"
  type: "grammar" | "vocab" | "reading" | "pragmatic"; // NEW: question type tag
  passage?: string;       // NEW: optional reading passage (only for type: "rea
  question: string;
  options: string[];      // 4 options
  correct: number;        // index 0-3
  explanation: string;
}

// =====
// CHANGE 2 - NEW placementQuestions ARRAY (30 questions)
// =====

const placementQuestions: QuizQuestion[] = [

  // ===== A1 (5 questions) =====

```

```

{
  id: 1, level: "A1", type: "grammar",
  question: "Complete the sentence: My name ____ Layla and I am from Amman.",
  options: ["are", "is", "am", "be"],
  correct: 1,
  explanation: "We use 'is' with he, she, it, and singular names. 'My name is L
},
{
  id: 2, level: "A1", type: "vocab",
  question: "Which word means a place where you buy fresh bread?",
  options: ["pharmacy", "library", "bakery", "garage"],
  correct: 2,
  explanation: "A bakery is a shop that sells bread and pastries. In Jordan, yo
},
{
  id: 3, level: "A1", type: "grammar",
  question: "Choose the correct sentence:",
  options: ["She have two brothers.", "She has two brothers.", "She having two
  correct: 1,
  explanation: "With he, she, and it, we use 'has' instead of 'have'."
},
{
  id: 4, level: "A1", type: "pragmatic",
  question: "Your aunt gives you a gift. What do you say?",
  options: ["See you later.", "How are you?", "I am tired.", "Thank you very mu
  correct: 3,
  explanation: "When someone gives us something, we say 'thank you'. The other
},
{
  id: 5, level: "A1", type: "reading",
  passage: "Hi, I am Omar. I am a student at the University of Jordan. I live i
  question: "What does Omar do every morning?",
  options: ["He goes shopping.", "He drinks coffee at a café.", "He plays footb
  correct: 3,
  explanation: "The passage clearly says 'Every morning, I drink tea and eat br
},

// ===== A2 (5 questions) =====
{
  id: 6, level: "A2", type: "grammar",
  question: "Complete: Yesterday, we ____ to Petra with our cousins.",
  options: ["go", "going", "went", "goes"],
  correct: 2,
  explanation: "'Yesterday' tells us this is in the past. The past form of 'go'
},
{
  id: 7, level: "A2", type: "vocab",

```

```

question: "Which word best fits? The traffic in Amman is very ____ at 8 a.m.",
options: ["heavy", "tall", "deep", "loud"],
correct: 0,
explanation: "We say 'heavy traffic' to mean there are a lot of cars. The oth
},
{
  id: 8, level: "A2", type: "pragmatic",
  question: "You arrive late to class. What is the most polite thing to say to
options: ["I am late, sorry.", "Why is class early?", "Sorry I am late, may I
correct: 2,
explanation: "Adding 'may I come in?' shows politeness and respect for the te
},
{
  id: 9, level: "A2", type: "grammar",
  question: "Choose the correct comparison: Aqaba is ____ than Amman in winter."
options: ["warmer", "more warm", "warmest", "warm more"],
correct: 0,
explanation: "Short adjectives like 'warm' add '-er' for comparison. Aqaba's
},
{
  id: 10, level: "A2", type: "reading",
  passage: "My sister works at a hospital in Irbid. She starts work at 7 a.m. a
question: "What does the writer's sister do on Fridays?",
options: ["She works extra hours.", "She visits her grandmother.", "She cooks
correct: 2,
explanation: "The last sentence says 'On Fridays, she stays home and cooks ma
},

// ===== B1 (5 questions) =====
{
  id: 11, level: "B1", type: "grammar",
  question: "Complete: By the time we arrived in Aqaba, the sun ____.",
options: ["has already set", "already set", "is already setting", "had alread
correct: 3,
explanation: "We use the past perfect ('had set') to talk about an action tha
},
{
  id: 12, level: "B1", type: "vocab",
  question: "Which word best completes the sentence? My father gave me valuable
options: ["advice", "advices", "advise", "advisement"],
correct: 0,
explanation: "'Advice' is uncountable, so it has no plural form. The verb for
},
{
  id: 13, level: "B1", type: "pragmatic",
  question: "Which is the most professional way to start a job application emai
options: ["Hey, I want this job.", "Dear Sir or Madam, I am writing to apply

```

```

    correct: 1,
    explanation: "Formal job applications use 'Dear Sir or Madam' and 'I am writi
},
{
    id: 14, level: "B1", type: "grammar",
    question: "Choose the correct conditional: If I ____ earlier, I would not have
    options: ["have left", "would leave", "will leave", "had left"],
    correct: 3,
    explanation: "This is a third conditional sentence. The pattern is: If + past
},
{
    id: 15, level: "B1", type: "reading",
    passage: "Sumud is an Arabic word that means 'steadfastness' or 'staying firm
    question: "According to the passage, what is the main meaning of sumud?",
    options: ["A type of olive tree.", "Quiet, daily resistance through staying c
    correct: 1,
    explanation: "The passage explains that sumud is 'quiet resistance' shown thr
},

// ===== B2 (5 questions) =====
{
    id: 16, level: "B2", type: "grammar",
    question: "Complete: The proposal ____ by the committee before being sent to t
    options: ["will review", "will be reviewed", "will reviewing", "will been rev
    correct: 1,
    explanation: "The future passive is 'will be + past participle.' The proposal
},
{
    id: 17, level: "B2", type: "vocab",
    question: "Choose the word that best fits: The young entrepreneur was ____ to
    options: ["fearless", "fearful", "feared", "fearing"],
    correct: 0,
    explanation: "'Fearless' means without fear – appropriate for someone willing
},
{
    id: 18, level: "B2", type: "pragmatic",
    question: "Your colleague suggests an idea you disagree with in a meeting. Wh
    options: ["That is wrong.", "I see what you mean, but I would suggest we also
    correct: 1,
    explanation: "Acknowledging the other person's view ('I see what you mean') b
},
{
    id: 19, level: "B2", type: "grammar",
    question: "Choose the correct sentence using a relative clause:",
    options: ["The student which won the prize is from Karak.", "The student that
    correct: 2,
    explanation: "We use 'who' for people. 'Which' is for things, and 'whose' sho

```

```

},
{
  id: 20, level: "B2", type: "reading",
  passage: "Jordan's tech sector has grown remarkably over the past decade. One
  question: "What is the writer's main point about Jordan's tech sector?",
  options: ["It is the largest in the Arab world.", "It struggles with poor tal
  correct: 2,
  explanation: "The passage describes growth and talent strength while acknowle
},

// ===== C1 (5 questions) =====
{
  id: 21, level: "C1", type: "grammar",
  question: "Choose the sentence that best uses inversion for emphasis:",
  options: ["Not only did the study reveal significant findings, but it also pr
  correct: 0,
  explanation: "Inversion ('did the study reveal' instead of 'the study reveale
},
{
  id: 22, level: "C1", type: "vocab",
  question: "Choose the most precise word: The scholar's ____ on bilingualism ch
  options: ["talk", "treatise", "paper", "idea"],
  correct: 1,
  explanation: "A 'treatise' is a formal, systematic written work on a specific
},
{
  id: 23, level: "C1", type: "pragmatic",
  question: "What is the pragmatic function of 'I was wondering if you might po
  options: ["A highly indirect, polite request that softens the imposition on t
  correct: 0,
  explanation: "This is a classic example of indirect speech act theory – multi
},
{
  id: 24, level: "C1", type: "grammar",
  question: "Complete: The government's policy, ____ has been widely criticised,
  options: ["that", "what", "where", "which"],
  correct: 3,
  explanation: "'Which' is the correct relative pronoun for non-restrictive cla
},
{
  id: 25, level: "C1", type: "reading",
  passage: "The notion that language merely reflects thought has long been cont
  question: "What does the passage suggest about the current view of language a
  options: ["Language has no influence on thought whatsoever.", "Sapir and Whor
  correct: 2,
  explanation: "The phrase 'mutually constitutive, each subtly informing the ot
},

```

```
// ===== C2 (5 questions) =====
{
  id: 26, level: "C2", type: "grammar",
  question: "Identify the sentence with the most sophisticated structure:",
  options: ["Were she to reconsider her position, the entire negotiation would",
    "correct: 0,",
    explanation: "Inverted conditional 'Were she to reconsider...' (without 'if')"],
},
{
  id: 27, level: "C2", type: "vocab",
  question: "Choose the most apt word: The minister's response was characterise",
  options: ["clarity", "vagueness", "honesty", "equivocation"],
  correct: 3,
  explanation: "'Equivocation' specifically means using ambiguous language to a",
},
{
  id: 28, level: "C2", type: "pragmatic",
  question: "Which utterance best demonstrates pragmatic mitigation in academic",
  options: ["The author is completely wrong about this.", "It might be argued t",
    "correct: 1,",
    explanation: "Hedges ('might be argued', 'while compelling', 'somewhat') and"],
},
{
  id: 29, level: "C2", type: "grammar",
  question: "Choose the sentence that correctly uses a cleft construction for e",
  options: ["What surprised the committee most was the proposal's elegance.", ""],
  correct: 0,
  explanation: "A wh-cleft ('What X was Y') foregrounds new information and sig",
},
{
  id: 30, level: "C2", type: "reading",
  passage: "Postcolonial scholarship has compellingly demonstrated that the met",
  question: "What is the central argument of the passage?",
  options: ["Archives are simple records of past events.", "Postcolonial schola",
    "correct: 2,",
    explanation: "The passage argues that critical engagement requires 'reconstit"],
},
];

// =====
// CHANGE 3 - UPDATED getPlacementLevel FUNCTION
// =====
// Uses per-level mastery instead of just total score.
// Returns a richer result object with band, description, and breakdown.
```

```

interface PlacementResult {
  level: string;          // e.g. "B1", "B1+", "Below A1"
  description: string;    // friendly explanation
  breakdown: { level: string; correct: number; total: number }[];
}

function getPlacementLevel(
  questions: QuizQuestion[],
  answers: (number | null)[]
): PlacementResult {
  const levels = ["A1", "A2", "B1", "B2", "C1", "C2"];
  const breakdown = levels.map((lvl) => {
    const levelQuestions = questions
      .map((q, i) => ({ q, i }))
      .filter(({ q }) => q.level === lvl);
    const correctCount = levelQuestions.filter(
      ({ q, i }) => answers[i] === q.correct
    ).length;
    return { level: lvl, correct: correctCount, total: levelQuestions.length };
  });

  // Mastery rule: a learner "has" a level if they got 3 or more out of 5 correct
  // The placement is the HIGHEST consecutive level mastered, starting from A1.
  // If they score 4-5 out of 5 at a level, mark it as "+" (emerging into next).

  let placedLevel = "Below A1";
  let placementDesc = "";

  for (let idx = 0; idx < levels.length; idx++) {
    const { correct } = breakdown[idx];
    if (correct >= 3) {
      placedLevel = levels[idx];
      // If they did very well (4 or 5), they're emerging into next level
      if (correct >= 4 && idx < levels.length - 1) {
        const nextLevel = levels[idx + 1];
        const nextCorrect = breakdown[idx + 1].correct;
        if (nextCorrect < 3) {
          placedLevel = `${levels[idx]}+`;
        }
      }
    } else {
      // Stop climbing - they didn't pass this level
      break;
    }
  }
}

```

```

// Build a friendly description
if (placedLevel === "Below A1") {
  placementDesc =
    "You're just starting your English journey – that's a wonderful place to be
} else if (placedLevel === "C2") {
  placementDesc =
    "Mastery level. You demonstrate near-native command of English across gramm
} else if (placedLevel.endsWith("+")) {
  const base = placedLevel.replace("+", "");
  placementDesc = `You're solidly at ${base} and showing emerging strengths at
} else {
  const descriptions: Record<string, string> = {
    A1: "Beginner. You can handle basic everyday phrases and very simple intera
    A2: "Elementary. You can communicate in simple, routine situations and unde
    B1: "Intermediate. You can handle most situations while travelling and disc
    B2: "Upper-intermediate. You can interact with native speakers fluently and
    C1: "Advanced. You can express ideas fluently and use language flexibly for
  };
  placementDesc = descriptions[placedLevel] || "";
}

return {
  level: placedLevel,
  description: placementDesc,
  breakdown,
};
}

```

```

// =====
// CHANGE 4 – UI ADJUSTMENTS
// =====
// Inside the PlacementTest component, make these small updates:
//
// 1. RENAME the test in the header:
//   OLD: "Placement Test"
//   NEW: "Quick CEFR Check"
//   (Update the button label on the homepage too – change the red
//   "Placement Test" button text to "Quick CEFR Check")
//
// 2. UPDATE the subtitle / intro text:
//   OLD: "Answer 15 questions to find your CEFR level"
//   NEW: "30 questions across 6 CEFR levels – an estimated self-check, not a fo
//
// 3. RENDER the optional `passage` field:
//   Where each question is displayed, before the question text, add:
//   {currentQuestion.passage && (

```

```

//      <div className="bg-sand/50 border-l-4 border-aqaba p-4 mb-4 rounded text-
//      {currentQuestion.passage}
//      </div>
//    )}
//
// 4. SHOW the question type as a small badge (optional but nice):
//    Next to the level badge, add:
//    <span className="text-xs text-gray-500 capitalize">{currentQuestion.type}</
//
// 5. UPDATE the result page to use the new PlacementResult shape:
//    - Display result.level as the main heading
//    - Display result.description as the explanation
//    - Optionally show the breakdown as a small table:
//      "A1: 5/5 ✓ | A2: 4/5 ✓ | B1: 3/5 ✓ | B2: 2/5 | C1: 1/5 | C2: 0/
//    - Update the "Estimated level: ..." wording so users understand
//      this is a self-check, not a certification
//
// 6. UPDATE the progress indicator (e.g. "Question 11 of 15" → "Question 11 of 3
//    This should happen automatically if the code uses placementQuestions.length

// =====
// CORRECT-ANSWER POSITION DISTRIBUTION (verified)
// =====
// A: 8   B: 8   C: 8   D: 6
// Well-balanced – no "always pick A" pattern, no over-reliance on any position.
//
// Per-question positions:
// Q1:B Q2:C Q3:B Q4:D Q5:D
// Q6:C Q7:A Q8:C Q9:A Q10:C
// Q11:D Q12:A Q13:B Q14:D Q15:B
// Q16:B Q17:A Q18:B Q19:C Q20:C
// Q21:A Q22:B Q23:A Q24:D Q25:C
// Q26:A Q27:D Q28:B Q29:A Q30:C

```