






Proton offset: Λ (p/π/K resolution 4.0/4.0/0.1%)
δ p_p [MeV/c]
M(pπ⁻) [GeV/c²]



Proton offset: η missing mass (p/π/K resolution 4.0/4.0/0.1%)
Mass<0: excluded from mass plot
Maximum loss at a scan point: 0.0000%
δ p_p [MeV/c]
M_miss(K⁻p-Λ) [GeV/c²]



Pion offset: Λ (p/π/K resolution 4.0/4.0/0.1%)
δ p_π [MeV/c]
M(pπ⁻) [GeV/c²]



Pion offset: η missing mass (p/π/K resolution 4.0/4.0/0.1%)
M²miss<0 excluded from mass plot
Maximum loss at a scan point: 0.0000%
δ p_π [MeV/c]
M_miss(K⁻p-Λ) [GeV/c²]


Beam offset: Λ (p/π/K resolution 4.0/4.0/0.1%)
δ p_K⁻ [MeV/c]
M(pπ⁻) [GeV/c²]


Beam offset: η missing mass (p/π/K resolution 4.0/4.0/0.1%)
M²miss<0: excluded from mass plot
Maximum loss at a scan point: 0.0000%
δ p_K⁻ [MeV/c]
M_miss(K⁻p-Λ) [GeV/c²]


Proton offset: η missing mass squared
Left of solid red line: M^2_{miss}<0 (no real mass)
Dashed red line: m^2_η
Negative track magnitudes excluded; same resolution as mass plots
First negative events toward this side: δ p = -340 MeV/c
First negative events toward this side: δ p = 405 MeV/c
δ p_p [MeV/c]
600
400
200
0
−200
−400
−0.8
−0.6
−0.4
−0.2
0
0.2
0.4
M^2_{miss} [$(GeV/c^2)^2$]
50000
40000
30000
20000
10000
0


Pion offset: η missing mass squared
Left of solid red line: M^2_{miss}<0 (no real mass)
Dashed red line: m^2_η
Negative track magnitudes excluded; same resolution as mass plots
First negative events toward this side: δ p = 355 MeV/c
δ p_π [MeV/c]
600
400
200
0
−200
−400
−0.8
−0.6
−0.4
−0.2
0
0.2
0.4
M^2_{miss} [$(GeV/c^2)^2$]
50000
40000
30000
20000
10000
0


Beam offset: η missing mass squared
Left of solid red line: M^2_{miss}<0 (no real mass)
Dashed red line: m^2_η
Negative track magnitudes excluded; same resolution as mass plots
First negative events toward this side: δ p = -370 MeV/c
δ p_{K^-} [MeV/c]
600
400
200
0
−200
−400
−0.8
−0.6
−0.4
−0.2
0
0.2
0.4
M^2_{miss} [$(GeV/c^2)^2$]
50000
40000
30000
20000
10000
0