runs 2447-2451 (n=4), DCA and χ^2, MM ≥ 0.5 passed, signal 1.105-1.125 minus sidebands

all N_Λ = 7687: n_{extra}=0 22.4% n_{extra}=1 24.1% n_{extra}=2 30.5% n_{extra}=3 13.5% n_{extra}=4+ 9.6%

outside LH2 N_Λ = 3906: n_{extra}=0 21.6% n_{extra}=1 25.7% n_{extra}=2 28.9% n_{extra}=3 14.2% n_{extra}=4+ 9.7%

LH2 N_Λ = 3781: n_{extra}=0 23.2% n_{extra}=1 22.5% n_{extra}=2 32.1% n_{extra}=3 12.7% n_{extra}=4+ 9.5%

extra tracks: π^- 33.4% π^+ 26.6% p 12.0% $K^\pm$ 2.9% e/other (-) 10.9% e/other (+) 14.2%

class 0 upstream beam window 7.6% of extra tracks | ntrack pass (current): 22.1%

class 1 duplicate of p/π 0.2% of extra tracks | ntrack pass when classes 0-0 ignored: 24.6%

class 2 short ($\leq$ 6 hits) 24.0% of extra tracks | ntrack pass when classes 0-1 ignored: 24.7%

class 3 from vertex (DCA_{beam} < 10 mm) 57.6% of extra tracks | ntrack pass when classes 0-2 ignored: 31.4%

class 4 other 10.5% of extra tracks | ntrack pass when classes 0-3 ignored: 85.4%


n_{extra} (sideband subtracted)
production vtx in LH2
outside LH2
extra tracks


extra track species (stored pid)
×10^3
extra tracks
π⁻
π⁺
p
K±
e/other (-)
e/other (+)


extra track momentum
extra tracks
mom0 [GeV/c]


DCA to the beam track
DCA [mm]


DCA to the Λ daughters (min)
×10^3
extra tracks
DCA [mm]


z of the closest point to the beam
extra tracks
z [mm]


extra tracks, signal window
dE/dx
q × mom0 [GeV/c]


extra track χ^2
extra tracks
χ^2


extra track hits
extra tracks
hits


most upstream hit z
extra tracks
z [mm]