runs 2447-2451 (n=4), DCA and χ^2 passed, signal 1.105-1.125 minus sidebands

all N_Λ = 32041: n_{extra}=0 24.6% n_{extra}=1 27.4% n_{extra}=2 26.5% n_{extra}=3 12.3% n_{extra}=4+ 9.2%

outside LH2 N_Λ = 18375: n_{extra}=0 21.0% n_{extra}=1 29.8% n_{extra}=2 26.0% n_{extra}=3 13.0% n_{extra}=4+ 10.2%

LH2 N_Λ = 13666: n_{extra}=0 29.5% n_{extra}=1 24.1% n_{extra}=2 27.3% n_{extra}=3 11.3% n_{extra}=4+ 7.9%

extra tracks: π^- 30.5% π^+ 21.4% p 17.4% $K^\pm$ 3.7% e/other (-) 11.4% e/other (+) 15.7%

class 0 upstream beam window 7.9% of extra tracks | ntrack pass (current): 24.4%

class 1 duplicate of p/π 0.1% of extra tracks | ntrack pass when classes 0-0 ignored: 27.1%

class 2 short ($\leq$ 6 hits) 24.3% of extra tracks | ntrack pass when classes 0-1 ignored: 27.2%

class 3 from vertex (DCA_{beam} < 10 mm) 57.3% of extra tracks | ntrack pass when classes 0-2 ignored: 34.9%

class 4 other 10.3% of extra tracks | ntrack pass when classes 0-3 ignored: 86.5%


n_{extra} (sideband subtracted)
production vtx in LH2
outside LH2
extra tracks


extra track species (stored pid)
×10^3
extra tracks
π⁻
π⁺
p
K±
e/other (-)
e/other (+)


extra track momentum
×10^3
extra tracks
mom0 [GeV/c]


DCA to the beam track
×10^3
DCA [mm]


DCA to the Λ daughters (min)
×10^3
extra tracks
DCA [mm]


z of the closest point to the beam
×10^3
extra tracks
z [mm]


extra tracks, signal window
dE/dx
q × mom0 [GeV/c]


extra track χ^2
extra tracks
χ^2


extra track hits
extra tracks
hits


most upstream hit z
extra tracks
z [mm]