



Front passenger side window regulator button, Front passenger door control unit, Front passenger door ambient lighting bulb, Front passenger door lock unit, Front passenger side window regulator motor, Front passenger side door warning lamp, Light conductor for front right sill panel moulding ambient lighting




- E716 Front passenger side window regulator button
- J387 Front passenger door control unit
- L76 Button illumination bulb
- L165 Front passenger door ambient lighting bulb
- T4av 4-pin connector
- T8w 8-pin connector
- T20h 20-pin connector
- T28 28-pin connector, in right A-pillar coupling station
- T32b 32-pin connector
- VX22 Front passenger door lock unit
- V148 Front passenger side window regulator motor
- W36 Front passenger side door warning lamp
- W68 Light conductor for front right sill panel moulding ambient lighting
- 206 Earth connection, in front passenger door wiring harness
- 373 Earth connection 8, in main wiring harness
- 638 Earth point, on right A-pillar
- R80 Connection 3 (58d), in door control unit wiring harness
- * Only models with footwell illumination
- *2 According to equipment

ws = white
 sw = black
 ro = red
 rt = red
 br = brown
 gn = green
 bl = blue
 gr = grey
 li = purple
 vi = purple
 ge = yellow
 or = orange
 rs = pink



Potentiometer for horizontal adjustment of front passenger side mirror, Potentiometer for vertical adjustment of front passenger side mirror, Front passenger door control unit, Front passenger side mirror adjustment motor 2, Front passenger side fold-in mirror motor, Front passenger side mirror adjustment motor, Heated exterior mirror on front passenger side

- G516 Potentiometer for horizontal adjustment of front passenger side mirror
- G517 Potentiometer for vertical adjustment of front passenger side mirror
- J387 Front passenger door control unit
- L132 Front passenger side turn signal repeater bulb
- T16l 16-pin connector
- T20h 20-pin connector
- T28 28-pin connector, in right A-pillar coupling station
- V25 Front passenger side mirror adjustment motor 2
- V122 Front passenger side fold-in mirror motor
- V150 Front passenger side mirror adjustment motor
- W53 Front passenger side entry light in exterior mirror
- Z5 Heated exterior mirror on front passenger side
- R16 Positive connection 1 (30), in front passenger door wiring harness



Rear driver side window regulator button, Front passenger door control unit, Rear driver side door control unit, Light 1 for rear left door background lighting, Light 2 for rear left door background lighting, Rear driver side window regulator motor

- E711 Rear driver side window regulator button
- J387 Front passenger door control unit
- J926 Rear driver side door control unit
- L76 Button illumination bulb
- L201 Light 1 for rear left door background lighting
- L205 Light 2 for rear left door background lighting
- T4aj 4-pin connector
- T16I 16-pin connector
- T20I 20-pin connector
- T28a 28-pin connector, on left B-pillar
- V471 Rear driver side window regulator motor
- Y21 Front passenger side automatic anti-dazzle exterior mirror

- 207 Earth connection, in rear left door wiring harness
- B322 Positive connection 8 (30a) in main wiring harness
- R19 Positive connection 1 (30), in rear left door wiring harness
- R31 Connection 1, in rear left door wiring harness

- * Only models with footwell illumination
- *2 Only left-hand drive models
- *3 Only right-hand drive models

ws = white
sw = black
ro = red
rt = red
br = brown
gn = green
bl = blue
gr = grey
li = purple
vi = purple
ge = yellow
or = orange
rs = pink

113 114 115 116 117 118 119 120 121 122 123 124 125 126

1360-002100616

**Rear driver side door control unit, Rear left door lock unit,
Rear left door warning lamp**

J926 Rear driver side door control unit
T8u 8-pin connector
T20l 20-pin connector
T28a 28-pin connector, on left B-pillar
VX23 Rear left door lock unit
W37 Rear left door warning lamp

77 Earth point, lower part of left B-pillar

78 Earth point, lower part of right B-pillar

378 Earth connection 13, in main wiring harness

* Only right-hand drive models

