

MedDefense — Gap Analysis

Prioritized Gap Analysis

Gap ID	Title	Asset (Criticality)	Data at Risk	Control Status	Missing	Risk Level	Justification
GAP-001	Infusion pumps: no controls at all	Infusion Pumps — Critical	Dosage data (Restricted-equiv.)	None (Unprotected, Task 10)	All 4 functions	**Critical**	Critical asset, device controls missing
GAP-002	PACS: no corrective control	pacs-srv-01 — Critical	Medical Imaging — Restricted	Firewall + generic logs only; no backup	Corrective (backup)	**Critical**	Critical asset, Restricted data, corrective control missing
GAP-003	billing-srv-01: controls exist but already failed twice	billing-srv-01 — High	Financial data — Restricted	Basic controls present, passive	Effective detective + reliable corrective	**High**	High impact, previously proven ineffective control
GAP-004	ad-dc-02 has no backup	ad-dc-02 — Critical	Credentials — Restricted	Backup covers ad-dc-01 only	Corrective for ad-dc-02	**Critical**	Critical asset, restricted data, partial failure
GAP-005	Network closet exposes credentials, no detection	Network Core — Critical	Credentials — Restricted	Weak badge access; no camera	Physical detective control	**Critical**	Restricted data, detective control missing
GAP-006	HR share has no detective control	Admin Endpoints — Medium	HR Records — Confidential	Password policy only	Detective control on HR access	**Medium**	Medium asset, confidential records, detective control missing
GAP-007	Training does not reach enough staff	Org-wide/ Westside — Medium	Not data-specific	58% completion at Westside,	Effective reach of existing control	**Medium**	Partial control, records do not reach enough staff

Gap ID	Title	Asset (Criticality)	Data at Risk	Control Status	Missing	Risk Level	Justification
				no phishing sims			eliminating risk
GAP-008	Shared PACS login removes accountability	PACS — Critical	Medical Imaging — Restricted	Password policy exists but shared account defeats it	Individual login + attribution	**Critical**	Critical asset. Re-identification of data attribution possible.
GAP-009	Orphaned Raspberry Pi: no controls, unconfirmed identity	Unidentified device — not in Task 8 framework	Unknown, possibly credentials	None ever applied (Task 11)	Every function + basic visibility	**High**	Zero trust on creation of untrusted device.
GAP-010	Backup has no compensating control	Backup & Storage — Critical	Copies of Restricted/Confidential data	Only 1 corrective control, untested, co-located	Compensating control (offsite backup)	**Critical**	Critical category solution for confidential data is untested.

Gap Distribution Summary

Metric / Category	Summary Details
Metric / Category	Summary Details
By Risk Level	6 Critical, 2 High, 2 Medium, 0 Low.
By Asset Category	PACS/Medical Imaging has the most gaps (2); every other category has 1.
By Control Function	Gaps concentrate in **Detective** and **Corrective**.