





**Worldwide Leader In  
Mixing Fluids Technology**



**Portable and  
Fixed Mount Mixers**



Neutrone® portable & fixed mounted mixers are designed ideally for agitation of small/big batches of light and medium from high flow to high shear for batch or continuous process which combine economy with quality and recognizes know how. Neutrone®'s N1 & N3 mixers series are equipped with direct drive while N2 & N5 mixers series equipped with gear reduction which able to provide reliable performance in agitation application at an economical price, low operating cost effective and long life operation.

#### Features of Neutrone® Mixer N1, N2, N3 & N5 Series


- Neutrone®'s High Efficiency/Axial Flow Impeller, NE-3, NB-3, etc
- All wetted parts in SS304/SS316. Other materials available upon request
- Direct drive for minimize maintenance (Applicable for N1 & N3 Series)
- Helical gear for long life, quiet and efficient operation (Applicable for N2 & N5 Series)
- Standard motor from 0.18kW to 7.5kW
- Rigid coupling (SS304/SS316) to provide stability for long shaft (Applicable for N2 & N5 Series)
- Bearing service rated over 100,000hrs (L-10)
- Single or double full cartridge mechanical seal, lip seal & stuffing box/gland packing available




A variety of models are available (N1X-YY, N2X-YY, N3X-YY & N5X-YY Series)

X = A	—	Open tank with flat plate mounting
X = J	—	Open tank with clamp mounting
X = E	—	Open tank with Lip Seal
X = HB	—	Closed tank with Stuffing Box/Gland Packing
X = D	—	Closed tank with Single Full Cartridge Mechanical Seal
X – DS	—	Closed tank with Double Full Cartridge Mechanical Seal
YY	—	Motor Power, Example: 75 = 0.75kw, 750 = 7.5kW

## Neutrone® Mixers, N2A Series



## Neutrone® Mixers, N5A Series



The above picture shown Neutrone® fixed mounted mixer, model N2E-37 fitted with lip seal @ Singapore



The above picture show Neutrone® fixed mounted mixer, Model N5DS-750, fitted with a double full cartridge mechanical seal c/w cooling lubricant from a seal lube pot @ Malaysia

## **Our Organization**

### **Quality**

We recognize that our customers demand a high quality product manufactured and serviced in a timely and efficient manner. Working within the process industry we are fully aware of the specific demands for quality standards

### **After Sales & Service Quality**

Our dedicated direct service teams are readily available to support your process equipment at all times. Genuine spares and service solutions can be obtained from all our companies and ensure operating capacity of your valuable production equipment.

### **Warranty/Guarantee Quality**

All our products are built to last and we provide warranty periods that are appropriate for the specific industries where the equipment is located.



**YOUR LOCAL DISTRIBUTOR**