



DISASTER RECOVERY DOCUMENT
Incatorque (PTY) Ltd
G-PAY

25th June 2025

Table of Contents

1	INTRODUCTION.....	3
2	DR SCENARIO	3
3	STEPS TO START UP DR SERVERS	3
4	STEPS TO FOLLOW AFTER DR ENDS	3
5	DR SERVER DETAIL.....	3
6	ADDITIONAL DETAIL	3

1 INTRODUCTION

The purpose of this document is to provide a complete step-by-step guide on processes to follow in a DR scenario.

2 DR SCENARIO

DR Scenario includes the following:

- Xneelo DC completely down.
- Main Hyper-V Server with 2nd Replication Server failure.
- Xneelo DC infrastructure not available any more.

3 STEPS TO START UP DR SERVERS

- All relevant parties should be notified by GPAY to call a DR scenario.
- DR Server will be started manually at the Afrihost DC.
- All DNS records must be changed to the DR IP's provided.
- All Banks must change to new IP

4 STEPS TO FOLLOW AFTER DR ENDS

- All Servers will be replicated back to Xneelo.
- All Servers will be replicated to 2nd Hyper-V Server.
- All relevant parties should be notified to change back all records.
- Downtime to be scheduled to start up primary environment.

5 DR SERVER DETAIL

- Gpay (10.10.1.101) – To be assigned ones moved
- Gpay (10.10.1.102) – To be assigned ones moved
- Gpay (10.10.1.103) – To be assigned ones moved
- Gpay (10.10.1.100) – To be assigned ones moved

6 ADDITIONAL DETAIL

- DR is only called when all seems lost.
- DR is only called when Xneelo DC cannot provide an answer on downtime
- DR is only called when Xneelo DC is not able give reasons why the infrastructure is down.
- Multiple IP's can be assigned to all Website DNS records to provide an easy failover to DR – Something like Cloudflare.

NB: Gpay must provide the appropriate downtime on when to call a DR scenario.