

You are here: [Home](#) > [Projects](#) > [SSL Server Test](#) > demo.gpay.co.za

SSL Report: demo.gpay.co.za (41.76.213.163)

Assessed on: Mon, 20 Apr 2020 10:11:53 UTC | [Hide](#) | [Clear cache](#)

[Scan Another »](#)

Summary

Overall Rating

B

Certificate

Protocol Support

Key Exchange

Cipher Strength

0 20 40 60 80 100

Visit our [documentation page](#) for more information, configuration guides, and books. Known issues are documented [here](#).

This server supports TLS 1.0 and TLS 1.1. Grade capped to B. [MORE INFO »](#)

HTTP Strict Transport Security (HSTS) with long duration deployed on this server. [MORE INFO »](#)

Certificate #1: RSA 2048 bits (SHA256withRSA)



Server Key and Certificate #1

	demo.gpay.co.za
Subject	Fingerprint SHA256: dd40c108a9df00edbb53e08dcc860ee15a10b32f72fd62c2a082c0013784cde3 Pin SHA256: Grnhf7A0kzQCUMnu/Z+NWuXTmHD+9OVpzYUKbO5YY=
Common names	demo.gpay.co.za
Alternative names	demo.gpay.co.za qaservices.gpay.co.za demo.gpaymobile.co.za
Serial Number	0525c9634fcfd76924beb205210af13b
Valid from	Thu, 10 Oct 2019 00:00:00 UTC
Valid until	Sun, 09 May 2021 12:00:00 UTC (expires in 1 year)
Key	RSA 2048 bits (e 65537)
Weak key (Debian)	No
Issuer	GeoTrust EV RSA CA 2018 AIA: http://cacerts.geotrust.com/GeoTrustEVRSA2018.crt
Signature algorithm	SHA256withRSA
Extended Validation	Yes
Certificate Transparency	Yes (certificate)
OCSP Must Staple	No
Revocation information	CRL, OCSP CRL: http://cdp.geotrust.com/GeoTrustEVRSA2018.crl OCSP: http://status.geotrust.com
Revocation status	Good (not revoked)
DNS CAA	No (more info)
Trusted	Yes Mozilla Apple Android Java Windows



Additional Certificates (if supplied)

Certificates provided	2 (3001 bytes)
Chain issues	None

Additional Certificates (if supplied)

#2

Subject	GeoTrust EV RSA CA 2018
	Fingerprint SHA256: 185c0ae470423b9d4678a7c1055b5b48d90705505b794e215c063851336981f4
	Pin SHA256: yWuIDX8E5Q0XG4+9jVDIjmO2FvAVzIRhn2MppW4vyUM=
Valid until	Sat, 06 Nov 2027 12:22:46 UTC (expires in 7 years and 6 months)
Key	RSA 2048 bits (e 65537)
Issuer	DigiCert High Assurance EV Root CA
Signature algorithm	SHA256withRSA



Certification Paths

[Click here to expand](#)

Configuration



Protocols

TLS 1.3	No
TLS 1.2	Yes
TLS 1.1	Yes
TLS 1.0	Yes
SSL 3	No
SSL 2	No



Cipher Suites

TLS 1.2 (suites in server-preferred order)



TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384 (0xc030)	ECDH x25519 (eq. 3072 bits RSA) FS	256
TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256 (0xc02f)	ECDH x25519 (eq. 3072 bits RSA) FS	128
TLS_DHE_RSA_WITH_AES_256_GCM_SHA384 (0xc03e)	DH 2048 bits FS	256
TLS_DHE_RSA_WITH_AES_128_GCM_SHA256 (0xc03d)	DH 2048 bits FS	128
TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA384 (0xc028)	ECDH x25519 (eq. 3072 bits RSA) FS	WEAK 256
TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA256 (0xc027)	ECDH x25519 (eq. 3072 bits RSA) FS	WEAK 128
TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA (0xc014)	ECDH x25519 (eq. 3072 bits RSA) FS	WEAK 256
TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA (0xc013)	ECDH x25519 (eq. 3072 bits RSA) FS	WEAK 128
TLS_DHE_RSA_WITH_AES_256_CBC_SHA (0xc019)	DH 2048 bits FS	WEAK 256
TLS_DHE_RSA_WITH_AES_128_CBC_SHA (0xc018)	DH 2048 bits FS	WEAK 128
TLS_RSA_WITH_AES_256_GCM_SHA384 (0xc032)	WEAK	256
TLS_RSA_WITH_AES_128_GCM_SHA256 (0xc031)	WEAK	128
TLS_RSA_WITH_AES_256_CBC_SHA256 (0xc034)	WEAK	256
TLS_RSA_WITH_AES_128_CBC_SHA256 (0xc033)	WEAK	128
TLS_RSA_WITH_AES_256_CBC_SHA (0xc035)	WEAK	256
TLS_RSA_WITH_AES_128_CBC_SHA (0xc032)	WEAK	128
TLS_RSA_WITH_3DES_EDE_CBC_SHA (0xc02c)	WEAK	112

TLS 1.1 (suites in server-preferred order)



TLS 1.0 (suites in server-preferred order)



Handshake Simulation

Android 2.3.7 No SNI ²	RSA 2048 (SHA256)	TLS 1.0	TLS_DHE_RSA_WITH_AES_128_CBC_SHA DH 2048 FS
Android 4.0.4	RSA 2048 (SHA256)	TLS 1.0	TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA ECDH secp256r1 FS
Android 4.1.1	RSA 2048 (SHA256)	TLS 1.0	TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA ECDH secp256r1 FS

Handshake Simulation

Android 4.2.2	RSA 2048 (SHA256)	TLS 1.0	TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA	ECDH secp256r1	FS
Android 4.3	RSA 2048 (SHA256)	TLS 1.0	TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA	ECDH secp256r1	FS
Android 4.4.2	RSA 2048 (SHA256)	TLS 1.2	TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384	ECDH secp256r1	FS
Android 5.0.0	RSA 2048 (SHA256)	TLS 1.2	TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256	ECDH secp256r1	FS
Android 6.0	RSA 2048 (SHA256)	TLS 1.2 > http/1.1	TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256	ECDH secp256r1	FS
Android 7.0	RSA 2048 (SHA256)	TLS 1.2 > h2	TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384	ECDH x25519	FS
Android 8.0	RSA 2048 (SHA256)	TLS 1.2 > h2	TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384	ECDH x25519	FS
Android 8.1	RSA 2048 (SHA256)	TLS 1.2 > h2	TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384	ECDH x25519	FS
Android 9.0	RSA 2048 (SHA256)	TLS 1.2 > h2	TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384	ECDH x25519	FS
Baidu Jan 2015	RSA 2048 (SHA256)	TLS 1.0	TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA	ECDH secp256r1	FS
BingPreview Jan 2015	RSA 2048 (SHA256)	TLS 1.2	TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384	ECDH secp256r1	FS
Chrome 49 / XP SP3	RSA 2048 (SHA256)	TLS 1.2 > h2	TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256	ECDH secp256r1	FS
Chrome 69 / Win 7 R	RSA 2048 (SHA256)	TLS 1.2 > h2	TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384	ECDH x25519	FS
Chrome 70 / Win 10	RSA 2048 (SHA256)	TLS 1.2 > h2	TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384	ECDH x25519	FS
Chrome 80 / Win 10 R	RSA 2048 (SHA256)	TLS 1.2 > h2	TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384	ECDH x25519	FS
Firefox 31.3.0 ESR / Win 7	RSA 2048 (SHA256)	TLS 1.2	TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256	ECDH secp256r1	FS
Firefox 47 / Win 7 R	RSA 2048 (SHA256)	TLS 1.2 > h2	TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256	ECDH secp256r1	FS
Firefox 49 / XP SP3	RSA 2048 (SHA256)	TLS 1.2 > h2	TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384	ECDH secp256r1	FS
Firefox 62 / Win 7 R	RSA 2048 (SHA256)	TLS 1.2 > h2	TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384	ECDH x25519	FS
Firefox 73 / Win 10 R	RSA 2048 (SHA256)	TLS 1.2 > h2	TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384	ECDH x25519	FS
Googlebot Feb 2018	RSA 2048 (SHA256)	TLS 1.2	TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384	ECDH x25519	FS
IE 7 / Vista	RSA 2048 (SHA256)	TLS 1.0	TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA	ECDH secp256r1	FS
IE 8 / XP No FS ¹ No SNI ²	RSA 2048 (SHA256)	TLS 1.0	TLS_RSA_WITH_3DES_EDE_CBC_SHA		
IE 8-10 / Win 7 R	RSA 2048 (SHA256)	TLS 1.0	TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA	ECDH secp256r1	FS
IE 11 / Win 7 R	RSA 2048 (SHA256)	TLS 1.2	TLS_DHE_RSA_WITH_AES_256_GCM_SHA384	DH 2048	FS
IE 11 / Win 8.1 R	RSA 2048 (SHA256)	TLS 1.2 > http/1.1	TLS_DHE_RSA_WITH_AES_256_GCM_SHA384	DH 2048	FS
IE 10 / Win Phone 8.0	RSA 2048 (SHA256)	TLS 1.0	TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA	ECDH secp256r1	FS
IE 11 / Win Phone 8.1 R	RSA 2048 (SHA256)	TLS 1.2 > http/1.1	TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA256	ECDH secp256r1	FS
IE 11 / Win Phone 8.1 Update R	RSA 2048 (SHA256)	TLS 1.2 > http/1.1	TLS_DHE_RSA_WITH_AES_256_GCM_SHA384	DH 2048	FS
IE 11 / Win 10 R	RSA 2048 (SHA256)	TLS 1.2 > h2	TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384	ECDH secp256r1	FS
Edge 15 / Win 10 R	RSA 2048 (SHA256)	TLS 1.2 > h2	TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384	ECDH x25519	FS
Edge 16 / Win 10 R	RSA 2048 (SHA256)	TLS 1.2 > h2	TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384	ECDH x25519	FS
Edge 18 / Win 10 R	RSA 2048 (SHA256)	TLS 1.2 > h2	TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384	ECDH x25519	FS
Edge 13 / Win Phone 10 R	RSA 2048 (SHA256)	TLS 1.2 > h2	TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384	ECDH secp256r1	FS
Java 6u45 No SNI ²	Client does not support DH parameters > 1024 bits				
	RSA 2048 (SHA256) TLS 1.0 TLS_DHE_RSA_WITH_AES_128_CBC_SHA DH 2048				
Java 7u25	RSA 2048 (SHA256)	TLS 1.0	TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA	ECDH secp256r1	FS
Java 8u161	RSA 2048 (SHA256)	TLS 1.2	TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384	ECDH secp256r1	FS
Java 11.0.3	RSA 2048 (SHA256)	TLS 1.2	TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384	ECDH secp256r1	FS
Java 12.0.1	RSA 2048 (SHA256)	TLS 1.2	TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384	ECDH secp256r1	FS
OpenSSL 0.9.8y	RSA 2048 (SHA256)	TLS 1.0	TLS_DHE_RSA_WITH_AES_256_CBC_SHA	DH 2048	FS
OpenSSL 1.0.1l R	RSA 2048 (SHA256)	TLS 1.2	TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384	ECDH secp256r1	FS
OpenSSL 1.0.2s R	RSA 2048 (SHA256)	TLS 1.2	TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384	ECDH secp256r1	FS
OpenSSL 1.1.0k R	RSA 2048 (SHA256)	TLS 1.2	TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384	ECDH x25519	FS
OpenSSL 1.1.1c R	RSA 2048 (SHA256)	TLS 1.2	TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384	ECDH x25519	FS
Safari 5.1.9 / OS X 10.6.8	RSA 2048 (SHA256)	TLS 1.0	TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA	ECDH secp256r1	FS
Safari 6 / iOS 6.0.1	RSA 2048 (SHA256)	TLS 1.2	TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA384	ECDH secp256r1	FS
Safari 6.0.4 / OS X 10.8.4 R	RSA 2048 (SHA256)	TLS 1.0	TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA	ECDH secp256r1	FS
Safari 7 / iOS 7.1 R	RSA 2048 (SHA256)	TLS 1.2	TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA384	ECDH secp256r1	FS
Safari 7 / OS X 10.9 R	RSA 2048 (SHA256)	TLS 1.2	TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA384	ECDH secp256r1	FS
Safari 8 / iOS 8.4 R	RSA 2048 (SHA256)	TLS 1.2	TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA384	ECDH secp256r1	FS
Safari 8 / OS X 10.10 R	RSA 2048 (SHA256)	TLS 1.2	TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA384	ECDH secp256r1	FS
Safari 9 / iOS 9 R	RSA 2048 (SHA256)	TLS 1.2 > h2	TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384	ECDH secp256r1	FS
Safari 9 / OS X 10.11 R	RSA 2048 (SHA256)	TLS 1.2 > h2	TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384	ECDH secp256r1	FS
Safari 10 / iOS 10 R	RSA 2048 (SHA256)	TLS 1.2 > h2	TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384	ECDH secp256r1	FS

Handshake Simulation

Safari 10 / OS X 10.12 R	RSA 2048 (SHA256)	TLS 1.2 > h2	TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384	ECDH secp256r1 FS
Safari 12.1.2 / MacOS 10.14.6 Beta R	RSA 2048 (SHA256)	TLS 1.2 > h2	TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384	ECDH x25519 FS
Safari 12.1.1 / iOS 12.3.1 R	RSA 2048 (SHA256)	TLS 1.2 > h2	TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384	ECDH x25519 FS
Apple ATS 9 / iOS 9 R	RSA 2048 (SHA256)	TLS 1.2 > h2	TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384	ECDH secp256r1 FS
Yahoo Slurp Jan 2015	RSA 2048 (SHA256)	TLS 1.2	TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384	ECDH secp256r1 FS
YandexBot Jan 2015	RSA 2048 (SHA256)	TLS 1.2	TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384	ECDH secp256r1 FS

Not simulated clients (Protocol mismatch)

[IE 6 / XP](#) No FS¹ No SNI² Protocol mismatch (not simulated)

- (1) Clients that do not support Forward Secrecy (FS) are excluded when determining support for it.
 (2) No support for virtual SSL hosting (SNI). Connects to the default site if the server uses SNI.
 (3) Only first connection attempt simulated. Browsers sometimes retry with a lower protocol version.
 (R) Denotes a reference browser or client, with which we expect better effective security.
 (All) We use defaults, but some platforms do not use their best protocols and features (e.g., Java 6 & 7, older IE).
(All) Certificate trust is not checked in handshake simulation, we only perform TLS handshake.



Protocol Details

	No, server keys and hostname not seen elsewhere with SSLv2
DROWN	(1) For a better understanding of this test, please read this longer explanation (2) Key usage data kindly provided by the Censys network search engine; original DROWN website here (3) Censys data is only indicative of possible key and certificate reuse; possibly out-of-date and not complete
Secure Renegotiation	Supported
Secure Client-Initiated Renegotiation	No
Insecure Client-Initiated Renegotiation	No
BEAST attack	Not mitigated server-side (more info) TLS 1.0: 0xc014
POODLE (SSLv3)	No, SSL 3 not supported (more info)
POODLE (TLS)	No (more info)
Zombie POODLE	No (more info) TLS 1.2: 0xc027
GOLDENDOODLE	No (more info) TLS 1.2: 0xc027
OpenSSL 0-Length	No (more info) TLS 1.2: 0xc027
Sleeping POODLE	No (more info) TLS 1.2: 0xc027
Downgrade attack prevention	No, TLS_FALLBACK_SCSV not supported (more info)
SSL/TLS compression	No
RC4	No
Heartbeat (extension)	No
Heartbleed (vulnerability)	No (more info)
Ticketbleed (vulnerability)	No (more info)
OpenSSL CCS vuln. (CVE-2014-0224)	No (more info)
OpenSSL Padding Oracle vuln. (CVE-2016-2107)	No (more info)
ROBOT (vulnerability)	No (more info)
Forward Secrecy	Yes (with most browsers) ROBUST (more info)
ALPN	Yes h2 http/1.1
NPN	No
Session resumption (caching)	No (IDs assigned but not accepted)
Session resumption (tickets)	No
OCSP stapling	Yes
Strict Transport Security (HSTS)	Yes max-age=3153600;includeSubDomains;preload
HSTS Preloading	Not in: Chrome Edge Firefox IE
Public Key Pinning (HPKP)	No (more info)
Public Key Pinning Report-Only	No
Public Key Pinning (Static)	No (more info)
Long handshake intolerance	No
TLS extension intolerance	No
TLS version intolerance	No

Protocol Details

Incorrect SNI alerts	No
Uses common DH primes	No
DH public server param (Ys) reuse	Yes
ECDH public server param reuse	Yes
Supported Named Groups	x25519, secp256r1, secp384r1 (server preferred order)
SSL 2 handshake compatibility	Yes

**HTTP Requests**

1 <https://demo.gpay.co.za/> (HTTP/1.1 302 Found)

**Miscellaneous**

Test date	Mon, 20 Apr 2020 10:07:56 UTC
Test duration	236.728 seconds
HTTP status code	302
HTTP forwarding	https://demoidentity.gpay.co.za
HTTP server signature	-
Server hostname	insintigo.dedicated.co.za

SSL Report v2.1.4

Copyright © 2009-2020 [Qualys, Inc.](#). All Rights Reserved.[Terms and Conditions](#)[Try Qualys for free!](#) Experience the award-winning [Qualys Cloud Platform](#) and the entire collection of [Qualys Cloud Apps](#), including [certificate security](#) solutions.