



The license associated with the Belarc Advisor product allows for **free personal use only**. Use on computers in a corporate, educational, military or government installation is prohibited. See the license agreement for details. The information on this page was created locally on your computer by the Belarc Advisor. Your computer profile was not sent to a web server. Click [here](#) for more info.

System Security Status

Security Benchmark Score



No Score
(run as administrator)‡

Virus Protection



Up-to-date

Security Updates



4 missing
(or more)†

† Advisor security definitions are out of date. Click [here](#) for the latest definitions.
‡ Logon as an Administrator to see your benchmark score and the full list of missing security updates.

Computer Profile Summary

Computer Name: NessUser4-PC (in WORKGROUP)

Profile Date: 08 November 2018 11:09:57 AM

Advisor Version: 8.5c

Windows Logon: Amanda

Try BelManage, the Enterprise version of the Belarc Advisor

Operating System

Windows 7 Professional (x64) Service Pack 1 (build 7601)
Install Language: English (United States)
System Locale: English (South Africa)
Installed: 2016/12/01 08:03:40 AM
Boot Mode: UEFI (please run as administrator to see Secure Boot status)

System Model

Acer TravelMate P255 V2.06
System Serial Number: NXV8YEA002338330313400
Enclosure Type: Notebook

Processor ^a

2.30 gigahertz Intel Core i5-4200U
64 kilobyte primary memory cache
256 kilobyte secondary memory cache
3072 kilobyte tertiary memory cache
64-bit ready
Multi-core (2 total)
Hyper-threaded (4 total)

Main Circuit Board ^b

Board: Acer BA50_HW V2.06
Serial Number: NBMFP1100533810A563400
Bus Clock: 100 megahertz
UEFI: Insyde Corp. V2.06 06/14/2013

Drives

716.39 Gigabytes Usable Hard Drive Capacity
427.70 Gigabytes Hard Drive Free Space

HL-DT-ST DVDROM GU71N ATA Device [Optical drive]

TOSHIBA MQ01ABD075 ATA Device [Hard drive]
(750.15 GB) -- drive 0, s/n 836YTB2ET
USB DISK 3.0 USB Device (31.01 GB) -- drive 1, s/n 097906328040

Memory Modules ^{c,d}

7914 Megabytes Usable Installed Memory

Slot 'DIMM0' has 4096 MB (serial number 362AE932)
Slot 'DIMM1' has 4096 MB (serial number E71219E7)

Local Drive Volumes

c: (NTFS on drive 0) *	358.20 GB	69.67 GB free
d: (NTFS on drive 0)	358.20 GB	358.04 GB free

* Operating System is installed on c:

Network Drives

mounted by Amanda at 2018/11/08 11:08:27 AM

t:	1072.90 GB	85 GB free
\\sharepoint.nessgroup.co.za\sharepoint	GB	GB free

Users (mouse over user name for details)

local user accounts	last logon	
Amanda	2018/11/08 08:16:45 AM	
local system accounts		
✖ Administrator	2016/12/01 03:44:45 AM	(admin)
✖ Guest	never	
NessAdmin	2018/08/10 12:53:26 PM	(admin)
NessUser4	2018/07/10 10:53:21 AM	(admin)

✖ Marks a disabled account;

🔒 Marks a locked account

Printers

Canon Generic Plus PS3	on IP_10.0.0.51
Microsoft Shared Fax Driver	on SHRFX:
Microsoft XPS Document Writer	on XPSPort:
PDFCreator	on pdfcmon
Samsung CLP-670 Series PCL 6	on USB001
Send to Microsoft OneNote 15	on nul:
Driver	
TOSHIBA e-STUDIO3530C XPS	on 10.0.0.50

Controllers

ATA Channel 0 [Controller]
 ATA Channel 1 [Controller]
 Intel(R) 8 Series SATA AHCI Controller - 9C03

Display

AMD Radeon (TM) HD 8750M [Display adapter]
 Intel(R) HD Graphics Family [Display adapter]
 Generic PnP Monitor (15.3"vis)
 LG L192WS [Monitor] (19.1"vis, s/n 103789, February 2008)

Bus Adapters

Bluetooth Hard Copy Cable Replacement Server
 HUAWEI Mobile Connect - Bus Enumerate Device
 Intel(R) 8 Series USB Enhanced Host Controller #1 - 9C26
 Intel(R) USB 3.0 eXtensible Host Controller
 Intel(R) USB 3.0 Root Hub

Multimedia

Bluetooth Audio Device
 Intel(R) Display Audio
 Realtek High Definition Audio

Virus Protection [Back to Top]

Kaspersky Endpoint Security 10 for Windows
 Version 10.3.0.6294
 Virus Definitions Version Not Up To Date
 Realtime File Scanning On

Group Policies

None detected

Communications

↓ Bluetooth Device (Personal Area Network)
 Status: Cable unplugged
 Dhcp Server: none responded
 Physical Address: A4:DB:30:0F:0F:F5
 Bluetooth Device (RFCOMM Protocol TDI)
 ↓ Broadcom NetLink (TM) Gigabit Ethernet
 Status: Cable unplugged
 Dhcp Server: none responded
 Physical Address: 20:1A:06:4B:1B:6D
 Microsoft ISATAP Adapter
 ↑ Qualcomm Atheros AR956x Wireless Network Adapter
 primary Auto IP Address: 10.0.0.110 / 24
 Gateway: 10.0.0.2
 Dhcp Server: 10.0.0.2
 Physical Address: A4:DB:30:0E:A0:65
 Connection Speed: 72 Mbps
 Teredo Tunneling Pseudo-Interface
 Networking Dns Servers: 8.8.8.8
 8.8.4.4

Other Devices

Microsoft AC Adapter
 Microsoft ACPI-Compliant Control Method Battery
 Microsoft Composite Battery
 Bluetooth USB Adapter
 Microsoft Bluetooth Enumerator
 Bluetooth LWFLT Device
 Virtual Bluetooth Support
 Bluetooth AVRCP Device
 HID-compliant consumer control device
 USB Input Device
 HD WebCam
 Standard PS/2 Keyboard
 ELAN PS/2 Port Smart-Pad [Mouse]
 HID-compliant mouse
 Broadcom SD Host Controller
 Generic USB Hub
 USB Composite Device
 USB Mass Storage Device
 USB Root Hub
 USB Virtualization Connector Driver
 Generic volume shadow copy
 WIN10

USB Storage Use in past 30 Days (mouse over last used for details) [Back to Top]

	Last Used
USB DISK 3.0 -- drive 1, s/n 070384280F3A9962, rev PMAP	2018/11/08 11:08:18 AM

Hosted Virtual Machines (mouse over name for details) [Back to Top]

None detected

-
- a. Processor clock speed is measured at computer start-up, and on laptops may be impacted by power option settings.
 - b. Data may be transferred on the bus at one, two, or four times the Bus Clock rate.
 - c. Memory slot contents may not add up to Installed Memory if some memory is not recognized by Windows.
 - d. Memory slot contents is reported by the motherboard BIOS. Contact system vendor if slot contents are wrong.
 - e. This may be the manufacturer's factory installed product key rather than yours. You can change it to your product key using the procedure at <http://www.belarc.com/msproductkeys.html>.
 - f. The full product key is not stored on this computer. However, the characters shown uniquely identify your product key.
 - g. You can have Windows save the full product key using the procedure at <http://www.belarc.com/msproductkeys.html>.

Copyright 2000-2016, Belarc, Inc. All rights reserved.

Legal notice. U.S. Patents 8473607, 6085229, 5665951 and Patents pending.
