



The license associated with the Belarc Advisor product allows for **free personal use only**. Use on computers in a corporate, educational, military or government installation is prohibited. See the license agreement for details. The information on this page was created locally on your computer by the Belarc Advisor. Your computer profile was not sent to a web server. Click here for more info.

System Security Status

Security Benchmark Score



No Score
(run as administrator)‡

Virus Protection



Up-to-date

Security Updates



5 missing
(or more)†

† Advisor security definitions are out of date. Click here for the latest definitions.

‡ Logon as an Administrator to see your benchmark score and the full list of missing security updates.

Computer Profile Summary

Computer Name: Accounts-PC (in WORKGROUP)

Profile Date: 08 November 2018 10:24:01 AM

Advisor Version: 8.5c

Windows Logon: Vusi

Try BelManage, the Enterprise version of the Belarc Advisor

Operating System

Windows 7 Professional (x64) Service Pack 1 (build 7601)
Install Language: English (United States)
System Locale: English (South Africa)
Installed: 2014/09/09 06:14:43 PM
Boot Mode: UEFI (please run as administrator to see Secure Boot status)

System Model

Acer TravelMate P253 V2.21
System Serial Number: NXV7VEA02441412D673400
Chassis Serial Number: NXV7VEA02441412D673400
Enclosure Type: Notebook

Processor ^a

2.40 gigahertz Intel Core i3-3110M
64 kilobyte primary memory cache
256 kilobyte secondary memory cache
3072 kilobyte tertiary memory cache
64-bit ready
Multi-core (2 total)
Hyper-threaded (4 total)

Main Circuit Board ^b

Board: Acer BA51_HC_CR Type2 - Board Version
Serial Number: NBC0A110014147E09A3400
Bus Clock: 100 megahertz
UEFI: Insyde Corp. V2.21 12/16/2013

Drives

471.81 Gigabytes Usable Hard Drive Capacity
377.52 Gigabytes Hard Drive Free Space

Slimtype DVD A DS8A9SH [Optical drive]

USB DISK 3.0 USB Device (31.01 GB) -- drive 1, s/n 097906328040
WDC WD5000LPVX-22V0TT0 [Hard drive] (500.11 GB) -
- drive 0, s/n W -DXW16CED3TJ6Y

Memory Modules ^{c,d}

3986 Megabytes Usable Installed Memory

Slot 'DIMM0' is Empty
Slot 'DIMM1' is Empty
Slot 'DIMM1' has 4096 MB (serial number 0D3BA1EC)
Slot 'DIMM3' is Empty

Local Drive Volumes

c: (NTFS on drive 0) *	235.91 GB	142.24 GB free
d: (NTFS on drive 0)	235.91 GB	235.28 GB free

* Operating System is installed on c:

Network Drives

mounted by Vusi at 2018/11/08 10:22:21 AM		
t:	1072.90 GB	860. GB free
\\sharepoint.nessgroup.co.za\sharepoint	GB	GB free

Users (mouse over user name for details)

local user accounts	last logon	
Vusi	2018/11/08 07:54:24 AM	
local system accounts		
Admin	2018/10/12 04:04:59 PM	(admin)
✗ Administrator	2014/09/10 03:01:14 AM	(admin)
✗ Guest	never	

✗ Marks a disabled account;

🔒 Marks a locked account

Controllers

Intel(R) 7 Series Chipset Family SATA AHCI Controller

Bus Adapters

Broadcom Memory Stick
 Bluetooth Hard Copy Cable Replacement Server
 HUAWEI Mobile Connect - Bus Enumerate Device
 Intel(R) 7 Series/C216 Chipset Family USB Enhanced Host Controller - 1E26
 Intel(R) 7 Series/C216 Chipset Family USB Enhanced Host Controller - 1E2D

Virus Protection [Back to Top]**Kaspersky Small Office Security 3****Communications**

↓ Bluetooth Device (Personal Area Network)
 Status: Cable unplugged
 Dhcp Server: none responded
 Physical Address: 9C:D2:1E:61:36:62
 Bluetooth Device (RFCOMM Protocol TDI)
 ↓ Broadcom NetLink (TM) Gigabit Ethernet
 Status: Cable unplugged
 Dhcp Server: none responded
 Physical Address: F8:A9:63:09:8E:CE
 Microsoft Teredo Tunneling Adapter
 ↓ Microsoft Virtual WiFi Miniport Adapter
 Status: Not connected to a network
 Dhcp Server: none responded
 Physical Address: 2E:D2:1E:61:36:61
 ↑ Qualcomm Atheros AR5BWB222 Wireless Network Adapter
 primary Auto IP Address: 10.0.0.104 / 24
 Gateway: 10.0.0.2
 Dhcp Server: 10.0.0.2
 Physical Address: 9C:D2:1E:61:36:61
 Connection Speed: 144 Mbps
 Networking Dns Servers: 8.8.8.8
 8.8.4.4
 192.168.1.250

USB Storage Use in past 30 Days (mouse over last used for details) [Back to Top]**Last Used**

USB DISK 3.0 -- drive 1, 2018/11/08 10:22:02 AM
 s/n 070384280F3A9962,
 rev PMAP

Printers

Brother DCP-116C on 10.0.0.150
 Canon Generic Plus PS3 on IP_10.0.0.51
 Microsoft Shared Fax Driver on SHRFX:
 Microsoft XPS Document Writer on XPSPort:
 PDFCreator on pdfcomon
 Samsung CLP-660 Series PS on 10.0.0.150_1
 Samsung Universal Print Driver 3 on USB001
 Send to Microsoft OneNote 15 on nul:
 Driver
 TOSHIBA Universal Printer 2 on IP_10.0.0.50

Display

Intel(R) HD Graphics 4000 [Display adapter]
 Generic PnP Monitor (15.3"vis)

Multimedia

Bluetooth Audio Device
 Intel(R) Display Audio
 Realtek High Definition Audio

Group Policies

None detected

Other Devices

Microsoft AC Adapter
 Microsoft ACPI-Compliant Control Method Battery
 Microsoft Composite Battery
 Bluetooth USB Module
 Microsoft Bluetooth Enumerator
 Bluetooth A2DP Source (2x)
 Bluetooth AV Remote Control Target (2x)
 Bluetooth Generic Access Profile (2x)
 Bluetooth Generic Attribute Profile (2x)
 Bluetooth Handsfree Audio Gateway (2x)
 Bluetooth LWFLT Device
 Bluetooth Message Access Profile Server (2x)
 Bluetooth NAP service (2x)
 Bluetooth OPP (2x)
 Bluetooth PANU service (2x)
 Bluetooth Phone Book Access (2x)
 Bluetooth Sim Access Service
 Virtual Bluetooth Support
 Bluetooth AVRCP Device
 HID-compliant consumer control device
 USB Input Device
 HD WebCam
 Standard PS/2 Keyboard
 ELAN PS/2 Port Smart-Pad [Mouse]
 HID-compliant mouse
 Broadcom SD Host Controller
 Generic USB Hub (2x)
 USB Composite Device
 USB Mass Storage Device
 USB Root Hub (2x)
 USB Virtualization Connector Driver
 Generic volume shadow copy
 WIN10

Hosted Virtual Machines (mouse over name for details) [Back to Top]

None detected

SanDisk Cruzer Blade, 2018/11/08 10:21:47 AM
 s/n
 4C530001050324116083,
 rev 1.00

See your entire network map...
Try BelManage, the Enterprise version of the Belarc Advisor

Network Map (mouse over IP address for physical address) [Back to Top]

No details available

Find your security vulnerabilities...
Try BelManage, the Enterprise version of the Belarc Advisor

Missing Security Updates – for Adobe, Apple, Java, Microsoft and more [Back to Top]

Hotfixes from Windows Update (agent version 7.6.7601.24085) install automatically.

Last install: 2018/11/06 08:31:18 AM, download: 2018/11/06 08:30:53 AM, check: 2018/11/08 07:59:58 AM.

These security updates apply to this computer but are not currently installed (using Advisor definitions version 2017.11.3.1), according to the 10/10/2017 Microsoft Security Bulletin Summary and bulletins from other vendors. Note: Security benchmarks require that *Critical* and *Important* severity security updates **must be installed**.

Hotfix Id	Severity	Description (click to see security bulletin)
EOL-Adobe	End of Life	Adobe Flash Player 20.0.0.306 ActiveX 64-bit is vulnerable and no security updates are provided by the vendor
EOL-Adobe	End of Life	Adobe Flash Player 20.0.0.306 ActiveX 32-bit is vulnerable and no security updates are provided by the vendor
CpuOct2017-3236626	Critical	Oracle Java SE Critical Patch Update for Java 7.0.670.1 32-bit
Q2538243	Important	Microsoft security update (KB2538243)
Q4023307	Critical	Microsoft security update (KB4023307)

Manage all your software licenses...
Try BelManage, the Enterprise version of the Belarc Advisor

Software Licenses [Back to Top]

Belarc - Advisor	101c01f8
CyberLink - PowerDVD	DVD130306-01
CyberLink - PowerDVD 12	DVD130306-01
Intel - AMT	{65153EA5-8B6E-43b6-857B-C6E4FC25798A}
Intel - GFX	{F0E3AD40-2BBD-4360-9C76-B9AC9A5886EA}
Intel - IRST	{3E29EE6C-963A-4aae-86C1-DC237C4A49FC}
Intel - OpenCL	{FCB3772C-B7D0-4933-B1A9-3707EBACC573}
Kaspersky Lab - Kaspersky Small Office Security 3	12345-679-1111111-54466
Microsoft - Internet Explorer	00371-OEM-8992671-00004 (Key: YKHFT-KW986-GK4PY-FDWYH-7TP9F) ^e
Microsoft - Office Home and Business 2013	00196-20002-66395-AA694 (Key: ends with PJ89D) ^{f,g}
Microsoft - PowerShell	89383-100-0001260-04309
Microsoft - Windows 7 Professional (x64)	00371-OEM-8992671-00004 (Key: YKHFT-KW986-GK4PY-FDWYH-7TP9F) ^e

Find unused software and reduce licensing costs...
Try BelManage, the Enterprise version of the Belarc Advisor

Software Versions & Usage (mouse over  for details, click  for location) [Back to Top]

 Acer - Global Registration Service <i>version</i> 1, 0, 0, 4	 McAfee - Security Scanner + <i>version</i> 3,11,0,0
 Acer - Identity Card <i>version</i> 1.00.3503	(64-bit)
 Acer - Power Management <i>version</i> 6, 0, 3010, 0	 McAfee - UI Container <i>version</i> 8,3,0,0 (64-bit)
(64-bit)	 McAfee - WebAdvisor <i>version</i> 4,0,7,0 (64-bit)
 Acer - Recovery Management <i>version</i> 5.01.3005.0	 Microsoft - .NET Framework <i>version</i>
 Acer - Updater <i>version</i> 1.02.3502	2.0.50727.5483 (32/64-bit)
 Acer - Welcome Center <i>version</i> 1.02.3102.2072	 Microsoft - .NET Framework <i>version</i>
 Adobe Systems - Acrobat Reader DC <i>version</i>	3.0.6920.5011 (64-bit)
19.8.20080.306727	 Microsoft - .NET Framework <i>version</i> 4.0.41210.0
 Adobe Systems - Acrobat Update Service <i>version</i>	(32/64-bit)
1.824.29.8644	 Microsoft - .NET Framework <i>version</i> 4.7.3062.0

i Adobe Systems - Flash Player Update Service version 26,0,0,131 i Adobe Systems - Reader and Acrobat Manager version 1.824.29.8644 i Adobe Systems - Shockwave Flash version 20,0,0,306 (32/64-bit) i Alexander Roshal - WinRAR version 5.40.0 (64-bit) i APN - Ask TBNNotifier version 33.19.0.180 i APN - Updater version 21.27.0.148 i Atheros - Ath_Coex Application version 8.0.0.256 i Atheros Commnuations - Bluetooth Software version 7.4.0.122 (64-bit) i Belarc - Advisor version 8.5c i CANON - Driver Information Assist Service version 10,3,2,3213 (64-bit) i Cisco WebEx - Meeting Dowload version 3111,0,1701,1800 i CK Services - Omni Accounts version 7 i CK Services - Quick Report File Viewer version 1.0.0.0 i CK Services - Utility for viewing NDR files. version 1.0.0.0 i CyberLink - PowerDVD 12 version 12.0.16920.2819 i CyberLink - PowerDVD12 version 12.0.0.2826 i Dritek System - Launch Manager version 5.1.15.2881 i Dritek System - WMI Service version 3.7.0.2881 i Egis Technology - EgisTec In-Product Service version 1.1.47.0 (32/64-bit) i Egis Technology - eLock Management version 1.0.2.0 (64-bit) i Egis Technology - ProShield version 1.4.1.13 (64-bit) i ELAN Microelectronics - Smart-Pad version 10.0.0.44 (64-bit) i Evernote - Evernote version 4,5,2,5866 i Google - Chrome version 70.0.3538.77 (64-bit) i Google - Update version 1.3.29.5 i Huawei - HiSuite version 51.001.01 i Infowatch - CryptoStorage version 2.0.208.0 i Intel - Active Management Technology Local Manageability Service version 8.1.0.1252 i Intel - Capability Licensing Service Interface version 1,24,388,1 (64-bit) i Intel - Common User Interface version 8.15.10.2712 (64-bit) i Intel - Control Center version 1.2.1.1007 i Intel - Dynamic Application Loader Host Interface version 8.1.0.1252 i Intel - IAStorDataSvc version 11.1.0.1006 i Intel - IAStorUI version 11.1.0.1006 i Intel - IntelCpHeciSvc Executable version 1,0,1,14 i Intel - Management and Security Application User Notification Service version 8.1.0.1252 i Kaspersky Lab ZAO - Anti-Virus version 13.0.4.341	i Microsoft - Application Virtualization version 5.151.54.0 i Microsoft - Internet Explorer version 11.00.9600.19155 (32/64-bit) i Microsoft - Office 2013 version 15.0.4797.1003 i Microsoft - Office version 15.0.4797.1001 (64-bit) i Microsoft - Office InfoPath version 15.0.4763.1000 (64-bit) i Microsoft - Office Source Engine version 15.0.4454.1000 i Microsoft - OneNote version 15.0.4787.1000 i Microsoft - Outlook version 15.0.4797.1003 i Microsoft - Silverlight version 4.0.50401.0 i Microsoft - Silverlight Plug-In version 4.0.50401.0 i Microsoft - Windows Installer - Unicode version 5.0.7600.16385 (32/64-bit) i Microsoft - Windows Media Player version 12.0.7601.23517 (32/64-bit) ii Microsoft - Windows Script Host version 5.8.7600.16385 (32/64-bit) i Microsoft - Windows Search version 7.00.7600.16385 (32/64-bit) i Microsoft - Windows Virtual PC version 6.1.7600.16393 (64-bit) i Mindspark - Toolbar Platform for Internet Explorer version 2.5.15.0 (32/64-bit) i Mozilla - Firefox version 53.0.3 i Mozilla - Firefox version 57.0.1 i Mozilla Foundation - Firefox version 53.0.3 i No Company Name - Buy Online i No Company Name - HuaweiHiSuiteService version 2, 0, 0, 42 (64-bit) i No Company Name - HWDeviceService version 2, 0, 0, 42 (64-bit) i No Company Name - Mobile Broadband HL Service version 22.001.14.00.03 i No Company Name - Mobile Partner i No Company Name - Mobile Partner. OUC i Opera Software - Internet Browser version 35.0.2066.92 i Oracle - Java Platform SE 7 U67 version 7.0.670.1 i Oracle - Java Platform SE Auto Updater version 2.1.67.1 i pdfforge - Images2PDF.GUI version 0.9.5.810 i pdfforge - PDF Architect Installer version 2.0.24.16092 i pdfforge - PDFCreator version 1.07.0003 i pdfforge - TransTool version 3.04 i Realtek Semiconductor - HD Audio Manager version 1, 0, 0, 758 (64-bit) i Skype Technologies - Skype version 6.0 i Symantec - Norton Online Backup version 2.1.17869 (64-bit) i Techinline - Remote Desktop Client 4.1.1.10896 version 4.1.1.10896 i Techinline - Remote Desktop Core Launcher version 4.1.1.10896
---	---

- i Mouse over to see details, click to see where software is installed.
- i Marks software last used within the past 7 days.
- ii Marks software last used within the past 90 days, but over 7 days ago.
- iii Marks software last used within the past year, but over 90 days ago.
- iiii Marks software last used over 1 year ago.
- Unmarked software lacks the data to determine last use.

Audit your security posture...
Try BelManage, the Enterprise version of the Belarc Advisor

[Click here to see all installed hotfixes.](#)

- a. Processor clock speed is measured at computer start-up, and on laptops may be impacted by power option settings.
- b. Data may be transferred on the bus at one, two, or four times the Bus Clock rate.
- c. Memory slot contents may not add up to Installed Memory if some memory is not recognized by Windows.
- d. Memory slot contents is reported by the motherboard BIOS. Contact system vendor if slot contents are wrong.
- e. This may be the manufacturer's factory installed product key rather than yours. You can change it to your product key using the procedure at <http://www.belarc.com/msproductkeys.html>.
- f. The full product key is not stored on this computer. However, the characters shown uniquely identify your product key.
- g. You can have Windows save the full product key using the procedure at <http://www.belarc.com/msproductkeys.html>.

Copyright 2000-2016, Belarc, Inc. All rights reserved.

Legal notice. U.S. Patents 8473607, 6085229, 5665951 and Patents pending.
