

Appendix: Summary Table

Control		Set Correctly	
		Yes	No
1	Account Policies		
1.1	Password Policy		
1.1.1	(L1) Ensure 'Enforce password history' is set to '24 or more password(s)' (Scored)	☐	☒
1.1.2	(L1) Ensure 'Maximum password age' is set to '60 or fewer days, but not 0' (Scored)	☒	☐
1.1.3	(L1) Ensure 'Minimum password age' is set to '1 or more day(s)' (Scored)	☐	☒
1.1.4	(L1) Ensure 'Minimum password length' is set to '14 or more character(s)' (Scored)	☐	☒
1.1.5	(L1) Ensure 'Password must meet complexity requirements' is set to 'Enabled' (Scored)	☒	☐
1.1.6	(L1) Ensure 'Store passwords using reversible encryption' is set to 'Disabled' (Scored)	☒	☐
1.2	Account Lockout Policy		
1.2.1	(L1) Ensure 'Account lockout duration' is set to '15 or more minute(s)' (Scored)	☐	☒
1.2.2	(L1) Ensure 'Account lockout threshold' is set to '10 or fewer invalid logon attempt(s), but not 0' (Scored)	☒	☐
1.2.3	(L1) Ensure 'Reset account lockout counter after' is set to '15 or more minute(s)' (Scored)	☐	☒
2	Local Policies		
2.1	Audit Policy		

2.2	User Rights Assignment		
2.2.1	(L1) Ensure 'Access Credential Manager as a trusted caller' is set to 'No One' (Scored)	☐	☐
2.2.2	(L1) Configure 'Access this computer from the network' (Scored)	☐	☐
2.2.3	(L1) Ensure 'Act as part of the operating system' is set to 'No One' (Scored)	☐	☐
2.2.4	(L1) Ensure 'Add workstations to domain' is set to 'Administrators' (DC only) (Scored)	☐	☐
2.2.5	(L1) Ensure 'Adjust memory quotas for a process' is set to 'Administrators, LOCAL SERVICE, NETWORK SERVICE' (Scored)	☐	☐
2.2.6	(L1) Configure 'Allow log on locally' (Scored)	☐	☐
2.2.7	(L1) Configure 'Allow log on through Remote Desktop Services' (Scored)	☐	☐

Control		Set Correctly	
		Yes	No
2.2.8	(L1) Ensure 'Back up files and directories' is set to 'Administrators' (Scored)	☐	☐
2.2.9	(L1) Ensure 'Change the system time' is set to 'Administrators, LOCAL SERVICE' (Scored)	☐	☐
2.2.10	(L1) Ensure 'Change the time zone' is set to 'Administrators, LOCAL SERVICE' (Scored)	☐	☐
2.2.11	(L1) Ensure 'Create a pagefile' is set to 'Administrators' (Scored)	☐	☐
2.2.12	(L1) Ensure 'Create a token object' is set to 'No One' (Scored)	☐	☐
2.2.13	(L1) Ensure 'Create global objects' is set to 'Administrators, LOCAL SERVICE, NETWORK SERVICE, SERVICE' (Scored)	☐	☐
2.2.14	(L1) Ensure 'Create permanent shared objects' is set to 'No One' (Scored)	☐	☐
2.2.15	(L1) Configure 'Create symbolic links' (Scored)	☐	☐
2.2.16	(L1) Ensure 'Debug programs' is set to 'Administrators' (Scored)	☐	☐
2.2.17	(L1) Configure 'Deny access to this computer from the network' (Scored)	☐	☐

2.2.18	(L1) Ensure 'Deny log on as a batch job' to include 'Guests' (Scored)	☐	☐
2.2.19	(L1) Ensure 'Deny log on as a service' to include 'Guests' (Scored)	☐	☐
2.2.20	(L1) Ensure 'Deny log on locally' to include 'Guests' (Scored)	☐	☐
2.2.21	(L1) Ensure 'Deny log on through Remote Desktop Services' to include 'Guests, Local account' (Scored)	☐	☐
2.2.22	(L1) Configure 'Enable computer and user accounts to be trusted for delegation' (Scored)	☐	☐
2.2.23	(L1) Ensure 'Force shutdown from a remote system' is set to 'Administrators' (Scored)	☐	☐
2.2.24	(L1) Ensure 'Generate security audits' is set to 'LOCAL SERVICE, NETWORK SERVICE' (Scored)	☐	☐
2.2.25	(L1) Configure 'Impersonate a client after authentication' (Scored)	☐	☐
2.2.26	(L1) Ensure 'Increase scheduling priority' is set to 'Administrators' (Scored)	☐	☐
2.2.27	(L1) Ensure 'Load and unload device drivers' is set to 'Administrators' (Scored)	☐	☐
2.2.28	(L1) Ensure 'Lock pages in memory' is set to 'No One' (Scored)	☐	☐
2.2.29	(L2) Ensure 'Log on as a batch job' is set to 'Administrators' (DC Only) (Scored)	☐	☐

Control		Set Correctly	
		Yes	No
2.2.30	(L1) Configure 'Manage auditing and security log' (Scored)	☐	☐
2.2.31	(L1) Ensure 'Modify an object label' is set to 'No One' (Scored)	☐	☐
2.2.32	(L1) Ensure 'Modify firmware environment values' is set to 'Administrators' (Scored)	☐	☐
2.2.33	(L1) Ensure 'Perform volume maintenance tasks' is set to 'Administrators' (Scored)	☐	☐
2.2.34	(L1) Ensure 'Profile single process' is set to 'Administrators' (Scored)	☐	☐
2.2.35	(L1) Ensure 'Profile system performance' is set to 'Administrators, NT SERVICE\WdiServiceHost' (Scored)	☐	☐

2.2.36	(L1) Ensure 'Replace a process level token' is set to 'LOCAL SERVICE, NETWORK SERVICE' (Scored)	☐	☐
2.2.37	(L1) Ensure 'Restore files and directories' is set to 'Administrators' (Scored)	☐	☐
2.2.38	(L1) Ensure 'Shut down the system' is set to 'Administrators' (Scored)	☐	☐
2.2.39	(L1) Ensure 'Synchronize directory service data' is set to 'No One' (DC only) (Scored)	☐	☐
2.2.40	(L1) Ensure 'Take ownership of files or other objects' is set to 'Administrators' (Scored)	☐	☐
2.3	Security Options		
2.3.1	Accounts		
2.3.1.1	(L1) Ensure 'Accounts: Administrator account status' is set to 'Disabled' (Scored)	☐	☐
2.3.1.2	(L1) Ensure 'Accounts: Block Microsoft accounts' is set to 'Users can't add or log on with Microsoft accounts' (Scored)	☐	☐
2.3.1.3	(L1) Ensure 'Accounts: Guest account status' is set to 'Disabled' (Scored)	☐	☐
2.3.1.4	(L1) Ensure 'Accounts: Limit local account use of blank passwords to console logon only' is set to 'Enabled' (Scored)	☐	☐
2.3.1.5	(L1) Configure 'Accounts: Rename administrator account' (Scored)	☐	☐
2.3.1.6	(L1) Configure 'Accounts: Rename guest account' (Scored)	☐	☐
2.3.2	Audit		
2.3.2.1	(L1) Ensure 'Audit: Force audit policy subcategory settings (Windows Vista or later) to override audit policy category settings' is set to 'Enabled' (Scored)	☐	☐
2.3.2.2	(L1) Ensure 'Audit: Shut down system immediately if unable to log security audits' is set to 'Disabled' (Scored)	☐	☐
2.3.3	DCOM		
2.3.4	Devices		

Control		Set Correctly	
		Yes	No
2.3.4.1	(L1) Ensure 'Devices: Allowed to format and eject removable media' is set to 'Administrators' (Scored)	☐	☐
2.3.4.2	(L1) Ensure 'Devices: Prevent users from installing printer drivers' is set to 'Enabled' (Scored)	☐	☐
2.3.5	Domain controller		
2.3.5.1	(L1) Ensure 'Domain controller: Allow server operators to schedule tasks' is set to 'Disabled' (DC only) (Scored)	☐	☐
2.3.5.2	(L1) Ensure 'Domain controller: LDAP server signing requirements' is set to 'Require signing' (DC only) (Scored)	☐	☐
2.3.5.3	(L1) Ensure 'Domain controller: Refuse machine account password changes' is set to 'Disabled' (DC only) (Scored)	☐	☐
2.3.6	Domain member		
2.3.6.1	(L1) Ensure 'Domain member: Digitally encrypt or sign secure channel data (always)' is set to 'Enabled' (Scored)	☐	☐
2.3.6.2	(L1) Ensure 'Domain member: Digitally encrypt secure channel data (when possible)' is set to 'Enabled' (Scored)	☐	☐
2.3.6.3	(L1) Ensure 'Domain member: Digitally sign secure channel data (when possible)' is set to 'Enabled' (Scored)	☐	☐
2.3.6.4	(L1) Ensure 'Domain member: Disable machine account password changes' is set to 'Disabled' (Scored)	☐	☐
2.3.6.5	(L1) Ensure 'Domain member: Maximum machine account password age' is set to '30 or fewer days, but not 0' (Scored)	☐	☐
2.3.6.6	(L1) Ensure 'Domain member: Require strong (Windows 2000 or later) session key' is set to 'Enabled' (Scored)	☐	☐
2.3.7	Interactive logon		
2.3.7.1	(L1) Ensure 'Interactive logon: Do not display last user name' is set to 'Enabled' (Scored)	☐	☐
2.3.7.2	(L1) Ensure 'Interactive logon: Do not require CTRL+ALT+DEL' is set to 'Disabled' (Scored)	☐	☐
2.3.7.3	(L1) Ensure 'Interactive logon: Machine inactivity limit' is set to '900 or fewer second(s), but not 0' (Scored)	☐	☐
2.3.7.4	(L1) Configure 'Interactive logon: Message text for users attempting to log on' (Scored)	☐	☐

2.3.7.5	(L1) Configure 'Interactive logon: Message title for users attempting to log on' (Scored)	☐	☐
2.3.7.6	(L2) Ensure 'Interactive logon: Number of previous logons to cache (in case domain controller is not available)' is set to '4 or fewer logon(s)' (MS only) (Scored)	☐	☐
2.3.7.7	(L1) Ensure 'Interactive logon: Prompt user to change password before expiration' is set to 'between 5 and 14 days' (Scored)	☐	☐

Control		Set Correctly	
		Yes	No
2.3.7.8	(L1) Ensure 'Interactive logon: Require Domain Controller Authentication to unlock workstation' is set to 'Enabled' (MS only) (Scored)	☐	☐
2.3.7.9	(L1) Ensure 'Interactive logon: Smart card removal behavior' is set to 'Lock Workstation' or higher (Scored)	☐	☐
2.3.8	Microsoft network client		
2.3.8.1	(L1) Ensure 'Microsoft network client: Digitally sign communications (always)' is set to 'Enabled' (Scored)	☐	☐
2.3.8.2	(L1) Ensure 'Microsoft network client: Digitally sign communications (if server agrees)' is set to 'Enabled' (Scored)	☐	☐
2.3.8.3	(L1) Ensure 'Microsoft network client: Send unencrypted password to third-party SMB servers' is set to 'Disabled' (Scored)	☐	☐
2.3.9	Microsoft network server		
2.3.9.1	(L1) Ensure 'Microsoft network server: Amount of idle time required before suspending session' is set to '15 or fewer minute(s), but not 0' (Scored)	☐	☐
2.3.9.2	(L1) Ensure 'Microsoft network server: Digitally sign communications (always)' is set to 'Enabled' (Scored)	☐	☐
2.3.9.3	(L1) Ensure 'Microsoft network server: Digitally sign communications (if client agrees)' is set to 'Enabled' (Scored)	☐	☐
2.3.9.4	(L1) Ensure 'Microsoft network server: Disconnect clients when logon hours expire' is set to 'Enabled' (Scored)	☐	☐
2.3.9.5	(L1) Ensure 'Microsoft network server: Server SPN target name validation level' is set to 'Accept if provided by client' or higher (MS only) (Scored)	☐	☐
2.3.10	Network access		

2.3.10.1	(L1) Ensure 'Network access: Allow anonymous SID/Name translation' is set to 'Disabled' (Scored)	☐	☐
2.3.10.2	(L1) Ensure 'Network access: Do not allow anonymous enumeration of SAM accounts' is set to 'Enabled' (MS only) (Scored)	☐	☐
2.3.10.3	(L1) Ensure 'Network access: Do not allow anonymous enumeration of SAM accounts and shares' is set to 'Enabled' (MS only) (Scored)	☐	☐
2.3.10.4	(L2) Ensure 'Network access: Do not allow storage of passwords and credentials for network authentication' is set to 'Enabled' (Scored)	☐	☐
2.3.10.5	(L1) Ensure 'Network access: Let Everyone permissions apply to anonymous users' is set to 'Disabled' (Scored)	☐	☐
2.3.10.6	(L1) Configure 'Network access: Named Pipes that can be	☐	☐

Control		Set Correctly	
		Yes	No
	accessed anonymously' (Scored)		
2.3.10.7	(L1) Configure 'Network access: Remotely accessible registry paths' (Scored)	☐	☐
2.3.10.8	(L1) Configure 'Network access: Remotely accessible registry paths and sub-paths' (Scored)	☐	☐
2.3.10.9	(L1) Ensure 'Network access: Restrict anonymous access to Named Pipes and Shares' is set to 'Enabled' (Scored)	☐	☐
2.3.10.10	(L1) Ensure 'Network access: Restrict clients allowed to make remote calls to SAM' is set to 'Administrators: Remote Access: Allow' (MS only) (Scored)	☐	☐
2.3.10.11	(L1) Ensure 'Network access: Shares that can be accessed anonymously' is set to 'None' (Scored)	☐	☐
2.3.10.12	(L1) Ensure 'Network access: Sharing and security model for local accounts' is set to 'Classic - local users authenticate as themselves' (Scored)	☐	☐
2.3.11	Network security		
2.3.11.1	(L1) Ensure 'Network security: Allow Local System to use computer identity for NTLM' is set to 'Enabled' (Scored)	☐	☐

2.3.11.2	(L1) Ensure 'Network security: Allow LocalSystem NULL session fallback' is set to 'Disabled' (Scored)	☐	☐
2.3.11.3	(L1) Ensure 'Network Security: Allow PKU2U authentication requests to this computer to use online identities' is set to 'Disabled' (Scored)	☐	☐
2.3.11.4	(L1) Ensure 'Network security: Configure encryption types allowed for Kerberos' is set to 'RC4_HMAC_MD5, AES128_HMAC_SHA1, AES256_HMAC_SHA1, Future encryption types' (Scored)	☐	☐
2.3.11.5	(L1) Ensure 'Network security: Do not store LAN Manager hash value on next password change' is set to 'Enabled' (Scored)	☐	☐
2.3.11.6	(L1) Ensure 'Network security: Force logoff when logon hours expire' is set to 'Enabled' (Scored)	☐	☐
2.3.11.7	(L1) Ensure 'Network security: LAN Manager authentication level' is set to 'Send NTLMv2 response only. Refuse LM & NTLM' (Scored)	☐	☐
2.3.11.8	(L1) Ensure 'Network security: LDAP client signing requirements' is set to 'Negotiate signing' or higher (Scored)	☐	☐
2.3.11.9	(L1) Ensure 'Network security: Minimum session security for NTLM SSP based (including secure RPC) clients' is set to 'Require NTLMv2 session security, Require 128-bit encryption' (Scored)	☐	☐

Control		Set Correctly	
		Yes	No
2.3.11.10	(L1) Ensure 'Network security: Minimum session security for NTLM SSP based (including secure RPC) servers' is set to 'Require NTLMv2 session security, Require 128-bit encryption' (Scored)	☐	☐
2.3.12	Recovery console		
2.3.13	Shutdown		
2.3.13.1	(L1) Ensure 'Shutdown: Allow system to be shut down without having to log on' is set to 'Disabled' (Scored)	☐	☐

2.3.14	System cryptography		
2.3.15	System objects		
2.3.15.1	(L1) Ensure 'System objects: Require case insensitivity for non-Windows subsystems' is set to 'Enabled' (Scored)	☐	☐
2.3.15.2	(L1) Ensure 'System objects: Strengthen default permissions of internal system objects (e.g. Symbolic Links)' is set to 'Enabled' (Scored)	☐	☐
2.3.16	System settings		
2.3.17	User Account Control		
2.3.17.1	(L1) Ensure 'User Account Control: Admin Approval Mode for the Built-in Administrator account' is set to 'Enabled' (Scored)	☐	☐
2.3.17.2	(L1) Ensure 'User Account Control: Allow UIAccess applications to prompt for elevation without using the secure desktop' is set to 'Disabled' (Scored)	☐	☐
2.3.17.3	(L1) Ensure 'User Account Control: Behavior of the elevation prompt for administrators in Admin Approval Mode' is set to 'Prompt for consent on the secure desktop' (Scored)	☐	☐
2.3.17.4	(L1) Ensure 'User Account Control: Behavior of the elevation prompt for standard users' is set to 'Automatically deny elevation requests' (Scored)	☐	☐
2.3.17.5	(L1) Ensure 'User Account Control: Detect application installations and prompt for elevation' is set to 'Enabled' (Scored)	☐	☐
2.3.17.6	(L1) Ensure 'User Account Control: Only elevate UIAccess applications that are installed in secure locations' is set to 'Enabled' (Scored)	☐	☐
2.3.17.7	(L1) Ensure 'User Account Control: Run all administrators in Admin Approval Mode' is set to 'Enabled' (Scored)	☐	☐
2.3.17.8	(L1) Ensure 'User Account Control: Switch to the secure desktop when prompting for elevation' is set to 'Enabled' (Scored)	☐	☐
2.3.17.9	(L1) Ensure 'User Account Control: Virtualize file and registry	☐	☐

Control		Set Correctly	
		Yes	No
	write failures to per-user locations' is set to 'Enabled' (Scored)		
3	Event Log		
4	Restricted Groups		
5	System Services		
6	Registry		
7	File System		
8	Wired Network (IEEE 802.3) Policies		
9	Windows Firewall With Advanced Security		
9.1	Domain Profile		
9.1.1	(L1) Ensure 'Windows Firewall: Domain: Firewall state' is set to 'On (recommended)' (Scored)	☐	☐
9.1.2	(L1) Ensure 'Windows Firewall: Domain: Inbound connections' is set to 'Block (default)' (Scored)	☐	☐
9.1.3	(L1) Ensure 'Windows Firewall: Domain: Outbound connections' is set to 'Allow (default)' (Scored)	☐	☐
9.1.4	(L1) Ensure 'Windows Firewall: Domain: Settings: Display a notification' is set to 'No' (Scored)	☐	☐
9.1.5	(L1) Ensure 'Windows Firewall: Domain: Settings: Apply local firewall rules' is set to 'Yes (default)' (Scored)	☐	☐

9.1.6	(L1) Ensure 'Windows Firewall: Domain: Settings: Apply local connection security rules' is set to 'Yes (default)' (Scored)	☐	☐
9.1.7	(L1) Ensure 'Windows Firewall: Domain: Logging: Name' is set to '%SYSTEMROOT%\System32\logfiles\firewall\domainfw.log' (Scored)	☐	☐
9.1.8	(L1) Ensure 'Windows Firewall: Domain: Logging: Size limit (KB)' is set to '16,384 KB or greater' (Scored)	☐	☐
9.1.9	(L1) Ensure 'Windows Firewall: Domain: Logging: Log dropped packets' is set to 'Yes' (Scored)	☐	☐
9.1.10	(L1) Ensure 'Windows Firewall: Domain: Logging: Log successful connections' is set to 'Yes' (Scored)	☐	☐
9.2	Private Profile		
9.2.1	(L1) Ensure 'Windows Firewall: Private: Firewall state' is set to 'On (recommended)' (Scored)	☐	☐
9.2.2	(L1) Ensure 'Windows Firewall: Private: Inbound connections' is set to 'Block (default)' (Scored)	☐	☐
9.2.3	(L1) Ensure 'Windows Firewall: Private: Outbound connections' is set to 'Allow (default)' (Scored)	☐	☐
9.2.4	(L1) Ensure 'Windows Firewall: Private: Settings: Display a notification' is set to 'No' (Scored)	☐	☐

Control		Set Correctly	
		Yes	No
9.2.5	(L1) Ensure 'Windows Firewall: Private: Settings: Apply local firewall rules' is set to 'Yes (default)' (Scored)	☐	☐
9.2.6	(L1) Ensure 'Windows Firewall: Private: Settings: Apply local connection security rules' is set to 'Yes (default)' (Scored)	☐	☐
9.2.7	(L1) Ensure 'Windows Firewall: Private: Logging: Name' is set to '%SYSTEMROOT%\System32\logfiles\firewall\privatefw.log' (Scored)	☐	☐
9.2.8	(L1) Ensure 'Windows Firewall: Private: Logging: Size limit (KB)' is set to '16,384 KB or greater' (Scored)	☐	☐
9.2.9	(L1) Ensure 'Windows Firewall: Private: Logging: Log dropped packets' is set to 'Yes' (Scored)	☐	☐

9.2.10	(L1) Ensure 'Windows Firewall: Private: Logging: Log successful connections' is set to 'Yes' (Scored)	☐	☐
9.3	Public Profile		
9.3.1	(L1) Ensure 'Windows Firewall: Public: Firewall state' is set to 'On (recommended)' (Scored)	☐	☐
9.3.2	(L1) Ensure 'Windows Firewall: Public: Inbound connections' is set to 'Block (default)' (Scored)	☐	☐
9.3.3	(L1) Ensure 'Windows Firewall: Public: Outbound connections' is set to 'Allow (default)' (Scored)	☐	☐
9.3.4	(L1) Ensure 'Windows Firewall: Public: Settings: Display a notification' is set to 'Yes' (Scored)	☐	☐
9.3.5	(L1) Ensure 'Windows Firewall: Public: Settings: Apply local firewall rules' is set to 'No' (Scored)	☐	☐
9.3.6	(L1) Ensure 'Windows Firewall: Public: Settings: Apply local connection security rules' is set to 'No' (Scored)	☐	☐
9.3.7	(L1) Ensure 'Windows Firewall: Public: Logging: Name' is set to '%SYSTEMROOT%\System32\logfiles\firewall\publicfw.log' (Scored)	☐	☐
9.3.8	(L1) Ensure 'Windows Firewall: Public: Logging: Size limit (KB)' is set to '16,384 KB or greater' (Scored)	☐	☐
9.3.9	(L1) Ensure 'Windows Firewall: Public: Logging: Log dropped packets' is set to 'Yes' (Scored)	☐	☐
9.3.10	(L1) Ensure 'Windows Firewall: Public: Logging: Log successful connections' is set to 'Yes' (Scored)	☐	☐
10	Network List Manager Policies		
11	Wireless Network (IEEE 802.11) Policies		
12	Public Key Policies		
13	Software Restriction Policies		

Control		Set Correctly	
		Yes	No
14	Network Access Protection NAP Client Configuration		
15	Application Control Policies		
16	IP Security Policies		
17	Advanced Audit Policy Configuration		
17.1	Account Logon		
17.1.1	(L1) Ensure 'Audit Credential Validation' is set to 'Success and Failure' (Scored)	☐	☐
17.2	Account Management		
17.2.1	(L1) Ensure 'Audit Application Group Management' is set to 'Success and Failure' (Scored)	☐	☐
17.2.2	(L1) Ensure 'Audit Computer Account Management' is set to 'Success and Failure' (Scored)	☐	☐
17.2.3	(L1) Ensure 'Audit Distribution Group Management' is set to 'Success and Failure' (DC only) (Scored)	☐	☐
17.2.4	(L1) Ensure 'Audit Other Account Management Events' is set to 'Success and Failure' (Scored)	☐	☐
17.2.5	(L1) Ensure 'Audit Security Group Management' is set to 'Success and Failure' (Scored)	☐	☐
17.2.6	(L1) Ensure 'Audit User Account Management' is set to 'Success and Failure' (Scored)	☐	☐
17.3	Detailed Tracking		
17.3.1	(L1) Ensure 'Audit PNP Activity' is set to 'Success' (Scored)	☐	☐
17.3.2	(L1) Ensure 'Audit Process Creation' is set to 'Success' (Scored)	☐	☐
17.4	DS Access		
17.4.1	(L1) Ensure 'Audit Directory Service Access' is set to 'Success and Failure' (DC only) (Scored)	☐	☐
17.4.2	(L1) Ensure 'Audit Directory Service Changes' is set to 'Success and Failure' (DC only) (Scored)	☐	☐
17.5	Logon/Logoff		
17.5.1	(L1) Ensure 'Audit Account Lockout' is set to 'Success and Failure' (Scored)	☐	☐
17.5.2	(L1) Ensure 'Audit Group Membership' is set to 'Success' (Scored)	☐	☐
17.5.3	(L1) Ensure 'Audit Logoff' is set to 'Success' (Scored)	☐	☐

17.5.4	(L1) Ensure 'Audit Logon' is set to 'Success and Failure' (Scored)	☐	☐
17.5.5	(L1) Ensure 'Audit Other Logon/Logoff Events' is set to 'Success and Failure' (Scored)	☐	☐
17.5.6	(L1) Ensure 'Audit Special Logon' is set to 'Success' (Scored)	☐	☐

Control		Set Correctly	
		Yes	No
17.6	Object Access		
17.6.1	(L1) Ensure 'Audit Removable Storage' is set to 'Success and Failure' (Scored)	☐	☐
17.7	Policy Change		
17.7.1	(L1) Ensure 'Audit Audit Policy Change' is set to 'Success and Failure' (Scored)	☐	☐
17.7.2	(L1) Ensure 'Audit Authentication Policy Change' is set to 'Success' (Scored)	☐	☐
17.7.3	(L1) Ensure 'Audit Authorization Policy Change' is set to 'Success' (Scored)	☐	☐
17.8	Privilege Use		
17.8.1	(L1) Ensure 'Audit Sensitive Privilege Use' is set to 'Success and Failure' (Scored)	☐	☐
17.9	System		
17.9.1	(L1) Ensure 'Audit IPsec Driver' is set to 'Success and Failure' (Scored)	☐	☐
17.9.2	(L1) Ensure 'Audit Other System Events' is set to 'Success and Failure' (Scored)	☐	☐
17.9.3	(L1) Ensure 'Audit Security State Change' is set to 'Success' (Scored)	☐	☐
17.9.4	(L1) Ensure 'Audit Security System Extension' is set to 'Success and Failure' (Scored)	☐	☐

17.9.5	(L1) Ensure 'Audit System Integrity' is set to 'Success and Failure' (Scored)	☐	☐
18	Administrative Templates (Computer)		
18.1	Control Panel		
18.1.1	Personalization		
18.1.1.1	(L1) Ensure 'Prevent enabling lock screen camera' is set to 'Enabled' (Scored)	☐	☐
18.1.1.2	(L1) Ensure 'Prevent enabling lock screen slide show' is set to 'Enabled' (Scored)	☐	☐
18.1.2	Regional and Language Options		
18.1.2.1	(L1) Ensure 'Allow Input Personalization' is set to 'Disabled' (Scored)	☐	☐
18.2	LAPS		
18.2.1	(L1) Ensure LAPS AdmPwd GPO Extension / CSE is installed (MS only) (Scored)	☐	☐
18.2.2	(L1) Ensure 'Do not allow password expiration time longer than required by policy' is set to 'Enabled' (MS only) (Scored)	☐	☐
18.2.3	(L1) Ensure 'Enable Local Admin Password Management' is set to 'Enabled' (MS only) (Scored)	☐	☐

Control		Set Correctly	
		Yes	No
18.2.4	(L1) Ensure 'Password Settings: Password Complexity' is set to 'Enabled: Large letters + small letters + numbers + special characters' (MS only) (Scored)	☐	☐
18.2.5	(L1) Ensure 'Password Settings: Password Length' is set to 'Enabled: 15 or more' (MS only) (Scored)	☐	☐
18.2.6	(L1) Ensure 'Password Settings: Password Age (Days)' is set to 'Enabled: 30 or fewer' (MS only) (Scored)	☐	☐

18.3	MSS (Legacy)		
18.3.1	(L1) Ensure 'MSS: (AutoAdminLogon) Enable Automatic Logon (not recommended)' is set to 'Disabled' (Scored)	☐	☐
18.3.2	(L1) Ensure 'MSS: (DisableIPSourceRouting IPv6) IP source routing protection level (protects against packet spoofing)' is set to 'Enabled: Highest protection, source routing is completely disabled' (Scored)	☐	☐
18.3.3	(L1) Ensure 'MSS: (DisableIPSourceRouting) IP source routing protection level (protects against packet spoofing)' is set to 'Enabled: Highest protection, source routing is completely disabled' (Scored)	☐	☐
18.3.4	(L1) Ensure 'MSS: (EnableICMPRedirect) Allow ICMP redirects to override OSPF generated routes' is set to 'Disabled' (Scored)	☐	☐
18.3.5	(L2) Ensure 'MSS: (KeepAliveTime) How often keep-alive packets are sent in milliseconds' is set to 'Enabled: 300,000 or 5 minutes (recommended)' (Scored)	☐	☐
18.3.6	(L1) Ensure 'MSS: (NoNameReleaseOnDemand) Allow the computer to ignore NetBIOS name release requests except from WINS servers' is set to 'Enabled' (Scored)	☐	☐
18.3.7	(L2) Ensure 'MSS: (PerformRouterDiscovery) Allow IRDP to detect and configure Default Gateway addresses (could lead to DoS)' is set to 'Disabled' (Scored)	☐	☐
18.3.8	(L1) Ensure 'MSS: (SafeDllSearchMode) Enable Safe DLL search mode (recommended)' is set to 'Enabled' (Scored)	☐	☐
18.3.9	(L1) Ensure 'MSS: (ScreenSaverGracePeriod) The time in seconds before the screen saver grace period expires (0 recommended)' is set to 'Enabled: 5 or fewer seconds' (Scored)	☐	☐
18.3.10	(L2) Ensure 'MSS: (TcpMaxDataRetransmissions IPv6) How many times unacknowledged data is retransmitted' is set to 'Enabled: 3' (Scored)	☐	☐
18.3.11	(L2) Ensure 'MSS: (TcpMaxDataRetransmissions) How many times unacknowledged data is retransmitted' is set to	☐	☐

Control	Set Correctly	
	Yes	No

	'Enabled: 3' (Scored)		
18.3.12	(L1) Ensure 'MSS: (WarningLevel) Percentage threshold for the security event log at which the system will generate a warning' is set to 'Enabled: 90% or less' (Scored)	☐	☐
18.4	Network		
18.4.1	Background Intelligent Transfer Service (BITS)		
18.4.2	BranchCache		
18.4.3	DirectAccess Client Experience Settings		
18.4.4	DNS Client		
18.4.4.1	(L1) Set 'NetBIOS node type' to 'P-node' (Ensure NetBT Parameter 'NodeType' is set to '0x2 (2)') (MS Only) (Scored)	☐	☐
18.4.4.2	(L1) Ensure 'Turn off multicast name resolution' is set to 'Enabled' (MS Only) (Scored)	☐	☐
18.4.5	Fonts		
18.4.5.1	(L2) Ensure 'Enable Font Providers' is set to 'Disabled' (Scored)	☐	☐
18.4.6	Hotspot Authentication		
18.4.7	Lanman Server		
18.4.8	Lanman Workstation		
18.4.8.1	(L1) Ensure 'Enable insecure guest logons' is set to 'Disabled' (Scored)	☐	☐

18.4.9	Link-Layer Topology Discovery		
18.4.9.1	(L2) Ensure 'Turn on Mapper I/O (LLTDIO) driver' is set to 'Disabled' (Scored)	☐	☐
18.4.9.2	(L2) Ensure 'Turn on Responder (RSPNDR) driver' is set to 'Disabled' (Scored)	☐	☐
18.4.10	Microsoft Peer-to-Peer Networking Services		
18.4.10.1	Peer Name Resolution Protocol		
18.4.10.2	(L2) Ensure 'Turn off Microsoft Peer-to-Peer Networking Services' is set to 'Enabled' (Scored)	☐	☐
18.4.11	Network Connections		
18.4.11.1	Windows Firewall		
18.4.11.2	(L1) Ensure 'Prohibit installation and configuration of Network Bridge on your DNS domain network' is set to 'Enabled' (Scored)	☐	☐
18.4.11.3	(L1) Ensure 'Prohibit use of Internet Connection Sharing on your DNS domain network' is set to 'Enabled' (Scored)	☐	☐
18.4.11.4	(L1) Ensure 'Require domain users to elevate when setting a network's location' is set to 'Enabled' (Scored)	☐	☐
18.4.12	Network Connectivity Status Indicator		

Control		Set Correctly	
		Yes	No
18.4.13	Network Isolation		
18.4.14	Network Provider		

18.4.14.1	(L1) Ensure 'Hardened UNC Paths' is set to 'Enabled, with "Require Mutual Authentication" and "Require Integrity" set for all NETLOGON and SYSVOL shares' (Scored)	☐	☐
18.4.15	Offline Files		
18.4.16	QoS Packet Scheduler		
18.4.17	SNMP		
18.4.18	SSL Configuration Settings		
18.4.19	TCPIP Settings		
18.4.19.1	IPv6 Transition Technologies		
18.4.19.2	Parameters		
18.4.19.2.1	(L2) Disable IPv6 (Ensure TCPIP6 Parameter 'DisabledComponents' is set to '0xff (255)') (Scored)	☐	☐
18.4.20	Windows Connect Now		
18.4.20.1	(L2) Ensure 'Configuration of wireless settings using Windows Connect Now' is set to 'Disabled' (Scored)	☐	☐
18.4.20.2	(L2) Ensure 'Prohibit access of the Windows Connect Now wizards' is set to 'Enabled' (Scored)	☐	☐
18.4.21	Windows Connection Manager		
18.4.21.1	(L1) Ensure 'Minimize the number of simultaneous connections to the Internet or a Windows Domain' is set to 'Enabled' (Scored)	☐	☐
18.4.21.2	(L2) Ensure 'Prohibit connection to non-domain networks when connected to domain authenticated network' is set to 'Enabled' (MS only) (Scored)	☐	☐

18.5	Printers		
18.6	SCM: Pass the Hash Mitigations		
18.6.1	(L1) Ensure 'Apply UAC restrictions to local accounts on network logons' is set to 'Enabled' (MS only) (Scored)	☐	☐
18.6.2	(L1) Ensure 'WDigest Authentication' is set to 'Disabled' (Scored)	☐	☐
18.7	Start Menu and Taskbar		
18.8	System		
18.8.1	Access-Denied Assistance		
18.8.2	App-V		
18.8.3	Audit Process Creation		
18.8.3.1	(L1) Ensure 'Include command line in process creation events' is set to 'Disabled' (Scored)	☐	☐
18.8.4	Credentials Delegation		

Control		Set Correctly	
		Yes	No
18.8.5	Device Guard		
18.8.6	Device Installation		

18.8.6.1	Device Installation Restrictions		
18.8.7	Device Redirection		
18.8.8	Disk NV Cache		
18.8.9	Disk Quotas		
18.8.10	Distributed COM		
18.8.11	Driver Installation		
18.8.12	Early Launch Antimalware		
18.8.12.1	(L1) Ensure 'Boot-Start Driver Initialization Policy' is set to 'Enabled: Good, unknown and bad but critical' (Scored)	☒	☐
18.8.13	Enhanced Storage Access		
18.8.14	File Classification Infrastructure		
18.8.15	File Share Shadow Copy Agent		
18.8.16	File Share Shadow Copy Provider		
18.8.17	Filesystem		
18.8.18	Folder Redirection		

18.8.19	Group Policy		
18.8.19.1	Logging and tracing		
18.8.19.2	(L1) Ensure 'Configure registry policy processing: Do not apply during periodic background processing' is set to 'Enabled: FALSE' (Scored)	☐	☐
18.8.19.3	(L1) Ensure 'Configure registry policy processing: Process even if the Group Policy objects have not changed' is set to 'Enabled: TRUE' (Scored)	☐	☐
18.8.19.4	(L1) Ensure 'Continue experiences on this device' is set to 'Disabled' (Scored)	☐	☐
18.8.19.5	(L1) Ensure 'Turn off background refresh of Group Policy' is set to 'Disabled' (Scored)	☐	☐
18.8.20	Internet Communication Management		
18.8.20.1	Internet Communication settings		
18.8.20.1.1	(L2) Ensure 'Turn off access to the Store' is set to 'Enabled' (Scored)	☐	☐
18.8.20.1.2	(L2) Ensure 'Turn off downloading of print drivers over HTTP' is set to 'Enabled' (Scored)	☐	☐
18.8.20.1.3	(L2) Ensure 'Turn off handwriting personalization data sharing' is set to 'Enabled' (Scored)	☐	☐
18.8.20.1.4	(L2) Ensure 'Turn off handwriting recognition error reporting' is set to 'Enabled' (Scored)	☐	☐
18.8.20.1.5	(L2) Ensure 'Turn off Internet Connection Wizard if URL	☐	☐

Control		Set Correctly	
		Yes	No
	connection is referring to Microsoft.com' is set to 'Enabled' (Scored)		
18.8.20.1.6	(L2) Ensure 'Turn off Internet download for Web publishing and online ordering wizards' is set to 'Enabled' (Scored)	☐	☐

18.8.20.1.7	(L2) Ensure 'Turn off printing over HTTP' is set to 'Enabled' (Scored)	☐	☐
18.8.20.1.8	(L2) Ensure 'Turn off Registration if URL connection is referring to Microsoft.com' is set to 'Enabled' (Scored)	☐	☐
18.8.20.1.9	(L2) Ensure 'Turn off Search Companion content file updates' is set to 'Enabled' (Scored)	☐	☐
18.8.20.1.10	(L2) Ensure 'Turn off the "Order Prints" picture task' is set to 'Enabled' (Scored)	☐	☐
18.8.20.1.11	(L2) Ensure 'Turn off the "Publish to Web" task for files and folders' is set to 'Enabled' (Scored)	☐	☐
18.8.20.1.12	(L2) Ensure 'Turn off the Windows Messenger Customer Experience Improvement Program' is set to 'Enabled' (Scored)	☐	☐
18.8.20.1.13	(L2) Ensure 'Turn off Windows Customer Experience Improvement Program' is set to 'Enabled' (Scored)	☐	☐
18.8.20.1.14	(L2) Ensure 'Turn off Windows Error Reporting' is set to 'Enabled' (Scored)	☐	☐
18.8.21	iSCSI		
18.8.22	KDC		
18.8.23	Kerberos		
18.8.23.1	(L2) Ensure 'Support device authentication using certificate' is set to 'Enabled: Automatic' (Scored)	☐	☐
18.8.24	Locale Services		
18.8.24.1	(L2) Ensure 'Disallow copying of user input methods to the system account for sign-in' is set to 'Enabled' (Scored)	☐	☐
18.8.25	Logon		
18.8.25.1	(L1) Ensure 'Block user from showing account details on signin' is set to 'Enabled' (Scored)	☐	☐
18.8.25.2	(L1) Ensure 'Do not display network selection UI' is set to 'Enabled' (Scored)	☐	☐

18.8.25.3	(L1) Ensure 'Do not enumerate connected users on domainjoined computers' is set to 'Enabled' (Scored)	☐	☐
18.8.25.4	(L1) Ensure 'Enumerate local users on domain-joined computers' is set to 'Disabled' (Scored)	☐	☐
18.8.25.5	(L1) Ensure 'Turn off app notifications on the lock screen' is set to 'Enabled' (Scored)	☐	☐
18.8.25.6	(L1) Ensure 'Turn on convenience PIN sign-in' is set to	☐	☐

Control		Set Correctly	
		Yes	No
	'Disabled' (Scored)		
18.8.26	Mitigation Options		
18.8.26.1	(L1) Ensure 'Untrusted Font Blocking' is set to 'Enabled: Block untrusted fonts and log events' (Scored)	☐	☐
18.8.27	Net Logon		
18.8.28	Performance Control Panel		
18.8.29	Power Management		
18.8.29.1	Button Settings		
18.8.29.2	Energy Saver Settings		
18.8.29.3	Hard Disk Settings		
18.8.29.4	Notification Settings		

18.8.29.5	Sleep Settings		
18.8.29.5.1	(L2) Ensure 'Allow network connectivity during connectedstandby (on battery)' is set to 'Disabled' (Scored)	☐	☐
18.8.29.5.2	(L2) Ensure 'Allow network connectivity during connectedstandby (plugged in)' is set to 'Disabled' (Scored)	☐	☐
18.8.29.5.3	(L2) Ensure 'Require a password when a computer wakes (on battery)' is set to 'Enabled' (Scored)	☐	☐
18.8.29.5.4	(L2) Ensure 'Require a password when a computer wakes (plugged in)' is set to 'Enabled' (Scored)	☐	☐
18.8.30	Recovery		
18.8.31	Remote Assistance		
18.8.31.1	(L1) Ensure 'Configure Offer Remote Assistance' is set to 'Disabled' (Scored)	☐	☐
18.8.31.2	(L1) Ensure 'Configure Solicited Remote Assistance' is set to 'Disabled' (Scored)	☐	☐
18.8.32	Remote Procedure Call		
18.8.32.1	(L1) Ensure 'Enable RPC Endpoint Mapper Client Authentication' is set to 'Enabled' (MS only) (Scored)	☐	☐
18.8.32.2	(L2) Ensure 'Restrict Unauthenticated RPC clients' is set to 'Enabled: Authenticated' (MS only) (Scored)	☐	☐
18.8.33	Removable Storage Access		
18.8.34	Scripts		
18.8.35	Server Manager		
18.8.36	Shutdown		

18.8.37	Shutdown Options
18.8.38	System Restore
18.8.39	Troubleshooting and Diagnostics
18.8.39.1	Application Compatibility Diagnostics
18.8.39.2	Corrupted File Recovery

Control		Set Correctly	
		Yes	No
18.8.39.3	Disk Diagnostic		
18.8.39.4	Fault Tolerant Heap		
18.8.39.5	Microsoft Support Diagnostic Tool		
18.8.39.5.1	(L2) Ensure 'Microsoft Support Diagnostic Tool: Turn on MSDT interactive communication with support provider' is set to 'Disabled' (Scored)	☐	☐
18.8.39.6	MSI Corrupted File Recovery		
18.8.39.7	Scheduled Maintenance		
18.8.39.8	Scripted Diagnostics		
18.8.39.9	Windows Boot Performance Diagnostics		
18.8.39.10	Windows Memory Leak Diagnosis		
18.8.39.11	Windows Performance PerfTrack		
18.8.39.11.1	(L2) Ensure 'Enable/Disable PerfTrack' is set to 'Disabled' (Scored)	☐	☐
18.8.40	Trusted Platform Module Services		
18.8.41	User Profiles		
18.8.41.1	(L2) Ensure 'Turn off the advertising ID' is set to 'Enabled' ☐ ☐ (Scored)		
18.8.42	Windows File Protection		
18.8.43	Windows HotStart		

18.8.44	Windows Time Service		
18.8.44.1	Time Providers		
18.8.44.1.1	(L2) Ensure 'Enable Windows NTP Client' is set to 'Enabled' (Scored)	☐	☐
18.8.44.1.2	(L2) Ensure 'Enable Windows NTP Server' is set to 'Disabled' (MS only) (Scored)	☐	☐
18.9	Windows Components		
18.9.1	Active Directory Federation Services		
18.9.2	ActiveX Installer Service		
18.9.3	Add features to Windows 8 / 8.1 / 10		
18.9.4	App Package Deployment		
18.9.4.1	(L2) Ensure 'Allow a Windows app to share application data between users' is set to 'Disabled' (Scored)	☐	☐
18.9.5	App Privacy		
18.9.5.1	(L2) Ensure 'Let Windows apps *' is set to 'Enabled: Force Deny' (Scored)	☐	☐
18.9.6	App runtime		
18.9.6.1	(L1) Ensure 'Allow Microsoft accounts to be optional' is set to 'Enabled' (Scored)	☐	☐
18.9.6.2	(L2) Ensure 'Block launching Windows Store apps with	☐	☐

Control		Set Correctly	
		Yes	No
	Windows Runtime API access from hosted content.' is set to 'Enabled' (Scored)	☐	☐
18.9.7	Application Compatibility		
18.9.8	AutoPlay Policies		
18.9.8.1	(L1) Ensure 'Disallow Autoplay for non-volume devices' is set to 'Enabled' (Scored)	☐	☐
18.9.8.2	(L1) Ensure 'Set the default behavior for AutoRun' is set to 'Enabled: Do not execute any autorun commands' (Scored)	☐	☐
18.9.8.3	(L1) Ensure 'Turn off Autoplay' is set to 'Enabled: All drives' (Scored)	☐	☐
18.9.9	Backup		
18.9.10	Biometrics		
18.9.10.1	Facial Features		

18.9.10.1.1	(L1) Ensure 'Use enhanced anti-spoofing when available' is ☐ ☒ set to 'Enabled' (Scored)		
18.9.11	BitLocker Drive Encryption		
18.9.12	Camera		
18.9.12.1	(L2) Ensure 'Allow Use of Camera' is set to 'Disabled' (Scored)	☐	☒
18.9.13	Cloud Content		
18.9.13.1	(L1) Ensure 'Turn off Microsoft consumer experiences' is set to 'Enabled' (Scored)	☐	☒
18.9.14	Connect		
18.9.14.1	(L1) Ensure 'Require pin for pairing' is set to 'Enabled' ☐ ☒ (Scored)		
18.9.15	Credential User Interface		
18.9.15.1	(L1) Ensure 'Do not display the password reveal button' is set to 'Enabled' (Scored)	☒	☐
18.9.15.2	(L1) Ensure 'Enumerate administrator accounts on elevation' is set to 'Disabled' (Scored)	☐	☒
18.9.16	Data Collection and Preview Builds		
18.9.16.1	(L1) Ensure 'Allow Telemetry' is set to 'Enabled: 0 - Security [Enterprise Only]' (Scored)	☒	☐
18.9.16.2	(L1) Ensure 'Disable pre-release features or settings' is set to 'Disabled' (Scored)	☐	☒
18.9.16.3	(L1) Ensure 'Do not show feedback notifications' is set to 'Enabled' (Scored)	☐	☒
18.9.16.4	(L1) Ensure 'Toggle user control over Insider builds' is set to 'Disabled' (Scored)	☒	☐
18.9.17	Delivery Optimization		
18.9.18	Desktop Gadgets		

Control		Set Correctly	
		Yes	No
18.9.19	Desktop Window Manager		
18.9.20	Device and Driver Compatibility		

18.9.21	Device Registration (formerly Workplace Join)		
18.9.22	Digital Locker		
18.9.23	Edge UI		
18.9.24	EMET		
18.9.25	Event Forwarding		
18.9.26	Event Log Service		
18.9.26.1	Application		
18.9.26.1.1	(L1) Ensure 'Application: Control Event Log behavior when the log file reaches its maximum size' is set to 'Disabled' (Scored)	☐	☐
18.9.26.1.2	(L1) Ensure 'Application: Specify the maximum log file size (KB)' is set to 'Enabled: 32,768 or greater' (Scored)	☐	☐
18.9.26.2	Security		
18.9.26.2.1	(L1) Ensure 'Security: Control Event Log behavior when the log file reaches its maximum size' is set to 'Disabled' (Scored)	☐	☐
18.9.26.2.2	(L1) Ensure 'Security: Specify the maximum log file size (KB)' is set to 'Enabled: 196,608 or greater' (Scored)	☐	☐
18.9.26.3	Setup		
18.9.26.3.1	(L1) Ensure 'Setup: Control Event Log behavior when the log file reaches its maximum size' is set to 'Disabled' (Scored)	☐	☐
18.9.26.3.2	(L1) Ensure 'Setup: Specify the maximum log file size (KB)' is set to 'Enabled: 32,768 or greater' (Scored)	☐	☐

18.9.26.4	System		
18.9.26.4.1	(L1) Ensure 'System: Control Event Log behavior when the log file reaches its maximum size' is set to 'Disabled' (Scored)	☐	☐
18.9.26.4.2	(L1) Ensure 'System: Specify the maximum log file size (KB)' is set to 'Enabled: 32,768 or greater' (Scored)	☐	☐
18.9.27	Event Logging		
18.9.28	Event Viewer		
18.9.29	Family Safety		
18.9.30	File Explorer		
18.9.30.1	Previous Versions		
18.9.30.2	(L1) Ensure 'Configure Windows SmartScreen' is set to 'Enabled' (Scored)	☐	☐
18.9.30.3	(L1) Ensure 'Turn off Data Execution Prevention for Explorer' is set to 'Disabled' (Scored)	☐	☐
18.9.30.4	(L1) Ensure 'Turn off heap termination on corruption' is set to 'Disabled' (Scored)	☐	☐

Control		Set Correctly	
		Yes	No
18.9.30.5	(L1) Ensure 'Turn off shell protocol protected mode' is set to 'Disabled' (Scored)	☐	☐
18.9.31	File History		
18.9.32	Game Explorer		

18.9.33	HomeGroup		
18.9.34	Import Video		
18.9.35	Internet Explorer		
18.9.36	Internet Information Services		
18.9.37	Location and Sensors		
18.9.37.1	Windows Location Provider		
18.9.37.2	(L2) Ensure 'Turn off location' is set to 'Enabled' (Scored)	☐	☐
18.9.38	Maintenance Scheduler		
18.9.39	Maps		
18.9.40	MDM		
18.9.41	Microsoft Edge		
18.9.41.1	(L2) Ensure 'Allow Extensions' is set to 'Disabled' (Scored)	☐	☐
18.9.41.2	(L2) Ensure 'Allow InPrivate Browsing' is set to 'Disabled' (Scored)	☐	☐
18.9.41.3	(L1) Ensure 'Configure cookies' is set to 'Enabled: Block only 3rd-party cookies' or higher (Scored)	☐	☐
18.9.41.4	(L1) Ensure 'Configure Password Manager' is set to 'Disabled' (Scored)	☐	☐
18.9.41.5	(L2) Ensure 'Configure Pop-up Blocker' is set to 'Enabled' (Scored)	☐	☐
18.9.41.6	(L1) Ensure 'Configure search suggestions in Address bar' is set to 'Disabled' (Scored)	☐	☐

18.9.41.7	(L1) Ensure 'Configure SmartScreen Filter' is set to 'Enabled' (Scored)	☐	☐
18.9.41.8	(L2) Ensure 'Prevent access to the about:flags page in Microsoft Edge' is set to 'Enabled' (Scored)	☐	☐
18.9.41.9	(L2) Ensure 'Prevent bypassing SmartScreen prompts for files' is set to 'Enabled' (Scored)	☐	☐
18.9.41.10	(L2) Ensure 'Prevent bypassing SmartScreen prompts for sites' is set to 'Enabled' (Scored)	☐	☐
18.9.41.11	(L2) Ensure 'Prevent using Localhost IP address for WebRTC' is set to 'Enabled' (Scored)	☐	☐
18.9.42	Microsoft Secondary Authentication Factor		
18.9.43	Microsoft User Experience Virtualization		
18.9.44	NetMeeting		
18.9.45	Network Access Protection		

Control		Set Correctly	
		Yes	No
18.9.46	Network Projector		
18.9.47	OneDrive (formerly SkyDrive)		
18.9.47.1	(L1) Ensure 'Prevent the usage of OneDrive for file storage' is set to 'Enabled' (Scored)	☐	☐
18.9.48	Online Assistance		
18.9.49	Password Synchronization		

18.9.50	Portable Operating System		
18.9.51	Presentation Settings		
18.9.52	Remote Desktop Services (formerly Terminal Services)		
18.9.52.1	RD Licensing		
18.9.52.2	Remote Desktop Connection Client		
18.9.52.2.1	RemoteFX USB Device Redirection		
18.9.52.2.2	(L1) Ensure 'Do not allow passwords to be saved' is set to 'Enabled' (Scored)	☐	☐
18.9.52.3	Remote Desktop Session Host		
18.9.52.3.1	Application Compatibility		
18.9.52.3.2	Connections		
18.9.52.3.2.1	(L2) Ensure 'Restrict Remote Desktop Services users to a single Remote Desktop Services session' is set to 'Enabled' (Scored)	☐	☐
18.9.52.3.3	Device and Resource Redirection		
18.9.52.3.3.1	(L2) Ensure 'Do not allow COM port redirection' is set to 'Enabled' (Scored)	☐	☐
18.9.52.3.3.2	(L1) Ensure 'Do not allow drive redirection' is set to 'Enabled' (Scored)	☐	☐
18.9.52.3.3.3	(L2) Ensure 'Do not allow LPT port redirection' is set to 'Enabled' (Scored)	☐	☐

18.9.52.3.3.4	(L2) Ensure 'Do not allow supported Plug and Play device redirection' is set to 'Enabled' (Scored)	☐	☐
18.9.52.3.4	Licensing		
18.9.52.3.5	Printer Redirection		
18.9.52.3.6	Profiles		
18.9.52.3.7	RD Connection Broker		
18.9.52.3.8	Remote Session Environment		
18.9.52.3.9	Security		
18.9.52.3.9.1	(L1) Ensure 'Always prompt for password upon connection' is set to 'Enabled' (Scored)	☐	☐
18.9.52.3.9.2	(L1) Ensure 'Require secure RPC communication' is set to 'Enabled' (Scored)	☐	☐
18.9.52.3.9.3	(L1) Ensure 'Set client connection encryption level' is set to	☐	☐

Control		Set Correctly	
		Yes	No
	'Enabled: High Level' (Scored)		
18.9.52.3.10	Session Time Limits		
18.9.52.3.10.1	(L2) Ensure 'Set time limit for active but idle Remote Desktop Services sessions' is set to 'Enabled: 15 minutes or less' (Scored)	☐	☐
18.9.52.3.10.2	(L2) Ensure 'Set time limit for disconnected sessions' is set to 'Enabled: 1 minute' (Scored)	☐	☐

18.9.52.3.11	Temporary folders		
18.9.52.3.11.1	(L1) Ensure 'Do not delete temp folders upon exit' is set to 'Disabled' (Scored)	☐	☐
18.9.52.3.11.2	(L1) Ensure 'Do not use temporary folders per session' is set to 'Disabled' (Scored)	☐	☐
18.9.53	RSS Feeds		
18.9.53.1	(L1) Ensure 'Prevent downloading of enclosures' is set to 'Enabled' (Scored)	☐	☐
18.9.54	Search		
18.9.54.1	OCR		
18.9.54.2	(L1) Ensure 'Allow Cortana' is set to 'Disabled' (Scored)	☐	☐
18.9.54.3	(L1) Ensure 'Allow Cortana above lock screen' is set to 'Disabled' (Scored)	☐	☐
18.9.54.4	(L1) Ensure 'Allow indexing of encrypted files' is set to 'Disabled' (Scored)	☐	☐
18.9.54.5	(L1) Ensure 'Allow search and Cortana to use location' is set to 'Disabled' (Scored)	☐	☐
18.9.55	Security Center		
18.9.56	Server for NIS		
18.9.57	Shutdown Options		
18.9.58	Smart Card		
18.9.59	Software Protection Platform		
18.9.59.1	(L2) Ensure 'Turn off KMS Client Online AVS Validation' is set to 'Enabled' (Scored)	☐	☐

18.9.60	Sound Recorder		
18.9.61	Store		
18.9.61.1	(L2) Ensure 'Disable all apps from Windows Store' is set to 'Enabled' (Scored)	☐	☐
18.9.61.2	(L1) Ensure 'Turn off Automatic Download and Install of updates' is set to 'Disabled' (Scored)	☐	☐
18.9.61.3	(L1) Ensure 'Turn off the offer to update to the latest version of Windows' is set to 'Enabled' (Scored)	☐	☐
18.9.61.4	(L2) Ensure 'Turn off the Store application' is set to 'Enabled'	☐	☐

Control		Set Correctly	
		Yes	No
	(Scored)		
18.9.62	Sync your settings		
18.9.63	Tablet PC		
18.9.64	Task Scheduler		
18.9.65	Text Input		
18.9.66	Windows Calendar		
18.9.67	Windows Color System		
18.9.68	Windows Customer Experience Improvement Program		
18.9.69	Windows Defender		
18.9.69.1	Client Interface		
18.9.69.2	Exclusions		
18.9.69.3	MAPS		
18.9.69.3.1	(L2) Ensure 'Join Microsoft MAPS' is set to 'Disabled' (Scored)	☐	☐
18.9.69.4	Network Inspection System		
18.9.69.5	Quarantine		
18.9.69.6	Real-time Protection		
18.9.69.7	Remediation		
18.9.69.8	Reporting		

18.9.69.8.1	(L2) Ensure 'Configure Watson events' is set to 'Disabled' (Scored)	☐	☒
18.9.70	Windows Error Reporting		
18.9.70.1	Advanced Error Reporting Settings		
18.9.70.2	Consent		
18.9.71	Windows Game Recording and Broadcasting		
18.9.72	Windows Hello for Business (formerly Microsoft Passport for Work)		
18.9.73	Windows Ink Workspace		
18.9.73.1	(L2) Ensure 'Allow suggested apps in Windows Ink Workspace' is set to 'Disabled' (Scored)	☒	☐
18.9.73.2	(L1) Ensure 'Allow Windows Ink Workspace' is set to 'Enabled: On, but disallow access above lock' OR 'Disabled' but not 'Enabled: On' (Scored)	☒	☐
18.9.74	Windows Installer		
18.9.74.1	(L1) Ensure 'Allow user control over installs' is set to 'Disabled' (Scored)	☒	☐
18.9.74.2	(L1) Ensure 'Always install with elevated privileges' is set to 'Disabled' (Scored)	☒	☐
18.9.74.3	(L2) Ensure 'Prevent Internet Explorer security prompt for Windows Installer scripts' is set to 'Disabled' (Scored)	☐	☒
18.9.75	Windows Logon Options		
18.9.75.1	(L1) Ensure 'Sign-in last interactive user automatically after a	☒	☐

Control		Set Correctly	
		Yes	No
	system-initiated restart' is set to 'Disabled' (Scored)		
18.9.76	Windows Mail		
18.9.77	Windows Media Center		
18.9.78	Windows Media Digital Rights Management		
18.9.79	Windows Media Player		
18.9.80	Windows Meeting Space		
18.9.81	Windows Messenger		
18.9.82	Windows Mobility Center		
18.9.83	Windows Movie Maker		
18.9.84	Windows PowerShell		

18.9.84.1	(L1) Ensure 'Turn on PowerShell Script Block Logging' is set to 'Disabled' (Scored)	☐	☐
18.9.84.2	(L1) Ensure 'Turn on PowerShell Transcription' is set to 'Disabled' (Scored)	☐	☐
18.9.85	Windows Reliability Analysis		
18.9.86	Windows Remote Management (WinRM)		
18.9.86.1	WinRM Client		
18.9.86.1.1	(L1) Ensure 'Allow Basic authentication' is set to 'Disabled' (Scored)	☐	☐
18.9.86.1.2	(L1) Ensure 'Allow unencrypted traffic' is set to 'Disabled' (Scored)	☐	☐
18.9.86.1.3	(L1) Ensure 'Disallow Digest authentication' is set to 'Enabled' (Scored)	☐	☐
18.9.86.2	WinRM Service		
18.9.86.2.1	(L1) Ensure 'Allow Basic authentication' is set to 'Disabled' (Scored)	☐	☐
18.9.86.2.2	(L2) Ensure 'Allow remote server management through WinRM' is set to 'Disabled' (Scored)	☐	☐
18.9.86.2.3	(L1) Ensure 'Allow unencrypted traffic' is set to 'Disabled' (Scored)	☐	☐
18.9.86.2.4	(L1) Ensure 'Disallow WinRM from storing RunAs credentials' is set to 'Enabled' (Scored)	☐	☐
18.9.87	Windows Remote Shell		
18.9.87.1	(L2) Ensure 'Allow Remote Shell Access' is set to 'Disabled' ☐ ☐ (Scored)		
18.9.88	Windows SideShow		
18.9.89	Windows System Resource Manager		
18.9.90	Windows Update		
18.9.90.1	Defer Windows Updates		
18.9.90.1.1	(L1) Ensure 'Select when Feature Updates are received' is set	☐	☐

Control		Set Correctly	
		Yes	No
	to 'Enabled: Current Branch for Business, 180 days' (Scored)		

18.9.90.1.2	(L1) Ensure 'Select when Quality Updates are received' is set to 'Enabled: 0 days' (Scored)	☐	☐
18.9.90.2	(L1) Ensure 'Configure Automatic Updates' is set to 'Enabled' (Scored)	☐	☐
18.9.90.3	(L1) Ensure 'Configure Automatic Updates: Scheduled install day' is set to '0 - Every day' (Scored)	☐	☐
18.9.90.4	(L1) Ensure 'No auto-restart with logged on users for scheduled automatic updates installations' is set to 'Disabled' (Scored)	☐	☐
19	Administrative Templates (User)		
19.1	Control Panel		
19.1.1	Add or Remove Programs		
19.1.2	Display		
19.1.3	Personalization		
19.1.3.1	(L1) Ensure 'Enable screen saver' is set to 'Enabled' (Scored)	☐	☐
19.1.3.2	(L1) Ensure 'Force specific screen saver: Screen saver executable name' is set to 'Enabled: scrnsave.scr' (Scored)	☐	☐
19.1.3.3	(L1) Ensure 'Password protect the screen saver' is set to 'Enabled' (Scored)	☐	☐
19.1.3.4	(L1) Ensure 'Screen saver timeout' is set to 'Enabled: 900 seconds or fewer, but not 0' (Scored)	☐	☐
19.2	Desktop		
19.3	Network		
19.4	Shared Folders		
19.5	Start Menu and Taskbar		
19.5.1	Notifications		
19.5.1.1	(L1) Ensure 'Turn off toast notifications on the lock screen' is ☐ ☐ set to 'Enabled' (Scored)		
19.6	System		
19.6.1	Ctrl+Alt+Del Options		
19.6.2	Driver Installation		
19.6.3	Folder Redirection		
19.6.4	Group Policy		
19.6.5	Internet Communication Management		
19.6.5.1	Internet Communication settings		
19.6.5.1.1	(L2) Ensure 'Turn off Help Experience Improvement Program' is set to 'Enabled' (Scored)	☐	☐
19.7	Windows Components		
19.7.1	Add features to Windows 8 / 8.1 / 10		

Control		Set Correctly	
		Yes	No
19.7.2	App runtime		
19.7.3	Application Compatibility		
19.7.4	Attachment Manager		
19.7.4.1	(L1) Ensure 'Do not preserve zone information in file attachments' is set to 'Disabled' (Scored)	☐	☒
19.7.4.2	(L1) Ensure 'Notify antivirus programs when opening attachments' is set to 'Enabled' (Scored)	☒	☐
19.7.5	AutoPlay Policies		
19.7.6	Backup		
19.7.7	Cloud Content		
19.7.7.1	(L2) Ensure 'Configure Windows spotlight on Lock Screen' is set to Disabled' (Scored)	☐	☒
19.7.7.2	(L1) Ensure 'Do not suggest third-party content in Windows spotlight' is set to 'Enabled' (Scored)	☒	☐
19.7.7.3	(L2) Ensure 'Turn off all Windows spotlight features' is set to 'Enabled' (Scored)	☒	☐
19.7.8	Credential User Interface		
19.7.9	Data Collection and Preview Builds		
19.7.10	Desktop Gadgets		

19.7.11	Desktop Window Manager
19.7.12	Digital Locker
19.7.13	Edge UI
19.7.14	File Explorer
19.7.15	File Revocation
19.7.16	IME
19.7.17	Import Video
19.7.18	Instant Search
19.7.19	Internet Explorer
19.7.20	Location and Sensors
19.7.21	Microsoft Edge
19.7.22	Microsoft Management Console
19.7.23	Microsoft User Experience Virtualization
19.7.24	NetMeeting

19.7.25	Network Projector		
19.7.26	Network Sharing		
19.7.26.1	(L1) Ensure 'Prevent users from sharing files within their profile.' is set to 'Enabled' (Scored)	☐	☐
19.7.27	Presentation Settings		
19.7.28	Remote Desktop Services		
19.7.29	RSS Feeds		
Control		Set Correctly	
		Yes	No
19.7.30	Search		
19.7.31	Sound Recorder		
19.7.32	Store		
19.7.33	Tablet PC		
19.7.34	Task Scheduler		
19.7.35	Windows Calendar		
19.7.36	Windows Color System		
19.7.37	Windows Error Reporting		
19.7.38	Windows Hello for Business (formerly Microsoft Passport for Work)		
19.7.39	Windows Installer		
19.7.39.1	(L1) Ensure 'Always install with elevated privileges' is set to 'Disabled' (Scored)	☐	☐
19.7.40	Windows Logon Options		
19.7.41	Windows Mail		
19.7.42	Windows Media Center		
19.7.43	Windows Media Player		
19.7.43.1	Networking		
19.7.43.2	Playback		
19.7.43.2.1	(L2) Ensure 'Prevent Codec Download' is set to 'Enabled' (Scored)	☐	☐

Appendix: Change History

Date	Version	Changes for this version
3/31/2017	1.0.0	Initial Public Release