



The license associated with the Belarc Advisor product allows for **free personal use only**. Use on computers in a corporate, educational, military or government installation is prohibited. See the license agreement for details. The information on this page was created locally on your computer by the Belarc Advisor. Your computer profile was not sent to a web server. Click here for more info.

System Security Status

Security Benchmark Score



Available only for Windows 7, Vista, and XP Pro

Virus Protection



Up-to-date

Security Updates



5 missing

Computer Profile Summary

Computer Name: MW-FILE-GEO (in MAWSON)
Profile Date: Monday, 17 July 2017 9:11:02 PM
Advisor Version: 8.5b
Windows Logon: dirk
Active Directory OU: Computers
DNS Suffix: mawson.local

Try BelManage, the Enterprise version of the Belarc Advisor

Operating System

Windows Server 2008 R2 Enterprise (x64) Service Pack 1 (build 7601)
Install Language: English (United States)
System Locale: English (Australia)
Installed: 18/02/2011 8:33:48 AM
Boot Mode: BIOS (Secure Boot not supported)

Server Roles:

Web Server (IIS)
File Services

System Model

HP ProLiant DL370 G6
System Serial Number: AUD12001DF
Chassis Serial Number: AUD12001DF
Enclosure Type: Rack Mount Chassis

Processor ^a

2.67 gigahertz Intel Xeon (2 installed)
384 kilobyte primary memory cache
3072 kilobyte secondary memory cache
24576 kilobyte tertiary memory cache
64-bit ready
Multi-core (12 total)
Hyper-threaded (24 total)

Main Circuit Board ^b

Bus Clock: 133 megahertz
BIOS: HP P63 07/02/2013

Drives

5400.60 Gigabytes Usable Hard Drive Capacity
1991.06 Gigabytes Hard Drive Free Space

hp DVD A DS8A5LH ATA Device [Optical drive]

HP LOGICAL VOLUME SCSI Disk Device (4800.74 GB) -- drive 1, s/n 50014380117DD500
HP LOGICAL VOLUME SCSI Disk Device (600.09 GB) -- drive 0, s/n 50014380117DD500

Memory Modules ^{c,d}

24566 Megabytes Usable Installed Memory

Slot 'PROC 1 DIMM 1G' is Empty
Slot 'PROC 1 DIMM 2D' has 2048 MB
Slot 'PROC 1 DIMM 3A' has 2048 MB
Slot 'PROC 1 DIMM 4H' is Empty
Slot 'PROC 1 DIMM 5E' has 2048 MB
Slot 'PROC 1 DIMM 6B' has 2048 MB
Slot 'PROC 1 DIMM 7I' is Empty
Slot 'PROC 1 DIMM 8F' has 2048 MB
Slot 'PROC 1 DIMM 9C' has 2048 MB
Slot 'PROC 2 DIMM 1G' is Empty
Slot 'PROC 2 DIMM 2D' has 2048 MB
Slot 'PROC 2 DIMM 3A' has 2048 MB
Slot 'PROC 2 DIMM 4H' is Empty
Slot 'PROC 2 DIMM 5E' has 2048 MB
Slot 'PROC 2 DIMM 6B' has 2048 MB

Slot 'PROC 2 DIMM 7I' is Empty
Slot 'PROC 2 DIMM 8F' has 2048 MB
Slot 'PROC 2 DIMM 9C' has 2048 MB

Local Drive Volumes

c: (NTFS on drive 0) *	599.99	428.50
	GB	GB free
e: (NTFS on drive 1)	4800.61	1562.56
	GB	GB free

* Operating System is installed on c:

Network Drives

None detected

Users (mouse over user name for details)

local user accounts	last logon	
FSAdmin630376563	17/07/2017 2:39:42 PM	(admin)
local system accounts		
Administrator	never	(admin)
✗ Guest	never	
MAWSON domain logons		
dirk	17/07/2017 7:25:08 PM	(admin)
i8support	14/07/2017 5:00:50 PM	

✗ Marks a disabled account;

🔒 Marks a locked account

Printers

Microsoft XPS Document Writer on XPSPort:

Controllers

ATA Channel 0 [Controller]
ATA Channel 1 [Controller]
Standard Dual Channel PCI IDE Controller

Display

ATI ES1000 [Display adapter]
LogMeIn Mirror Driver [Display adapter]
Mirage Driver [Display adapter]
Generic Non-PnP Monitor (2x)

Bus Adapters

Smart Array P410i Controller
Intel(R) ICH10 Family USB Enhanced Host Controller - 3A3A
Intel(R) ICH10 Family USB Universal Host Controller - 3A34
Intel(R) ICH10 Family USB Universal Host Controller - 3A35
Intel(R) ICH10 Family USB Universal Host Controller - 3A36
Intel(R) ICH10 Family USB Universal Host Controller - 3A39
Standard Universal PCI to USB Host Controller

Multimedia

None detected

Virus Protection [Back to Top]

Kaspersky Endpoint Security 10 for Windows Version 10.2.1.23
Virus Definitions Version 16/07/2017 Rev Up To Date
Last Disk Scan on Monday, 17 July 2017 10:07:52 AM
Realtime File Scanning On

Group Policies

Revision	Group Policy Object *
71	Default Domain Policy

* Higher priority policies are shown above lower

Communications

↑ HP NC375i Integrated Quad Port Multifunction Gigabit Server Adapter
primary IP Address: 10.65.5.4 / 24
Gateway: 10.65.5.1
Physical Address: D4:85:64:61:76:F0
Connection Speed: 1 Gbps
↓ HP NC375i Integrated Quad Port Multifunction Gigabit Server Adapter #2
Status: Cable unplugged
Dhcp Server: none responded
Physical Address: D4:85:64:61:76:F1
↓ HP NC375i Integrated Quad Port Multifunction Gigabit Server Adapter #3
Status: Cable unplugged
Dhcp Server: none responded

Other Devices

USB Input Device (2x)
HID Keyboard Device
Standard PS/2 Keyboard
HID-compliant mouse
PS/2 Compatible Mouse
HP iLO Management Channel Interface Driver
HP ProLiant iLO 2 Legacy Support Function
HP ProLiant iLO 2 Management Controller Driver
USB Composite Device
USB Root Hub (6x)
Generic volume shadow copy

Physical Address: D4:85:64:61:76:F2
HP NC375i Integrated Quad Port Multifunction Gigabit
Server Adapter #4
Microsoft ISATAP Adapter
Teredo Tunneling Pseudo-Interface

Networking Dns Servers: 10.65.5.2
10.65.2.2

USB Storage Use in past 30 Days (mouse over last used for details) [Back to Top]

None detected

Hosted Virtual Machines (mouse over name for details) [Back to Top]

None detected

See your entire network map...
Try BelManage, the Enterprise version of the Belarc Advisor

Network Map (mouse over IP address for physical address) [Back to Top]

IP	Device Type	Device Details	Device Roles
10.65.5.1	Router	Fortinet	Gateway
10.65.5.2	Windows 2008 Server	Mw-ad-per (in MAWSON), mw-ad-per.mawson.local, HP Compaq	Domain Name Server, IIS Web Server, Domain Controller
10.65.5.3	Windows 2008 Server	Mw-exch-per (in MAWSON), mw-exch-per.mawson.local, HP Compaq	IIS Web Server
10.65.5.4	Windows 2008 Server	Mw-file-geo (in MAWSON), mw-file-geo.mawson.local, HP Compaq	IIS Web Server
10.65.5.5	Windows 2008 Server	Mw-file-leg (in MAWSON), mw-file-leg.mawson.local, HP Compaq	
10.65.5.6	Windows 2008 Server	Mw-ts-per (in MAWSON), mw-ts-per.mawson.local, HP Compaq	IIS Web Server
10.65.5.7	System	Pronto, pronto.mawson.local, HP Compaq	
10.65.5.8	Windows 2012 Server	Mwperbk01 (in MAWSON), mwperbk01.mawson.local, HP Compaq	
10.65.5.9	System	HP Compaq	
10.65.5.210	System	HP Compaq	Web Server
10.65.5.211	System	HP Compaq	Web Server
10.65.5.213	System	HP Compaq	Web Server
10.65.5.214	System	HP Compaq	Web Server
10.65.5.215	System	HP Compaq	Web Server
10.65.5.220	System	HP Compaq	
10.65.5.225	Linux	Backup (in WORKGROUP), Thecus	Apache Web Server, Samba Server, Browse Master
10.65.5.254	Network Device	Cisco	Web Server

Find your security vulnerabilities...
Try BelManage, the Enterprise version of the Belarc Advisor

Missing Security Updates – for Adobe, Apple, Java, Microsoft and more [Back to Top]

Hotfixes from Windows Update (agent version 7.6.7601.23806) wait for install approval.
Last install: 14/07/2017 1:31:05 PM, download: 12/07/2017 12:53:17 PM, check: 17/07/2017 2:40:54 PM.

These security updates apply to this computer but are not currently installed (using Advisor definitions version 2017.7.14.2), according to the 07/11/2017 Microsoft Security Bulletin Summary and bulletins from other vendors. Note: Security benchmarks require that *Critical* and *Important* severity security updates **must be installed**.

Hotfix Id	Severity	Description (click to see security bulletin)
EOL-Adobe	End of Life	Adobe Reader 10.1.12.15 is vulnerable and no security updates are provided by the vendor
Q2596904	Important	Microsoft security update (KB2596904)
Q2928120	Important	Microsoft security update (KB2928120)
Q3191828	Important	Microsoft security update (KB3191828)
Q4023307	Critical	Microsoft security update (KB4023307)

Manage all your software licenses...
Try BelManage, the Enterprise version of the Belarc Advisor

Software Licenses [Back to Top]

Belarc - Advisor	99ad41a9
Kaspersky Lab - Kaspersky Endpoint Security 10 for Windows	12345-679-1111111-36981
MegaTec - UPSilon 2000	4JM6VAZN-34JVXL4K
Microsoft - Internet Explorer	55041-013-8095274-84100 (Key: ends with QC2CF) ^f
Microsoft - MSDN	92357-152-0000034-60133 (Key: GQ42V-YK763-KTBD6-JRR38-C8T9M)
Microsoft - PowerShell	89383-100-0001260-04309
Microsoft - Visual Studio 2008 Shell (integrated mode) - ENU	92357-152-0000034-60133
Microsoft - Visual Studio 9.0	92357-152-0000034-60133 (Key: GQ42V-YK763-KTBD6-JRR38-C8T9M)
Microsoft - VSA	92357-152-0000034-60133 (Key: GQ42V-YK763-KTBD6-JRR38-C8T9M)
Microsoft - Windows Server 2008 R2 Enterprise (x64)	55041-013-8095274-84100 (Key: ends with QC2CF) ^f

Find unused software and reduce licensing costs...
Try BelManage, the Enterprise version of the Belarc Advisor

Software Versions & Usage (mouse over for details, click for location) [Back to Top]

  Adobe Systems - Acrobat Update Service Version 1.824.22.5037	  Kaseya International - KaseyaEndpoint.exe Version 9.3.6125.37881 (64-bit)
  Adobe Systems - Reader Version 10.1.12.15	  Kaseya International - Virtual System Administrator Agent Version 9.3.0.11
  Belarc - Advisor Version 8.5b	  Kaspersky Lab ZAO - Endpoint Security 10 for Windows Version 10.2.1.23
  Code Sector - TeraCopy Version 2.3 beta 2	  Mega - usb client program Version 4.1.0.0
  Exinda Networks - ADConfig Version 1.1.1.0	  Mega System Technologies - Rupsmon Application Version 0, 0, 0, 0
  Exinda Networks - Service Version 1.1.1.0	  Mega System Technologies - UPSilon 2000 Version 3, 240, 0, 0
  FileZilla Project - Server Version 0, 9, 47, 0	  Microsoft - .NET Framework Version 2.0.50727.5483 (32/64-bit)
  Hewlett-Packard Company - Array Configuration Utility Version 8.60.7.0	  Microsoft - .NET Framework Version 3.0.6920.5011 (64-bit)
  Hewlett-Packard Company - HP Array Configuration Utility CLI Version 8.60.8.0	  Microsoft - .NET Framework Version 4.0.41210.0 (32/64-bit)
  Hewlett-Packard Company - HP Insight Foundation Agents for Microsoft Windows Server 2003 x64 Edition Version 8.60.0.0 (64-bit)	  Microsoft - .NET Framework Version 4.7.2053.0 (32/64-bit)
  Hewlett-Packard Company - HP Insight Server Agents for Microsoft Windows Server 2003 x64 Edition Version 8.60.00.0 (64-bit)	  Microsoft - Internet Explorer Version 9.00.8112.16421 (32/64-bit)
  Hewlett-Packard Company - HP Insight Storage Agents Version 8.60.0.0 (64-bit)	  Microsoft - Silverlight Plug-In Version 5.1.41212.0 (32/64-bit)
  Hewlett-Packard Company - HP Lights-Out Online Configuration Utility (HPONCFG) Version 3.1.0.0	  Microsoft - Silverlight Version 5.1.41212.0 (32/64-bit)
  Hewlett-Packard Company - HP ProLiant Integrated Management Log Viewer for Microsoft Windows Version 5.24.0.0 (64-bit)	  Microsoft - SQL Server Version 10.0.2531.0 (64-bit)
  Hewlett-Packard Company - HP ProLiant Remote Monitor Service for Microsoft Windows Version 5.21.0.0 (64-bit)	  Microsoft - SQL Server Version 10.50.4042.0 (32/64-bit)
  Hewlett-Packard Company - HP ProLiant System Shutdown Service for Microsoft Windows Version 1.2.0.0 (64-bit)	  Microsoft - Visual Studio 2008 Version 9.0.30729.4462
  Hewlett-Packard Company - HP Smart Array SAS/SATA Notification Service Version 6.22.0.64 Build 9 (x86-64) (64-bit)	  Microsoft - Windows Installer - Unicode Version 5.0.7600.16385 (32/64-bit)
  Hewlett-Packard Company - HP System Management Homepage Service for Microsoft Windows smhstart 6.2.0.13 (64-bit)	  Microsoft - Windows Script Host Version 5.8.7600.16385 (32/64-bit)
  Hewlett-Packard Company - HP Version Control Agent Version 6.2.0.860 (64-bit)	  No Company Name - Site24x7 Windows Agent
  Hewlett-Packard Company - NIC Agents Version 8.60.0.0 (64-bit)	  No Company Name - UPSILON Version 2, 0, 60, 0
  Hewlett-Packard Company - SolutionsFrameworkService Version 1.0.11.0	  StorageCraft Technology - ImageReady Version 5.0.4.27363
  Igor Pavlov - 7-Zip Version 9.20 (64-bit)	  StorageCraft Technology - ShadowProtect Version 5.1.4.32348
	  StorageCraft Technology - ShadowProtect VirtualBoot Version 5.0.0.0
	  StorageCraft Technology - Volume Snapshot Version 1.0.0.119 (64-bit)
	  Zoho - Site24x7 Windows Agent Version 1.0.0.0

-  JAM Software - TreeSize Free Version 3.3
-  Kaseya International - Agent Service Helper Version 9, 3, 0, 11
-  Kaseya International - AV Service Version 7.0.0.0

-  Mouse over to see details, click to see where software is installed.
-  Marks software last used within the past 7 days.
-  Marks software last used within the past 90 days, but over 7 days ago.
-  Marks software last used within the past year, but over 90 days ago.
-  Marks software last used over 1 year ago.
- Unmarked software lacks the data to determine last use.

Audit your security posture...
Try BelManage, the Enterprise version of the Belarc Advisor

Installed Microsoft Hotfixes [\[Back to Top\]](#)

Click here to see all installed hotfixes.

- a. Processor clock speed is measured at computer start-up, and on laptops may be impacted by power option settings.
- b. Data may be transferred on the bus at one, two, or four times the Bus Clock rate.
- c. Memory slot contents may not add up to Installed Memory if some memory is not recognized by Windows.
- d. Memory slot contents is reported by the motherboard BIOS. Contact system vendor if slot contents are wrong.
- e. This may be the manufacturer's factory installed product key rather than yours. You can change it to your product key using the procedure at <http://www.belarc.com/msproductkeys.html>.
- f. The full product key is not stored on this computer. However, the characters shown uniquely identify your product key.
- g. You can have Windows save the full product key using the procedure at <http://www.belarc.com/msproductkeys.html>.

Copyright 2000-15, Belarc, Inc. All rights reserved.
Legal notice. U.S. Patents 8473607, 6085229, 5665951 and Patents pending.