CLOUD COMPUTING - PROJECT

DOCKERIZING DJANGO APP:

PROJECT DESCRIPTION:

This project shows how to run a simple Django/PostgreSQL app via docker compose.

The application shows a simple Django admin interface in which you can login and add or remove user along with increasing or decreasing their privileges or permissions or rights.

PROJECT PROCESS:

STEP - 01:

Create an empty project directory and navigate to that directory.

```
sameer@sameer-VirtualBox:~/cloudproject$ mkdir dockerize
sameer@sameer-VirtualBox:~/cloudproject$ ls
dockerize
sameer@sameer-VirtualBox:~/cloudproject$ cd dockerize
sameer@sameer-VirtualBox:~/cloudproject/dockerize$
```

STEP - 02:

Create a Dockerfile and requirements.txt.

Open | Dockerfile ~/cloudproject/dockerize | Save

```
1 # syntax=docker/dockerfile:1
2 FROM python:3
3 ENV PYTHONDONTWRITEBYTECODE=1
4 ENV PYTHONUNBUFFERED=1
5 WORKDIR /code
6 COPY requirements.txt /code/
7 RUN pip install -r requirements.txt
8 COPY . /code/
9
10
```

Open | requirements.txt ~/cloudproject/dockerize | Save

```
1 Django>=3.0,<4.0
2 psycopg2>=2.8
```

STEP - 03:

Create docker-compose.yml file.




```
version: "3.9"

services:
  db:
    image: postgres
    volumes:
      - ./data/db:/var/lib/postgresql/data
    environment:
      - POSTGRES_NAME=postgres
      - POSTGRES_USER=postgres
      - POSTGRES_PASSWORD=postgres
  web:
    build: .
    command: python manage.py runserver 0.0.0.0:8000
    volumes:
      - .:/code
    ports:
      - "8000:8000"
    environment:
      - POSTGRES_NAME=postgres
      - POSTGRES_USER=postgres
      - POSTGRES_PASSWORD=postgres
    depends_on:
      - db

```

STEP - 04:

Create Django project and modify file permissions.

```
sameer@sameer-VirtualBox:~/cloudproject/dockerize$ sudo docker-compose run web django-admin startproje
ct dockerproject .
[sudo] password for sameer:
Creating network "dockerize_default" with the default driver
Building web
Step 1/7 : FROM python:3
 ---> dfce7257b7ba
Step 2/7 : ENV PYTHONDONTWRITEBYTECODE=1
 ---> Using cache
 ---> 01038acc9a67
Step 3/7 : ENV PYTHONUNBUFFERED=1
 ---> Using cache
 ---> 22b74c3402e7
Step 4/7 : WORKDIR /code
 ---> Using cache
 ---> e160c0e72d96
Step 5/7 : COPY requirements.txt /code/
 ---> Using cache
 ---> 8991bf698266
Step 6/7 : RUN pip install -r requirements.txt
 ---> Using cache
 ---> e81ed6791679
Step 7/7 : COPY . /code/
 ---> 4aae9f08ef70

Successfully built 4aae9f08ef70
Successfully tagged dockerize_web:latest
WARNING: Image for service web was built because it did not already exist. To rebuild this image you m
ust use `docker-compose build` or `docker-compose up --build`.
Creating dockerize_db_1 ... done
Creating dockerize_web_run ... done
sameer@sameer-VirtualBox:~/cloudproject/dockerize$
```

```
sameer@sameer-VirtualBox:~/cloudproject/dockerize$ ls -l
total 24
drwxr-xr-x 3 root   root   4096 02:14 13  فروری data
-rw-rw-r-- 1 sameer sameer  501 02:13 13  فروری docker-compose.yml
-rw-rw-r-- 1 sameer sameer  191 02:11 13  فروری Dockerfile
drwxr-xr-x 2 root   root   4096 02:14 13  فروری dockerproject
-rwxr-xr-x 1 root   root    669 02:14 13  فروری manage.py
-rw-rw-r-- 1 sameer sameer   31 02:09 13  فروری requirements.txt
sameer@sameer-VirtualBox:~/cloudproject/dockerize$ sudo chown -R $USER:$USER .
sameer@sameer-VirtualBox:~/cloudproject/dockerize$ ls -l
total 24
drwxr-xr-x 3 sameer sameer 4096 02:14 13  فروری data
-rw-rw-r-- 1 sameer sameer  501 02:13 13  فروری docker-compose.yml
-rw-rw-r-- 1 sameer sameer  191 02:11 13  فروری Dockerfile
drwxr-xr-x 2 sameer sameer 4096 02:14 13  فروری dockerproject
-rwxr-xr-x 1 sameer sameer  669 02:14 13  فروری manage.py
-rw-rw-r-- 1 sameer sameer   31 02:09 13  فروری requirements.txt
sameer@sameer-VirtualBox:~/cloudproject/dockerize$
```

STEP - 05:

Connect Database to the project (go to settings.py and modify the database code).

Open | settings.py — ~/cloudproject/dockerize/dockerproject | Save

```
76
77 DATABASES = {
78     'default': {
79         'ENGINE': 'django.db.backends.postgresql',
80         'NAME': os.environ.get('POSTGRES_NAME'),
81         'USER': os.environ.get('POSTGRES_USER'),
82         'PASSWORD': os.environ.get('POSTGRES_PASSWORD'),
83         'HOST': 'db',
84         'PORT': 5432,
85     }
86 }
```

STEP - 06:

Run ‘docker-compose up’ to run the project.

```
sameer@sameer-VirtualBox:~/cloudproject/dockerize$ sudo docker-compose up
Starting dockerize_db_1 ... done
Starting dockerize_web_1 ... done
Attaching to dockerize_db_1, dockerize_web_1
db_1    |
db_1    | PostgreSQL Database directory appears to contain a database; Skipping initialization
db_1    |
db_1    | 2022-02-12 21:22:57.752 UTC [1] LOG:  starting PostgreSQL 14.1 (Debian 14.1-1.pgdg110+1) on x
86_64-pc-linux-gnu, compiled by gcc (Debian 10.2.1-6) 10.2.1 20210110, 64-bit
db_1    | 2022-02-12 21:22:57.752 UTC [1] LOG:  listening on IPv4 address "0.0.0.0", port 5432
db_1    | 2022-02-12 21:22:57.752 UTC [1] LOG:  listening on IPv6 address "::", port 5432
db_1    | 2022-02-12 21:22:57.919 UTC [1] LOG:  listening on Unix socket "/var/run/postgresql/.s.PGSQL.
5432"
db_1    | 2022-02-12 21:22:57.927 UTC [27] LOG:  database system was interrupted; last known up at 2022
-02-12 21:14:16 UTC
db_1    | 2022-02-12 21:22:58.602 UTC [27] LOG:  database system was not properly shut down; automatic
recovery in progress
db_1    | 2022-02-12 21:22:58.606 UTC [27] LOG:  redo starts at 0/16FAB48
db_1    | 2022-02-12 21:22:58.606 UTC [27] LOG:  invalid record length at 0/16FAB80: wanted 24, got 0
db_1    | 2022-02-12 21:22:58.606 UTC [27] LOG:  redo done at 0/16FAB48 system usage: CPU: user: 0.00 s
, system: 0.00 s, elapsed: 0.00 s
db_1    | 2022-02-12 21:22:58.628 UTC [1] LOG:  database system is ready to accept connections
web_1   | Watching for file changes with StatReloader
web_1   | Performing system checks...
web_1   |
web_1   | System check identified no issues (0 silenced).
web_1   |
web_1   | You have 18 unapplied migration(s). Your project may not work properly until you apply the mi
grations for app(s): admin, auth, contenttypes, sessions.
web_1   | Run 'python manage.py migrate' to apply them.
web_1   | February 12, 2022 - 21:23:03
web_1   | Django version 3.2.12, using settings 'dockerproject.settings'
web_1   | Starting development server at http://0.0.0.0:8000/
web_1   | Quit the server with CONTROL-C.
```

Project running at localhost:8000 (output as follows).





STEP - 07:

Apply migrations from project directory.



STEP - 08:

Create superuser to login to Django admin.



STEP - 09:

Logging in as created superuser via Django admin.



Logged in as sameerfaisal (as shown below) having all permissions.



STEP - 10:

Add another user (simple with no permissions) from Django admin.





STEP - 11:

Add another user (another superuser with all permissions) from Django admin.




Site administration | Django
localhost:8000/admin/
90%
Django administration
WELCOME, ZAINAB. VIEW SITE / CHANGE PASSWORD / LOG OUT
Site administration
AUTHENTICATION AND AUTHORIZATION
Groups
Add
Change
Users
Add
Change
Recent actions
My actions
None available