第1次隨堂題目-隨堂-QZ1

> 學號：112111234 (學號和姓名都要寫)
> 姓名：阮陳家興

本份文件包含以下主題：(至少需下面兩項，若是有多者可以自行新增)

- ☑ 說明內容

說明程式與內容

開始寫說明，該說明需說明想法， 並於之後再對上述想法的每一部分將程式進一步進行展現， 若需引用程式區則使用下面方法， 若為.cs檔內程式除了於敘述中需註明檔案名稱外， 還需使用語法```語言種類 程式碼```，其中語言種類若是要用python則使用py，java則使用java，C/C++則使用cpp， 下段程式碼為語言種類選擇csharp使用後結果：

```
public void mt_getResult(){
    ...
}
```

若要於內文中標示部分網頁檔，則使用以下標籤```html 程式碼 ```， 下段程式碼則為使用後結果：

```
<%@ Page Language="C#" AutoEventWireup="true" ...>

<!DOCTYPE html>

<html xmlns="http://www.w3.org/1999/xhtml">
<head runat="server">
<meta http-equiv="Content-Type" ...>
    <title></title>
</head>
<body>
    <form id="form1" runat="server">
        <div>
        </div>
    </form>
</body>
</html>
```

更多markdown方法可參閱https://ithelp.ithome.com.tw/articles/10203758

請在撰寫"說明程式與內容"該塊內容，請把原該塊內上述敘述刪除，該塊上述內容只是用來指引該怎麼撰寫內容。

1.

Ans: # 課堂作業報告

任務三觀察結果

在將分支 `add_course` 合併到 `main` 時，發生了衝突（merge conflict）。原因是兩個分支同時修改了 `Introduction.md` 檔案的最後部分，導致 Git 無法自動判斷應該採用哪一個版本。

具體來說，Git 會在檔案中標示衝突區域，使用如 `<<<<<<< HEAD`、`=======` 和 `>>>>>>> add_course` 等符號，表示存在兩個不同版本的內容需要進行合併。

為了解決這個問題，我採取了以下步驟：

- 開啟 `Introduction.md` 檔案並檢查衝突內容
- 比較兩個分支之間的差異
- 保留雙方重要且必要的資訊
- 刪除 Git 的衝突標記符號
- 儲存修改後的檔案

接著，我使用 `git add` 和 `git commit` 指令完成合併流程。最終成功將內容整合，且檔案中不再存在任何衝突。

```
Hag@Helagion-IU45PJOE MINGW64 ~/OneDrive/Tài liệu/亞東-114/商業智慧/114-2QZ1 (main)
$ mkdir my-project

Hag@Helagion-IU45PJOE MINGW64 ~/OneDrive/Tài liệu/亞東-114/商業智慧/114-2QZ1 (main)
$ cd my-project

Hag@Helagion-IU45PJOE MINGW64 ~/OneDrive/Tài liệu/亞東-114/商業智慧/114-2QZ1/my-project (main)
$ git init
Initialized empty Git repository in C:/Users/Hag/OneDrive/Tài liệu/亞東-114/商業智慧/114-2QZ1/my-project/.git/

Hag@Helagion-IU45PJOE MINGW64 ~/OneDrive/Tài liệu/亞東-114/商業智慧/114-2QZ1/my-project (master)
$ git branch -M main

Hag@Helagion-IU45PJOE MINGW64 ~/OneDrive/Tài liệu/亞東-114/商業智慧/114-2QZ1/my-project (main)
$ git add Introduction.md
fatal: pathspec 'Introduction.md' did not match any files

Hag@Helagion-IU45PJOE MINGW64 ~/OneDrive/Tài liệu/亞東-114/商業智慧/114-2QZ1/my-project (main)
$ git add Introduction.md
```

```
Hag@Helagion-IU45PJOE MINGW64 ~/OneDrive/Tài liệu/亞東-114/商業智慧/114-2QZ1/my-project (main)
$ git pull origin main --rebase
remote: Enumerating objects: 4, done.
remote: Counting objects: 100% (2/2), done.
remote: Compressing objects: 100% (2/2), done.
remote: Total 4 (delta 0), reused 0 (delta 0), pack-reused 2 (from 1)
Unpacking objects: 100% (4/4), 453.44 KiB | 687.00 KiB/s, done.
From github.com:hag01292/114-2QZ1
 * branch            main       -> FETCH_HEAD
 * [new branch]      main       -> origin/main
Successfully rebased and updated refs/heads/main.

Hag@Helagion-IU45PJOE MINGW64 ~/OneDrive/Tài liệu/亞東-114/商業智慧/114-2QZ1/my-project (main)
$ git push -u origin main
Enumerating objects: 4, done.
Counting objects: 100% (4/4), done.
Delta compression using up to 20 threads
Compressing objects: 100% (3/3), done.
Writing objects: 100% (3/3), 1.05 KiB | 1.05 MiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
```

```
Hag@Helagion-IU45PJOE MINGW64 ~/OneDrive/Tài liệu/亞東-114/商業智慧/114-2QZ1/my-project (main)
$ git checkout -b add_plan
Switched to a new branch 'add_plan'

Hag@Helagion-IU45PJOE MINGW64 ~/OneDrive/Tài liệu/亞東-114/商業智慧/114-2QZ1/my-project (add_plan)
$ git add Introduction.md

Hag@Helagion-IU45PJOE MINGW64 ~/OneDrive/Tài liệu/亞東-114/商業智慧/114-2QZ1/my-project (add_plan)
$ git commit -m "Thêm kế hoạch học tập"
[add_plan ef5c127] Thêm kế hoạch học tập
 1 file changed, 6 insertions(+), 1 deletion(-)

Hag@Helagion-IU45PJOE MINGW64 ~/OneDrive/Tài liệu/亞東-114/商業智慧/114-2QZ1/my-project (add_plan)
$ git push -u origin add_plan
Enumerating objects: 5, done.
Counting objects: 100% (5/5), done.
Delta compression using up to 20 threads
Compressing objects: 100% (3/3), done.
Writing objects: 100% (3/3), 879 bytes | 879.00 KiB/s, done.
```

```
Hag@Helagion-IU45PJOE MINGW64 ~/OneDrive/Tài liệu/亞東-114/商業智慧/114-2QZ1/my-project (add_plan)
$ git checkout main
Switched to branch 'main'
Your branch is up to date with 'origin/main'.

Hag@Helagion-IU45PJOE MINGW64 ~/OneDrive/Tài liệu/亞東-114/商業智慧/114-2QZ1/my-project (main)
$ git checkout -b add_course
Switched to a new branch 'add_course'

Hag@Helagion-IU45PJOE MINGW64 ~/OneDrive/Tài liệu/亞東-114/商業智慧/114-2QZ1/my-project (add_course)
$ git add Introduction.md

Hag@Helagion-IU45PJOE MINGW64 ~/OneDrive/Tài liệu/亞東-114/商業智慧/114-2QZ1/my-project (add_course)
$ git commit -m "Thêm phân tích dữ liệu khóa học"
[add_course 7b1e1c3] Thêm phân tích dữ liệu khóa học
 1 file changed, 8 insertions(+), 1 deletion(-)

Hag@Helagion-IU45PJOE MINGW64 ~/OneDrive/Tài liệu/亞東-114/商業智慧/114-2QZ1/my-project (add_course)
```

```
Hag@Helagion-IU45PJOE MINGW64 ~/OneDrive/Tài liệu/亞東-114/商業智慧/114-2QZ1/my-project (add_course)
$ git commit -m "Thêm phân tích dữ liệu khóa học"
[add_course 7b1e1c3] Thêm phân tích dữ liệu khóa học
 1 file changed, 8 insertions(+), 1 deletion(-)

Hag@Helagion-IU45PJOE MINGW64 ~/OneDrive/Tài liệu/亞東-114/商業智慧/114-2QZ1/my-project (add_course)
$ git push -u origin add_course
Enumerating objects: 5, done.
Counting objects: 100% (5/5), done.
Delta compression using up to 20 threads
Compressing objects: 100% (3/3), done.
Writing objects: 100% (3/3), 1.41 KiB | 1.41 MiB/s, done.
Total 3 (delta 1), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (1/1), completed with 1 local object.
remote:
remote: Create a pull request for 'add_course' on GitHub by visiting:
remote:      https://github.com/hag01292/114-2QZ1/pull/new/add_course
remote:
To github.com:hag01292/114-2QZ1.git
 * [new branch]      add_course -> add_course
```

```
Hag@Helagion-IU45PJOE MINGW64 ~/OneDrive/Tài liệu/亞東-114/商業智慧/114-2QZ1/my-project (add_course)
$ git push -u origin add_course

Hag@Helagion-IU45PJOE MINGW64 ~/OneDrive/Tài liệu/亞東-114/商業智慧/114-2QZ1/my-project (add_course)
$ git checkout main
Switched to branch 'main'
Your branch is up to date with 'origin/main'.

Hag@Helagion-IU45PJOE MINGW64 ~/OneDrive/Tài liệu/亞東-114/商業智慧/114-2QZ1/my-project (main)
$ git merge add_plan
Updating cd4db58..ef5c127
Fast-forward
 Introduction.md | 7 ++++++-
 1 file changed, 6 insertions(+), 1 deletion(-)

Hag@Helagion-IU45PJOE MINGW64 ~/OneDrive/Tài liệu/亞東-114/商業智慧/114-2QZ1/my-project (main)
$ git merge add_course
Auto-merging Introduction.md
CONFLICT (content): Merge conflict in Introduction.md
Automatic merge failed; fix conflicts and then commit the result.
```

```
Hag@Helagion-IU45PJOE MINGW64 ~/OneDrive/Tài liệu/亞東-114/商業智慧/114-2QZ1/my-project (main)
$ git merge add_course
Auto-merging Introduction.md
CONFLICT (content): Merge conflict in Introduction.md
Automatic merge failed; fix conflicts and then commit the result.

Hag@Helagion-IU45PJOE MINGW64 ~/OneDrive/Tài liệu/亞東-114/商業智慧/114-2QZ1/my-project (main|MERGING)
$ git add Introduction.md

Hag@Helagion-IU45PJOE MINGW64 ~/OneDrive/Tài liệu/亞東-114/商業智慧/114-2QZ1/my-project (main|MERGING)
$ git commit -m "Giải quyết xung đột hợp nhất giữa add_plan và add_course"
[main 6d1ea6c] Giải quyết xung đột hợp nhất giữa add_plan và add_course

Hag@Helagion-IU45PJOE MINGW64 ~/OneDrive/Tài liệu/亞東-114/商業智慧/114-2QZ1/my-project (main)
$ git push
Enumerating objects: 7, done.
Counting objects: 100% (7/7), done.
Delta compression using up to 20 threads
Compressing objects: 100% (3/3), done.
Writing objects: 100% (3/3), 966 bytes | 966.00 KiB/s, done.
Total 3 (delta 2), reused 0 (delta 0), pack-reused 0 (from 0)
```

```
Hag@Helagion-IU45PJOE MINGW64 ~/OneDrive/Tài liệu/亞東-114/商業智慧/114-2QZ1/my-project (main)
$ git push
Enumerating objects: 7, done.
Counting objects: 100% (7/7), done.
Delta compression using up to 20 threads
Compressing objects: 100% (3/3), done.
Writing objects: 100% (3/3), 966 bytes | 966.00 KiB/s, done.
Total 3 (delta 2), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (2/2), completed with 2 local objects.
To github.com:hag01292/114-2QZ1.git
   cd4db58..6d1ea6c  main -> main

Hag@Helagion-IU45PJOE MINGW64 ~/OneDrive/Tài liệu/亞東-114/商業智慧/114-2QZ1/my-project (main)
$
```

```
Hag@Helagion-IU45PJOE MINGW64 ~/OneDrive/Tài liệu/亞東-114/商業智慧/114-2QZ1 (main)
$ mkdir my-project

Hag@Helagion-IU45PJOE MINGW64 ~/OneDrive/Tài liệu/亞東-114/商業智慧/114-2QZ1 (main)
$ cd my-project
```

```
Hag@Helagion-IU45PJOE MINGW64 ~/OneDrive/Tài liệu/亞東-114/商業智慧/114-2QZ1/my-
project (main)
$ git init
Initialized empty Git repository in C:/Users/Hag/OneDrive/Tài liệu/亞東-114/商業智
慧/114-2QZ1/my-project/.git/

Hag@Helagion-IU45PJOE MINGW64 ~/OneDrive/Tài liệu/亞東-114/商業智慧/114-2QZ1/my-
project (master)
$ git branch -M main

Hag@Helagion-IU45PJOE MINGW64 ~/OneDrive/Tài liệu/亞東-114/商業智慧/114-2QZ1/my-
project (main)
$ git add Introduction.md
fatal: pathspec 'Introduction.md' did not match any files

Hag@Helagion-IU45PJOE MINGW64 ~/OneDrive/Tài liệu/亞東-114/商業智慧/114-2QZ1/my-
project (main)
$ git add Introduction.md

Hag@Helagion-IU45PJOE MINGW64 ~/OneDrive/Tài liệu/亞東-114/商業智慧/114-2QZ1/my-
project (main)
$ git commit -m "Khởi tạo dự án và thêm giới thiệu bản thân"
[main (root-commit) 1a6a11f] Khởi tạo dự án và thêm giới thiệu bản thân
1 file changed, 2 insertions(+)
create mode 100644 Introduction.md

Hag@Helagion-IU45PJOE MINGW64 ~/OneDrive/Tài liệu/亞東-114/商業智慧/114-2QZ1/my-
project (main)
$ git push -u origin main
fatal: 'origin' does not appear to be a git repository
fatal: Could not read from remote repository.

Please make sure you have the correct access rights
and the repository exists.

Hag@Helagion-IU45PJOE MINGW64 ~/OneDrive/Tài liệu/亞東-114/商業智慧/114-2QZ1/my-
project (main)
$ git remote -v

Hag@Helagion-IU45PJOE MINGW64 ~/OneDrive/Tài liệu/亞東-114/商業智慧/114-2QZ1/my-
project (main)
$ git remote add origin git@github.com:hag01292/114-2QZ1.git

Hag@Helagion-IU45PJOE MINGW64 ~/OneDrive/Tài liệu/亞東-114/商業智慧/114-2QZ1/my-
project (main)
$ git push -u origin main
To github.com:hag01292/114-2QZ1.git
! [rejected]        main -> main (fetch first)
error: failed to push some refs to 'github.com:hag01292/114-2QZ1.git'
hint: Updates were rejected because the remote contains work that you do not
hint: have locally. This is usually caused by another repository pushing to
hint: the same ref. If you want to integrate the remote changes, use
hint: 'git pull' before pushing again.
```

```
hint: See the 'Note about fast-forwards' in 'git push --help' for details.

Hag@Helagion-IU45PJOE MINGW64 ~/OneDrive/Tài liệu/亞東-114/商業智慧/114-2QZ1/my-
project (main)
$ git pull origin main --rebase
remote: Enumerating objects: 4, done.
remote: Counting objects: 100% (2/2), done.
remote: Compressing objects: 100% (2/2), done.
remote: Total 4 (delta 0), reused 0 (delta 0), pack-reused 2 (from 1)
Unpacking objects: 100% (4/4), 453.44 KiB | 687.00 KiB/s, done.
From github.com:hag01292/114-2QZ1
* branch            main       -> FETCH_HEAD
* [new branch]      main       -> origin/main
Successfully rebased and updated refs/heads/main.

Hag@Helagion-IU45PJOE MINGW64 ~/OneDrive/Tài liệu/亞東-114/商業智慧/114-2QZ1/my-
project (main)
$ git push -u origin main
Enumerating objects: 4, done.
Counting objects: 100% (4/4), done.
Delta compression using up to 20 threads
Compressing objects: 100% (3/3), done.
Writing objects: 100% (3/3), 1.05 KiB | 1.05 MiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To github.com:hag01292/114-2QZ1.git
1768d9f..cd4db58  main -> main
branch 'main' set up to track 'origin/main'.

Hag@Helagion-IU45PJOE MINGW64 ~/OneDrive/Tài liệu/亞東-114/商業智慧/114-2QZ1/my-
project (main)
$ git checkout -b add_plan
Switched to a new branch 'add_plan'

Hag@Helagion-IU45PJOE MINGW64 ~/OneDrive/Tài liệu/亞東-114/商業智慧/114-2QZ1/my-
project (add_plan)
$ git add Introduction.md

Hag@Helagion-IU45PJOE MINGW64 ~/OneDrive/Tài liệu/亞東-114/商業智慧/114-2QZ1/my-
project (add_plan)
$ git commit -m "Thêm kế hoạch học tập"
[add_plan ef5c127] Thêm kế hoạch học tập
1 file changed, 6 insertions(+), 1 deletion(-)

Hag@Helagion-IU45PJOE MINGW64 ~/OneDrive/Tài liệu/亞東-114/商業智慧/114-2QZ1/my-
project (add_plan)
$ git push -u origin add_plan
Enumerating objects: 5, done.
Counting objects: 100% (5/5), done.
Delta compression using up to 20 threads
Compressing objects: 100% (3/3), done.
Writing objects: 100% (3/3), 879 bytes | 879.00 KiB/s, done.
Total 3 (delta 2), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (2/2), completed with 2 local objects.
remote:
```

```
remote: Create a pull request for 'add_plan' on GitHub by visiting:
remote:      https://github.com/hag01292/114-2QZ1/pull/new/add_plan
remote:
To github.com:hag01292/114-2QZ1.git
* [new branch]      add_plan -> add_plan
branch 'add_plan' set up to track 'origin/add_plan'.

Hag@Helagion-IU45PJOE MINGW64 ~/OneDrive/Tài liệu/亞東-114/商業智慧/114-2QZ1/my-
project (add_plan)
$ git checkout main
Switched to branch 'main'
Your branch is up to date with 'origin/main'.

Hag@Helagion-IU45PJOE MINGW64 ~/OneDrive/Tài liệu/亞東-114/商業智慧/114-2QZ1/my-
project (main)
$ git checkout -b add_course
Switched to a new branch 'add_course'

Hag@Helagion-IU45PJOE MINGW64 ~/OneDrive/Tài liệu/亞東-114/商業智慧/114-2QZ1/my-
project (add_course)
$ git add Introduction.md

Hag@Helagion-IU45PJOE MINGW64 ~/OneDrive/Tài liệu/亞東-114/商業智慧/114-2QZ1/my-
project (add_course)
$ git commit -m "Thêm phân tích dữ liệu khóa học"
[add_course 7b1e1c3] Thêm phân tích dữ liệu khóa học
1 file changed, 8 insertions(+), 1 deletion(-)

Hag@Helagion-IU45PJOE MINGW64 ~/OneDrive/Tài liệu/亞東-114/商業智慧/114-2QZ1/my-
project (add_course)
$ git push -u origin add_course
Enumerating objects: 5, done.
Counting objects: 100% (5/5), done.
Delta compression using up to 20 threads
Compressing objects: 100% (3/3), done.
Writing objects: 100% (3/3), 1.41 KiB | 1.41 MiB/s, done.
Total 3 (delta 1), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (1/1), completed with 1 local object.
remote:
remote: Create a pull request for 'add_course' on GitHub by visiting:
remote:      https://github.com/hag01292/114-2QZ1/pull/new/add_course
remote:
To github.com:hag01292/114-2QZ1.git
* [new branch]      add_course -> add_course
branch 'add_course' set up to track 'origin/add_course'.

Hag@Helagion-IU45PJOE MINGW64 ~/OneDrive/Tài liệu/亞東-114/商業智慧/114-2QZ1/my-
project (add_course)
$ git checkout main
Switched to branch 'main'
Your branch is up to date with 'origin/main'.

Hag@Helagion-IU45PJOE MINGW64 ~/OneDrive/Tài liệu/亞東-114/商業智慧/114-2QZ1/my-
project (main)
```

```
$ git merge add_plan
Updating cd4db58..ef5c127
Fast-forward
Introduction.md | 7 ++++++-
1 file changed, 6 insertions(+), 1 deletion(-)

Hag@Helagion-IU45PJOE MINGW64 ~/OneDrive/Tài liệu/亞東-114/商業智慧/114-2QZ1/my-
project (main)
$ git merge add_course
Auto-merging Introduction.md
CONFLICT (content): Merge conflict in Introduction.md
Automatic merge failed; fix conflicts and then commit the result.

Hag@Helagion-IU45PJOE MINGW64 ~/OneDrive/Tài liệu/亞東-114/商業智慧/114-2QZ1/my-
project (main|MERGING)
$ git add Introduction.md

Hag@Helagion-IU45PJOE MINGW64 ~/OneDrive/Tài liệu/亞東-114/商業智慧/114-2QZ1/my-
project (main|MERGING)
$ git commit -m "Giải quyết xung đột hợp nhất giữa add_plan và add_course"
[main 6d1ea6c] Giải quyết xung đột hợp nhất giữa add_plan và add_course

Hag@Helagion-IU45PJOE MINGW64 ~/OneDrive/Tài liệu/亞東-114/商業智慧/114-2QZ1/my-
project (main)
$ git push
Enumerating objects: 7, done.
Counting objects: 100% (7/7), done.
Delta compression using up to 20 threads
Compressing objects: 100% (3/3), done.
Writing objects: 100% (3/3), 966 bytes | 966.00 KiB/s, done.
Total 3 (delta 2), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (2/2), completed with 2 local objects.
To github.com:hag01292/114-2QZ1.git
cd4db58..6d1ea6c  main -> main

Hag@Helagion-IU45PJOE MINGW64 ~/OneDrive/Tài liệu/亞東-114/商業智慧/114-2QZ1/my-
project (main)
$
```