

[Back](#)

Time left 2:25:40

Question 97

Not yet answered

Marked out of 1.00

 [Flag question](#)

What command will enable you to view the router's active NAT translations?

- ☐ a. Router#debug ip nat translations
- ☐ b. Router#show translations nat
- ☐ c. Router#show ip nat translations
- ☐ d. Router#show nat translations

[Previous page](#)[Next page](#)



Not yet answered

Time left 2:25:53

Marked out of 1.00

 [Flag question](#)

Considering the following Java code, choose the code execution result?

Class newthread implments Runnable

```
{  
    Thread t;  
    newthread()  
    {  
        t = new Thread(this, "Advanced  
Programming");  
        t.start();  
    }  
}
```

Class multithread_programing

```
{  
    Public static void main(String  
args[])  
    {  
        new newthread();  
    }  
}
```

- ☐ a. Thread[My Thread,5,main]
- ☐ b. Compilation Error
- ☐ c. Runtime Error
- ☐ d. Advanced Programming

[Previous page](#)[Next page](#)**Quiz navigation**



Time left 2:26:06

Question 95

Not yet answered

Marked out of 1.00

 [Flag question](#)

Based on object-oriented application, which one of the following is a part of the notation of object-oriented design, used to show the allocation of processes to processors in the physical design of a system?

- ☐ a. process architecture
- ☐ b. process diagram
- ☐ c. reactive process
- ☐ d. real-time process

[Previous page](#)[Next page](#)**Quiz navigation**

Time left 2:26:15

Question 94

Not yet answered

Marked out of 1.00

 [Flag question](#)

Suppose RSA system, if the system chooses the two prime numbers as $p=2$ and $q=5$, which of the following statement is true, if you precisely follow the algorithm?

- ☐ a. The private key is $\{5,10\}$
- ☐ b. The public key is $\{3,10\}$
- ☐ c. A ciphertext input $C=7$, results $M=4$ as plaintext
- ☐ d. A plaintext input $M=4$, results $C=7$ as ciphertext

[Previous page](#)[Next page](#)**Quiz navigation**

Question 93

Not yet answered

Marked out of 1.00

 [Flag question](#)

What conclusions can you draw about the interface or node from the following exhibit?

```
Switch#sh interfaces fastEthernet 0/1
FastEthernet0/1 is down, line protocol is down (disabled)
  Hardware is Lance, address is 000a.f36c.1501 (bia 000a.f36c.1501)
[output cut]
  956 packets input, 193351 bytes, 0 no buffer
  Received 956 broadcasts, 0 runts, 0 giants, 0 throttles
  0 input errors, 0 CRC, 0 frame, 0 overrun, 0 ignored, 0 abort
  0 watchdog, 0 multicast, 0 pause input
  0 input packets with dribble condition detected
  2357 packets output, 263570 bytes, 0 underruns
  0 output errors, 0 collisions, 10 interface resets
  0 babbles, 0 late collision, 0 deferred
  0 lost carrier, 0 no carrier
  0 output buffer failures, 0 output buffers swapped out
```

- ☐ a. The interface is shut down
- ☐ b. The interface is operating nominally
- ☐ c. The interface is negotiated at half-duplex
- ☐ d. The cable is disconnected for the node



Time left 2:26:47

Question 92

Not yet answered

Marked out of 1.00

 [Flag question](#)

If the query DROP DATABASE Student is executed on the database without the appropriate authorization, what kind of threat it causes?

- ☐ a. Loss of confidentiality
- ☐ b. Loss of accountability
- ☐ c. Loss of integrity
- ☐ d. Loss of Authorization

[Previous page](#)[Next page](#)**Quiz navigation**[1](#)[2](#)[3](#)[4](#)[5](#)[6](#)[7](#)

**Question 91**

Not yet answered

Marked out of 1.00

 [Flag question](#)

A tuple takes a _____ value when a record does not have a value for it.

- ☐ a. Null
- ☐ b. Not Applicable
- ☐ c. Unknown
- ☐ d. Zero

[Previous page](#)[Next page](#)**Quiz navigation**

1	2	3	4	5	6	7
8	9	10	11	12	13	14
15	16	17	18	19	20	21





Time left 2:27:14

Question 90

Not yet answered

Marked out of 1.00

 [Flag question](#)

Which fiber optic standard utilizes a 50 micron core?

- ☐ a. UTP
- ☐ b. Multi-mode
- ☐ c. STP
- ☐ d. Single-mode

[Previous page](#)[Next page](#)**Quiz navigation**

1

2

3

4

5

6

7





Time left 2:27:25

Question 89

Not yet answered

Marked out of 1.00

 [Flag question](#)

Which of the following is a valid host address?

- ☐ a. 192.168.255.31/27
- ☐ b. 172.17.61.255/18
- ☐ c. 172.19.65.0/18
- ☐ d. 192.168.0.224/27

[Previous page](#)[Next page](#)**Quiz navigation**

1

2

3

4

5

6

7





Back

Time left 2:27:44

Question 88

Not yet answered

Marked out of 1.00

 [Flag question](#)

By applying permutation (53421) and substitution by 3 characters away from current character, the string "LETUSMEETENTOTO" becomes

_____.

- ☐ a. VWXHOHHWHPRRWWQ
- ☐ b. OTOTNETEEMSUTEL
- ☐ c. QWWRRPHWHHHOHXWV
- ☐ d. STUELEETEMOOTTN

[Previous page](#)[Next page](#)

**Question 87**

Not yet answered

Marked out of 1.00

 [Flag question](#)

_____ represents a real-world object or concept from the mini-world, which can be states/describes in the database.

- ☐ a. Entity
- ☐ b. Learning Domain
- ☐ c. Attribute
- ☐ d. Relationship

[Previous page](#)[Next page](#)**Quiz navigation**

1

2

3

4

5

6

7





Information Technology (BSC)

[Back](#)

Time left 2:28:05

Question 86

Not yet answered

Marked out of 1.00

 [Flag question](#)

The default property for a text box control is _____.

- ☐ a. Text
- ☐ b. Multiline
- ☐ c. Enable
- ☐ d. Password char



Time left 2:28:17

Question 85

Not yet answered

Marked out of 1.00

 [Flag question](#)

Cookies in PHP

- ☐ a. Is a data a web server saves to your computer's hard disk via a web browser
- ☐ b. Can contain any size of alphanumeric information
- ☐ c. Cannot be retrieved from your computer and returned to the server
- ☐ d. Can be read by any Learning Domain

[Previous page](#)

[Next page](#)



[Back](#)

Time left 2:28:29

Question 84

Not yet answered

Marked out of 1.00

 [Flag question](#)

Project management software helps you develop a _____, which serves as a basis for creating Gantt charts, assigning resources, and allocating costs.

- ☐ a. project plan
- ☐ b. schedule
- ☐ c. deliverable
- ☐ d. work breakdown structure

[Previous page](#)[Next page](#)

[Back](#)

Time left 2:28:39

Question 83

Not yet answered

Marked out of 1.00

 [Flag question](#)

If you play music as a background (service), which of the following is not a state in the service lifecycle?

- ☐ a. Start
- ☐ b. Paused
- ☐ c. Running
- ☐ d. Destroyed

[Previous page](#)[Next page](#)



Time left 2:28:46

Question 82

Not yet answered

Marked out of 1.00

 [Flag question](#)

_____ is embedded in android by default and used to perform storing, manipulating, or retrieving operations on android devices

- ☐ a. MySQL
- ☐ b. MonogDB
- ☐ c. SQLite
- ☐ d. Oracle

[Previous page](#)[Next page](#)**Quiz navigation**



Time left 2:30:24

Question 78


Not yet answered

Marked out of 1.00

 [Flag question](#)

Which of the following class serves as the superclass for all exception type classes?

- ☐ a. Catchable
- ☐ b. String
- ☐ c. RuntimeExceptions
- ☐ d. Throwable

[Previous page](#)[Next page](#)**Quiz navigation**

[Back](#)

Time left 2:30:01

Question 80

Not yet answered

Marked out of 1.00

 [Flag question](#)

If your collage prohibits using any anti-virus program in your personal computers (or Laptops) other than the one they provide in order to use the college"s local network, what type of policy is this?

- ☐ a. Program security policy
- ☐ b. System-specific policy
- ☐ c. General security policy
- ☐ d. Issue-specific policy



Time left 2:30:10

The output of the following piece of code (tags) will be _____

```
<table border="1">  
<tr> <th colspan="4">Work Contact  
Points</th></tr>  
<tr> <th>Name</th> <th>Email</th>  
<th>Phone</th><th>Floor</th></tr>  
</table>
```

☐ a.

Work Contact Points			
Name	Email	Phone	Floor

☐ b.

Work Contact Points
NameEmailPhoneFloor

☐ c.

Work Contact Points			
Name	Email	Phone	Floor

☐ d.

Work Contact Points			
Name			

[Previous page](#)[Next page](#)

Quiz navigation

1	2	3	4	5	6	7
---	---	---	---	---	---	---





Time left 2:30:24

Question 78


Not yet answered

Marked out of 1.00

 [Flag question](#)

Which of the following class serves as the superclass for all exception type classes?

- ☐ a. Catchable
- ☐ b. String
- ☐ c. RuntimeExceptions
- ☐ d. Throwable

[Previous page](#)[Next page](#)**Quiz navigation**



Time left 2:30:32

Question 77

Not yet answered

Marked out of 1.00

 [Flag question](#)

Which of the following is a valid Visual Basic conditional statement?

- ☐ a. $2 < n \text{ Or } < 5$
- ☐ b. $2 < n < 5$
- ☐ c. $2 < n \text{ Or } 5$
- ☐ d. $(2 < n) \text{ Or } (n < 5)$

[Previous page](#)

[Next page](#)

Quiz navigation

1

2

3

4

5

6

7



Time left 2:30:44

Question 76

Not yet answered

Marked out of 1.00

 [Flag question](#)

What will be the possible built-in functions to be used to checking the age value to be numeric and greater than 18 and displays an alert message "Not eligible to vote" if any of the above mentioned validations are false?

- ☐ a. alert(), document.write(), isNaN()
- ☐ b. alert(), isNaN(), parseInt()
- ☐ c. alert(), document.write(), isNull(), parse
- ☐ d. alert(), isNumeric(), isNull(), parseInt()

[Previous page](#)[Next page](#)

[Back](#)

Time left 2:30:58

Question 75

Not yet answered

Marked out of 1.00

 [Flag question](#)

Which one of the following is a CSS class selector?

- ☐ a. `:code`
- ☐ b. `div[code]`
- ☐ c. `.code`
- ☐ d. `#code`

[Previous page](#)[Next page](#)**Quiz navigation**



Time left 2:31:10

Question 74

Not yet answered

Marked out of 1.00

 [Flag question](#)

Which of the following statement is wrong about information security?

- ☐ a. Password crack is a threat as malicious code is an attack
- ☐ b. Worms and viruses also characterize a threat
- ☐ c. worm replicate or clone them self's through infection
- ☐ d. The goal of information security is to reduce risk

[Previous page](#)[Next page](#)

Time left 2:31:18

Question 73

Not yet answered

Marked out of 1.00

 [Flag question](#)

Which SQL statement enforces referential integrity during physical database design?

- ☐ a. PRIMARY KEY (ID)
- ☐ b. FOREIGN KEY (ID)
REFERENCES Table_name(ID)
- ☐ c. UNIQUE (ID)
- ☐ d. ID CHAR(90) NOT NULL

[Previous page](#)[Next page](#)**Quiz navigation**

1	2	3	4	5	6	7
---	---	---	---	---	---	---



Time left 2:31:31

Question 72

Not yet answered

Marked out of 1.00

 [Flag question](#)

_____ refers a property of computer to run several operation simultaneously and possible as computers await response of each other.

- ☐ a. Concurrency
- ☐ b. Deadlock
- ☐ c. Backup
- ☐ d. Recovery

[Previous page](#)[Next page](#)**Quiz navigation**

1

2

3

4

5

6

7





(BSC)

Back

Time left 2:31:44

Question 71

Not yet answered

Marked out of 1.00

 [Flag question](#)

_____ initializes app-wide resources.

- ☐ a. MainActivity
- ☐ b. Activity
- ☐ c. AndroidManifest.xml
- ☐ d. activity_main.xml

Previous page

Next page





Information Technology (BSC)

[Back](#)

Time left 2:31:54

Question 70

Not yet answered

Marked out of 1.00

 [Flag question](#)

Which command is employed to create Linux file systems?

- ☐ a. mount
- ☐ b. mkfs
- ☐ c. fsck
- ☐ d. fdisk

[Back](#)

Time left 2:32:02

Question 69

Not yet answered

Marked out of 1.00

 [Flag question](#)

Which firewall is the most popular on Linux?

- ☐ a. pf
- ☐ b. ipchains
- ☐ c. iptables
- ☐ d. ipfw

[Previous page](#)[Next page](#)**Quiz navigation**

[Back](#)

Time left 2:32:11

Question 68

Not yet answered

Marked out of 1.00

 [Flag question](#)

Which of the following is not e-commerce applications?

- ☐ a. Durpel e-commerce
- ☐ b. Wordpress
- ☐ c. Magento
- ☐ d. CubeCart

[Previous page](#)[Next page](#)**Quiz navigation**

1	2	3	4	5	6	7
---	---	---	---	---	---	---



Time left 2:32:39

Question 67

Not yet answered

Marked out of 1.00

 [Flag question](#)

After renaming VLAN 3, you wish to now, double-check your changes. How will you validate the name change using a command?

- ☐ a. Switch#show run
- ☐ b. Switch#show vlan id 3
- ☐ c. Switch#show interface vlan 3
- ☐ d. Switch#show vlans

[Previous page](#)[Next page](#)**Quiz navigation**

1	2	3	4	5	6	7
8	9	10	11	12	13	14





Marked out of 1.00

 [Flag question](#)

Which one of the following model is not used for to improving quality in software development projects and project management?

- ☐ a. Myers-Briggs Type Indicator
- ☐ b. Capability Maturity Model Integration
- ☐ c. Software Quality Function Deployment
- ☐ d. Project management maturity models

[Previous page](#)[Next page](#)

Quiz navigation

1

2

3

4

5

6

7



Time left 2:33:31

Question 65

Not yet answered

Marked out of 1.00

 [Flag question](#)

The aim of query optimization is

- ☐ a. to check that the query is syntactically and semantically correct
- ☐ b. query cannot be optimized
- ☐ c. to transform a query written in a high-level language(SQL) into a low-level language (the relational algebra)
- ☐ d. to choose an efficient execution strategy that minimizes resource usage.

[Previous page](#)

[Next page](#)





Time left 2:33:46

Question 64

Not yet answered

Marked out of 1.00

 [Flag question](#)

The correct command used in Unix operating system to perform a backup is_____.

- ☐ a. backup
- ☐ b. cpio
- ☐ c. zip
- ☐ d. gzip

[Previous page](#)[Next page](#)**Quiz navigation**

1

2

3

4

5

6

7



[Back](#)

Time left 2:34:22

Question 63

Not yet answered

Marked out of 1.00

 [Flag question](#)

What dynamic routing protocol has the least amount of overhead??

- ☐ a. RIP
- ☐ b. BGP
- ☐ c. EIGRP
- ☐ d. OSPF

[Previous page](#)[Next page](#)



What annotation is valid in the place of ? mark in the fragment of code shown below?

```
interface Test {
```

```
? ("SELECT * FROM test WHERE id=  
(:id)") suspend fun getTest(id:  
UUID): Test
```

- ☐ a. @Update
- ☐ b. @Query
- ☐ c. @Select
- ☐ d. @Insert

[Previous page](#)[Next page](#)

Quiz navigation

1

2

3

4

5

6

7



**Question 61**

Not yet answered

Marked out of 1.00

 [Flag question](#)

Which of the following video connectors has an analog variety and a digital variety?

- ☐ a. DVI
- ☐ b. DisplayPort
- ☐ c. VGA
- ☐ d. HDMI

[Previous page](#)[Next page](#)**Quiz navigation**

1	2	3	4	5	6	7
8	9	10	11	12	13	14





Time left 2:34:52

Question 60

Not yet answered

Marked out of 1.00

 [Flag question](#)

Data downloaded to devices is done by _____.

- ☐ a. Fragment
- ☐ b. File
- ☐ c. Broadcast Receivers
- ☐ d. Event

[Previous page](#)[Next page](#)**Quiz navigation**

1	2	3	4	5	6	7
8	9	10	11	12	13	14



Question 59

Not yet answered

Marked out of 1.00

 [Flag question](#)

Which of these two characteristics of object-oriented programming are the same?

- ☐ a. Encapsulation and Abstraction
- ☐ b. Encapsulation and Polymorphism features are the same
- ☐ c. Inheritance and Encapsulation features are the same
- ☐ d. Abstraction and Polymorphism features are the same

[Previous page](#)[Next page](#)**Quiz navigation**



Time left 2:35:11

Question 58

Not yet answered

Marked out of 1.00

 [Flag question](#)

One is a relational algebra operation specifically developed for a relational database

- ☐ a. Union
- ☐ b. Select
- ☐ c. Intersection
- ☐ d. Set difference

[Previous page](#)[Next page](#)**Quiz navigation**

1

2

3

4

5

6

7



[Flag question](#)

Which statement explains Java identifier correctly?

- ☐ a. A Java identifier cannot be one of the following values: public or private. These are primitive values, but they are reserved and cannot be used
- ☐ b. A Java identifier cannot be a reserved keyword, such as true, false or null.
- ☐ c. A Java identifier can contain only letters, digits, underscores, or dollar signs.
- ☐ d. A Java identifier must begin with a letter of the English alphabet, a non-English letter (such as α or π), digit, an underscore, or a dollar sign.



[Back](#)

Time left 2:35:33

Question 56

Not yet answered

Marked out of 1.00

 [Flag question](#)

What is the correct statement when declaring and assigning the value of 100 to an Integer variable called num?

- ☐ a. Dim num = Int(100)
- ☐ b. Dim num As Integer = 100
- ☐ c. Dim num = 10
- ☐ d. num = 100

[Previous page](#)[Next page](#)**Quiz navigation**

1	2	3	4	5	6	7
---	---	---	---	---	---	---





Marked out of 1.00

 [Flag question](#)

For an Entity set Citizen, an attribute name „Address“ consists of Street-number, City, and Region. Such kind of attribute in a database is known as _____.

- ☐ a. Multi-Valued Attribute
- ☐ b. Composite Attribute
- ☐ c. Complex Attribute
- ☐ d. Derived Attribute

[Previous page](#)[Next page](#)

Quiz navigation

1	2	3	4	5	6	7
8	9	10	11	12	13	14



[Back](#)

Time left 2:37:01

Question 54

Not yet answered

Marked out of 1.00

 [Flag question](#)

Which of the following is not a valid Network-ID among the new subnets if borrow 2 bits from 2001:DB8:CAFE::/48 which is into /50?

- ☐ a. 2001:DB8:CAFÉ:4000::/50
- ☐ b. 2001:DB8:CAFÉ::/50
- ☐ c. 2001:DB8:CAFÉ:8000::/50
- ☐ d. 2001:DB8:CAFÉ:2000::/50

[Previous page](#)[Next page](#)



Marked out of 1.00

 [Flag question](#)

The output of the following PHP code will be_____.

```
$user = array("Apple", "Banana",  
"Mango", "Orange");  
for ($x=0; $x < count($user); $x++)  
{  
if ($user[$x] == "Mango") continue;  
printf ($user[$x]);  
}
```

- ☐ a. MangoOrange
- ☐ b. AppleBananaOrange
- ☐ c. AppleBanana
- ☐ d. Mango

[Back](#)

Time left 2:37:48

Question 52

Not yet answered

Marked out of 1.00

 [Flag question](#)

Which computer component contains all the necessary circuitry for other components or devices to communicate with one another?

- ☐ a. Expansion bus
- ☐ b. CPU
- ☐ c. RAM
- ☐ d. Motherboard

[Previous page](#)[Next page](#)**Quiz navigation**

[Back](#)

Time left 2:38:10

Question 51

Not yet answered

Marked out of 1.00

 [Flag question](#)

_____ is a diagram that used to trace the execution of a scenario in the same context as an object diagram.

- ☐ a. Data flow diagram
- ☐ b. Visibility diagram
- ☐ c. Class Diagram
- ☐ d. Interaction diagram

[Previous page](#)[Next page](#)



Time left 2:38:26

Question 50

Not yet answered

Marked out of 1.00

 [Flag question](#)

Which of the following method waits for the thread to terminate?

- ☐ a. sleep()
- ☐ b. isAlive()
- ☐ c. stop()
- ☐ d. join()

[Previous page](#)[Next page](#)**Quiz navigation**

1

2

3

4

5

6

7



Time left 2:50:09

Question 18

Not yet answered

Marked out of 1.00

 [Flag question](#)

Which HTML element should be used to create a more structured layout?

- ☐ a. <p>
- ☐ b. <div>
- ☐ c. <table>
- ☐ d. <form>

[Previous page](#)[Next page](#)**Quiz navigation**

1	2	3	4	5	6	7
8	9	10	11	12	13	14



(BSC)

Back

Time left 2:38:59

Question 48

Not yet answered

Marked out of 1.00

 [Flag question](#)

Which Internet standard organization is responsible for the overall management and development of Internet standards?

- ☐ a. IEEE
- ☐ b. IRTF
- ☐ c. ISO
- ☐ d. IAB

Previous page

Next page



(BSC)

[Back](#)

Time left 2:39:22

Question 47

Not yet answered

Marked out of 1.00

 [Flag question](#)

A certificate Authority signs the digital certificate with _____.

- ☐ a. Its Own public key
- ☐ b. User"s public key
- ☐ c. Its Own private key
- ☐ d. User"s private key

[Previous page](#)[Next page](#)

Quiz navigation



Time left 2:39:32

Question 46

Not yet answered

Marked out of 1.00

 [Flag question](#)

It's possible to have several methods with the same name that each operate on different type or numbers of arguments. This feature is called method _____.

- ☐ a. overloading
- ☐ b. overflow
- ☐ c. expression
- ☐ d. activation

[Previous page](#)[Next page](#)**Quiz navigation**

1	2	3	4	5	6	7
8	9	10	11	12	13	14



Time left 2:39:46

Question 45

Not yet answered

Marked out of 1.00

 [Flag question](#)

You are choosing an optical drive format for a client. Which optical disc format supports a data capacity of 25 GB?

- ☐ a. Double-sided, double-layer DVD+R
- ☐ b. Double-sided, single-layer DVD-R
- ☐ c. Double-sided, single-layer DVD+R
- ☐ d. Single-sided, single-layer Blu-ray Disc

[Previous page](#)[Next page](#)**Quiz navigation**[1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#)

[Back](#)

Time left 2:40:09

Question 44

Not yet answered

Marked out of 1.00

 [Flag question](#)

You want to send traffic from 192.168.1.0/24 and 192.168.2.0/24 to the target address 198.43.23.2. How can you achieve this with a single route statement without affecting other networks?

- ☐ a. Router(config)#ip route
192.168.0.0 255.255.255.0
198.43.23.2
- ☐ b. Router(config)#ip route
192.168.0.0 255.255.0.240
198.43.23.2
- ☐ c. Router(config)#ip route
192.168.0.0 255.255.0.0
198.43.23.2
- ☐ d. Router(config)#ip route
192.168.0.0 255.255.240.0
198.43.23.2

[Previous page](#)[Next page](#)**Quiz navigation**

Time left 2:40:32

Question 43

Not yet answered

Marked out of 1.00

 [Flag question](#)

What effect does a host's wrong default gateway configuration have on communications?

- ☐ a. The host is able to connect with hosts on its local network, but not with hosts on other networks
- ☐ b. The host is able to communicate with hosts on distant networks, but not with hosts on the local network
- ☐ c. No effect is felt on communication
- ☐ d. On the local network, the host is unable to exchange messages

**Question 42**

Time left 2:40:48

Not yet answered

Marked out of 1.00

 [Flag question](#)

Which of the following is true when you analyze relationship between superclass and subclasses?

- ☐ a. A subclass cannot invoke a constructor of its superclass by using the keyword super, followed by a set of parentheses containing the superclass constructor arguments. This must appear as the first statement in the subclass constructor's body.
- ☐ b. A superclass method can be overridden in a subclass to declare an appropriate implementation for the subclass.
- ☐ c. A subclass can access the members of its superclass, and it can also access non-private members.
- ☐ d. Every object of a superclass is also an object of that class's subclass. However, a superclass object is not an object of its class's subclasses

[Previous page](#)[Next page](#)**Quiz navigation**

[Back](#)

Time left 2:41:18

Question 41

Not yet answered

Marked out of 1.00

 [Flag question](#)

Select the ultimate goal of risk identification.

- ☐ a. Identify and prioritize assets
- ☐ b. Identify and inventory asset
- ☐ c. Specify assets vulnerability to the threat
- ☐ d. Classify and prioritize assets

[Previous page](#)[Next page](#)**Quiz navigation**[1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#)

Time left 2:41:29

Question 40


Not yet answered

Marked out of 1.00

 [Flag question](#)

On the darker side of object-oriented design, which of the following risk or issue must not be considered?

- ☐ a. Encumbrance of classes
- ☐ b. Users experience
- ☐ c. Dynamic allocation and destruction of objects.
- ☐ d. Paging behavior of running applications

[Previous page](#)[Next page](#)**Quiz navigation**

[Back](#)

Time left 2:41:44

Question 39

Not yet answered

Marked out of 1.00

 [Flag question](#)

What is the most common reason for an unexpected reboot?

- ☐ a. ESD damage
- ☐ b. Overheating
- ☐ c. Memory leak
- ☐ d. RFI

[Previous page](#)[Next page](#)**Quiz navigation**[1](#)[2](#)[3](#)[4](#)[5](#)[6](#)[7](#)

Information Technology (BSC)

[Back](#)

Time left 2:41:58

Question 38

Not yet answered

Marked out of 1.00

 [Flag question](#)

Which of the following keywords provide iterative control flow?

- ☐ a. for
- ☐ b. switch statement
- ☐ c. if statement
- ☐ d. break

[Previous page](#)[Next page](#)

Quiz navigation



[Back](#)

Time left 2:42:16

Question 37

Not yet answered

Marked out of 1.00

 [Flag question](#)

How MAC addresses are learned and associated to the switch port?

- ☐ a. Frame type learning
- ☐ b. Port listen/learning
- ☐ c. Destination MAC address learning
- ☐ d. Source MAC address learning

[Previous page](#)[Next page](#)

[Back](#)

Time left 2:42:34

Question 36

Not yet answered

Marked out of 1.00

 [Flag question](#)

Which of the following statements would alter the style of an anchor element when the mouse is moved over it?

- ☐ a. a:link
- ☐ b. a:mouseover
- ☐ c. a:hover
- ☐ d. a:beforeclick

[Previous page](#)[Next page](#)**Quiz navigation**



Time left 2:42:47

Question 35

Not yet answered

Marked out of 1.00

 [Flag question](#)

When looking from the outside edge of an HTML element and moving to inside the edge, what order does the padding, margin, and border occur in?

- ☐ a. margin, padding, border
- ☐ b. margin, border, padding
- ☐ c. border, padding, margin
- ☐ d. padding, border, margin

[Previous page](#)[Next page](#)**Quiz navigation**

Marked out of 1.00

 Flag question

Based on the schema

Branch (*branchNo*, *street*, *city*,
postcode)

PropertyForRent (*propertyNo*, *street*,
city, *postcode*, *type*, *rooms*, *rent*,
branchNo)

List all cities where there is both a
branch office and at least one property
for rent.

- ☐ a. $\pi_{\text{city}} (\text{Branch}) \bowtie \pi_{\text{city}} (\text{PropertyForRent})$
- ☐ b. $(\pi_{\text{city}} (\text{Branch})) \cap \pi_{\text{city}} (\text{PropertyForRent})$
- ☐ c. $(\pi_{\text{city}} (\text{Branch})) - \pi_{\text{city}} (\text{PropertyForRent})$
- ☐ d. $(\pi_{\text{city}} (\text{Branch})) \cup \pi_{\text{city}} (\text{PropertyForRent})$

Previous page

Next page

Quiz navigation

1

2

3

4

5

6

7



Time left 2:44:42

Question 33

Not yet answered

Marked out of 1.00

 [Flag question](#)

_____ use CSS specificity mechanism to the style that determine what color is applied to p element

```
p.message {color: green;}
```

```
#home #warning p.message {color: yellow; }
```

```
body#home div#warning p.message { color: blue; }
```

```
#warning p.message {color: white; }
```

- ☐ a. Green
- ☐ b. Black
- ☐ c. Blue
- ☐ d. Yellow



Back

Time left 2:45:23

Question 32

Not yet answered

Marked out of 1.00

 [Flag question](#)

Which of the following is not an OOPS idea?

- ☐ a. Exception
- ☐ b. Polymorphism
- ☐ c. Abstraction
- ☐ d. Encapsulation

Previous page

Next page

Quiz navigation





Not yet answered

Time left 2:45:36

Marked out of 1.00

 [Flag question](#)

What will be the output of the following program when the button is clicked?

```
Private Sub btnDisplay_Click(...)
Handles btnDisplay.Click

Dim word, result As String
word = "Ethiopia"
result = Rotate(word)
result = Rotate(result & word)
result = Rotate(result)
textBox.Text = result
End Sub Function

Rotate(ByVal var As String) As String
Dim varlength As Integer
varlength = var.Length
Return var.Substring(1) &
var.Substring(0, 1) End Function
```

- ☐ a. EthiopiaEthiopia
- ☐ b. Ethiopia
- ☐ c. hiopiaEt
- ☐ d. iopiaEEthiopiaia

[Previous page](#)[Next page](#)**Quiz navigation**

Time left 2:46:10

Question 30

Not yet answered

Marked out of 1.00

 [Flag question](#)

What command may be used to alter the default permissions for files and directories when they are created?

- ☐ a. Umask
- ☐ b. Chgrp
- ☐ c. Chown
- ☐ d. Chmod

[Previous page](#)[Next page](#)**Quiz navigation**

1	2	3	4	5	6	7
8	9	10	11	12	13	14





Time left 2:46:29

Question 29

Not yet answered

Marked out of 1.00

 [Flag question](#)

You can use the _____ modifier to prevent the data and methods from being accessed by non-subclasses from a different package.

- ☐ a. Protected
- ☐ b. Public
- ☐ c. Final
- ☐ d. Super

[Previous page](#)[Next page](#)**Quiz navigation**



Time left 2:46:43

Examine the following piece of code, login page, what function will be valid in place of the ? symbol?

```
$SQL = "SELECT * FROM users  
WHERE username = $uname AND  
password= md5($pword);  
$result = mysql_query($SQL);  
$rows = ?($result);  
if ($result) {  
    if ($rows > 0)  
{ session_start();  
        $_SESSION['login'] = "1";  
header ("Location: index.php"); }  
else {  
    session_start();  
    $_SESSION['login'] = "";  
header ("Location: signup.php"); }  
}  
...
```

- ☐ a. mysql_num_fileds()
- ☐ b. mysql_num_rows()
- ☐ c. mysql_field_flags()
- ☐ d. mysqli_fetch_row()



One of the following is a reason that the Ethernet protocol uses physical addresses?

- ☐ a. It uniquely identifies devices at layer 2.
- ☐ b. It allows the node to decide if the device is remote or local.
- ☐ c. It defines a logical address scheme for devices.
- ☐ d. It creates a differentiation between layer 2 and layer 3 communications.

[Previous page](#)[Next page](#)

Quiz navigation

1	2	3	4	5	6	7
8	9	10	11	12	13	14
15	16	17	18	19	20	21



Time left 2:47:43

Question 26

Not yet answered

Marked out of 1.00

 [Flag question](#)

Which command can be used on a Windows host to display the routing table?

- ☐ a. netstat -r
- ☐ b. netstat -s
- ☐ c. show ip route
- ☐ d. tracert

[Previous page](#)[Next page](#)**Quiz navigation**

1	2	3	4	5	6	7
8	9	10	11	12	13	14



**Question 24**

Not yet answered

Marked out of 1.00

 [Flag question](#)

When a user turns on their desktop computer, nothing appears on the screen. They hear three long beeps, followed by three short beeps and three long beeps. What should you do as a next step?

- ☐ a. Replace the CPU
- ☐ b. Look up the beep code on the manufacturer's website
- ☐ c. Replace the motherboard
- ☐ d. Replace the RAM

[Previous page](#)[Next page](#)**Quiz navigation**

Question 23

Not yet answered

Marked out of 1.00

 [Flag question](#)

_____ a project management methodology uses an iterative software development process that focuses on team productivity and delivers software best practices to all team members.

- ☐ a. Rational Unified Process (RUP) framework
- ☐ b. Tracking Gantt chart
- ☐ c. Requirements traceability matrix (RTM)
- ☐ d. Theory of Constraints (TOC)

[Previous page](#)[Next page](#)**Quiz navigation**

1

2

3

4

5

6

7



Question 3

Not yet answered

Marked out of 1.00

 [Flag question](#)

Which commands will display the amount of disk space each file in the current directory consumes?

- ☐ a. ls -l
- ☐ b. ls -la
- ☐ c. du
- ☐ d. ls -a

[Previous page](#)[Next page](#)**Quiz navigation**

1	2	3	4	5	6	7
8	9	10	11	12	13	14
15	16	17	18	19	20	21



[Back](#)

Time left 2:49:23

Question 21

Not yet answered

Marked out of 1.00

 [Flag question](#)

Which of the following array methods combines two arrays?

- ☐ a. Combine
- ☐ b. Join
- ☐ c. concat
- ☐ d. Split

[Previous page](#)[Next page](#)**Quiz navigation**

**Question 20**

Not yet answered

Marked out of 1.00

 [Flag question](#)

All of the following are protection techniques against SQL injection, except___.

- ☐ a. Using parameterized statements
- ☐ b. Function security
- ☐ c. Database fingerprinting
- ☐ d. Input validation

[Previous page](#)[Next page](#)**Quiz navigation**

Time left 2:49:55

Question 19

Not yet answered

Marked out of 1.00

 [Flag question](#)

_____ is a built in function that return lower bound of an array.

- ☐ a. LRbound()
- ☐ b. Lowbound()
- ☐ c. Lbound()
- ☐ d. BRbound()

[Previous page](#)[Next page](#)**Quiz navigation**

1	2	3	4	5	6	7
8	9	10	11	12	13	14
15	16	17	18	19	20	21



Time left 2:50:09

Question 18

Not yet answered

Marked out of 1.00

 [Flag question](#)

Which HTML element should be used to create a more structured layout?

- ☐ a. `<p>`
- ☐ b. `<div>`
- ☐ c. `<table>`
- ☐ d. `<form>`

[Previous page](#)[Next page](#)**Quiz navigation**

1	2	3	4	5	6	7
8	9	10	11	12	13	14



[Back](#)

Time left 2:50:27

Question 17

Not yet answered

Marked out of 1.00

 [Flag question](#)

Which property is used to make the text bold?

- ☐ a. font:b
- ☐ b. style:bold
- ☐ c. font-style:bold
- ☐ d. font-weight:bold

[Previous page](#)[Next page](#)**Quiz navigation**

1	2	3	4	5	6	7
8	9	10	11	12	13	14



**Question 16**

Not yet answered

Marked out of 1.00

 [Flag question](#)

Project portfolio management addresses _____ goals of an organization, while project management addresses _____ goals.

- ☐ a. internal, external
- ☐ b. external, internal
- ☐ c. strategic, tactical
- ☐ d. tactical, strategic

[Previous page](#)[Next page](#)**Quiz navigation**

1

2

3

4

5

6

7



 [Flag question](#)

_____ is a powerful tool of object-oriented analysis; and can be used to drive the process of classical analysis, behavior analysis, and Learning Domain analysis.

- ☐ a. Documentation
- ☐ b. Hierarchy
- ☐ c. Scenarios
- ☐ d. Measurement

[Previous page](#)[Next page](#)

Quiz navigation

1	2	3	4	5	6	7
8	9	10	11	12	13	14
15	16	17	18	19	20	21
22	23	24	25	26	27	28



Which of the following is false to compiling and executing an app with multiple classes?

- ☐ a. If the directory containing the app includes only one app's files, you can compile all of its classes with the command `javac *.java`
- ☐ b. The asterisk (*) in `java.*` indicates that all files in the current directory ending with the filename extension ".java" should be compiled
- ☐ c. Simply list the source-code filenames after the command with each filename separated by a space from the next
- ☐ d. The `javac` command can compile multiple classes at once

[Previous page](#)[Next page](#)

Quiz navigation





Marked out of 1.00

 [Flag question](#)

Which one of the following is the benefit of object-oriented development?

- ☐ a. Leads to systems that are less resilient to change
- ☐ b. Reduce reusability of software components
- ☐ c. Increase development risk
- ☐ d. Appeals to the working of human cognition

[Previous page](#)[Next page](#)

Quiz navigation

1	2	3	4	5	6	7
8	9	10	11	12	13	14



**Question 12**

Not yet answered

Marked out of 1.00

 [Flag question](#)

Complexity of software systems often exceeds the human intellectual capacity and fundamental limiting factors of human cognition; we can address these constraints through the use of _____.

- ☐ a. an object
- ☐ b. abstraction
- ☐ c. decomposition
- ☐ d. hierarchy

[Previous page](#)[Next page](#)**Quiz navigation**

1

2

3

4

5

6

7





Marked out of 1.00

 [Flag question](#)

A mapping cardinality where, an entity A is associated with at most one entity in B and an entity in B however, can be associated with any number (zero or more) of entities in A.

- ☐ a. ONE TO MANY
- ☐ b. MANY TO ONE
- ☐ c. ONE TO ONE
- ☐ d. MANY to MANY

[Previous page](#)[Next page](#)

Quiz navigation

1	2	3	4	5	6	7
8	9	10	11	12	13	14
15	16	17	18	19	20	21



**Question 10**

Not yet answered

Marked out of 1.00

 [Flag question](#)

___ is an attribute specifying a blue background of an element.

- ☐ a. bgcolor = blue
- ☐ b. bgcolor = #000000
- ☐ c. background = "blue"
- ☐ d. style= "background-color:blue"

[Previous page](#)[Next page](#)**Quiz navigation**

[Back](#)

Time left 2:56:35

Question 9

Not yet answered

Marked out of 1.00

 [Flag question](#)

You have been troubleshooting a laptop for an hour and have established a theory of probable cause for the problem. What is the next step you should take?

- ☐ a. Establish a plan of action to resolve the problem
- ☐ b. Test the theory to determine cause
- ☐ c. Document findings, actions, and outcomes
- ☐ d. Verify full system functionality and implement preventive measures



Time left 2:56:52

Question 8

Not yet answered

Marked out of 1.00

 [Flag question](#)

What will be the output of the following program when the button is clicked?

```
Private Sub btnDisplay_Click(...)
Handles btnDisplay.Click

Dim number As Double = 3

DoubleAndSquare(number) textBox.Text
= CStr(number)

End Sub

Sub DoubleAndSquare(ByRef myVar As
Double)

myVar = myVar + myVar
myVar = myVar * myVar
```

- ☐ a. 6
- ☐ b. 3
- ☐ c. 36
- ☐ d. 0

[Previous page](#)[Next page](#)**Quiz navigation**



Time left 2:57:15

Question 7

Not yet answered

Marked out of 1.00

 [Flag question](#)

One of the following is the correct sequence of System Log Records.

- ☐ a. Start, Write, Read, Commit, Abort
- ☐ b. Start, Read, Write ,Commit, Abort
- ☐ c. Start, Write or Read, End, Commit, Rollback
- ☐ d. Start, Write or Read, End, Rollback, Commit

[Previous page](#)[Next page](#)**Quiz navigation**

Question 6

Not yet answered

Marked out of 1.00

 [Flag question](#)

_____command is used for creating a new group.

- ☐ a. addgrp
- ☐ b. chown
- ☐ c. chgrp
- ☐ d. groupadd

[Previous page](#)[Next page](#)**Quiz navigation**



MoEEE

MoE - Exit Exam

Chose the correct opti Time left 2:58:09
of an item as shown below

- iii. Candy
- iv. Chocolate
- v. Ice cream

- ☐ a. `<ol type="i"><li value=3>Candy</li><li>Chocolate</li><li>Ice cream</li></ol>`
- ☐ b. `<ol start=3><li>Candy</li><li>Chocolate</li><li>Ice cream</li></ol>`
- ☐ c. `<ul type="i" start=3><li>Candy</li><li>Chocolate</li><li>Ice cream</li></ul>`
- ☐ d. `<ul type="i"><li value=3>Candy</li><li>Chocolate</li><li>Ice cream</li></ul>`

[Previous page](#)[Next page](#)**Quiz navigation**

1	2	3	4	5	6	7
---	---	---	---	---	---	---



Time left 2:58:37

Question 4

Not yet answered

Marked out of 1.00

 [Flag question](#)

Exactly why it's advised against using VLAN 1?

- ☐ a. It shouldn't be used for security reasons
- ☐ b. It is not a production VLAN
- ☐ c. It cannot be routed via an SVI
- ☐ d. It cannot participate in VTP transfers

[Previous page](#)[Next page](#)**Quiz navigation**

1	2	3	4	5	6	7
8	9	10	11	12	13	14



Question 3

Not yet answered

Marked out of 1.00

 [Flag question](#)

Which commands will display the amount of disk space each file in the current directory consumes?

- ☐ a. ls -l
- ☐ b. ls -la
- ☐ c. du
- ☐ d. ls -a

[Previous page](#)[Next page](#)**Quiz navigation**

1	2	3	4	5	6	7
8	9	10	11	12	13	14
15	16	17	18	19	20	21



[Back](#)

Time left 2:59:13

Question 2

Not yet answered

Marked out of 1.00

 [Flag question](#)

To view the MAC address table, which command can be used?

- ☐ a. S1#show cam table
- ☐ b. S1#show mac
- ☐ c. S1#show mac address-table
- ☐ d. S1#show mac table

[Previous page](#)[Next page](#)**Quiz navigation**