

The Shortest Way Back Home

Data Structures Assignment 3 Tree



2021.4.28

NTHU EECS

Background

- Sia is a mountain climber, she goes to mountain climbing every week.
- One day, she accidentally got lost on top of the mountain.
- Please help her find out the shortest path back home safely.

Overview

- Input
 - A pair of row & column of the matrix
 - A starting position
 - A matrix of digits
- Task
 - Convert nonzero digits in matrix into a tree
 - The input matrix guarantees no cycle
- Output
 - The distance of the shortest path

Tree Specification

- Each cell in the matrix contains a digit value (range: -1, 0, 1, 2... 9)
 - -1 represents dead road
 - 0 represents no road
 - 1 – 9 represent distance of the road
 - Each cell can only be visited at most once
- The starting position represents the root
 - Root cannot be NULL (i.e., 0)
- Each node in the tree can have up to 4 children: Left, Down, Right, Up


Example 1 (Input)

- 7 7 # Row & Column of the Matrix
- 1 3 # Position of the Starting Point (X and Y)
- 0 0 0 0 0 0 0 # 2D Matrix
- 2 8 0 1 8 6 0
- 0 2 0 0 0 4 0
- 0 2 6 5 6 8 0
- 0 0 0 5 0 0 0
- 0 1 8 2 9 9 7
- 0 0 0 0 0 0 0

Example 1

Root →

| | | | | | | |
|---|---|---|---|---|---|---|
| 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2 | 8 | 0 | 1 | 8 | 6 | 0 |
| 0 | 2 | 0 | 0 | 0 | 4 | 0 |
| 0 | 2 | 6 | 5 | 6 | 8 | 0 |
| 0 | 0 | 0 | 5 | 0 | 0 | 0 |
| 0 | 1 | 8 | 2 | 9 | 9 | 7 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 |



Example 1 (Output)

- Path (1) : 2 6 5 5 2 8 1 -> sum = 29
 - Path (2) : 2 6 5 5 2 9 9 7 -> sum = 45
 - Path (3) : 2 6 5 6 8 4 6 8 1 -> sum = 46
 - Path (4) : 2 2 8 2 -> sum = 14
-
- Since Path (4) has the shortest distance, the output will be 14

Example 2 (Input)

- 7 7 # Row & Column of the Matrix
- 1 3 # Position of the Starting Point (X and Y)
- 0 0 0 0 0 0 0 # 2D Matrix
- 2 8 0 1 8 6 0
- 0 -1 0 0 0 4 0
- 0 2 6 5 6 8 0
- 0 0 0 5 0 0 0
- 0 -1 8 2 9 9 7
- 0 0 0 0 0 0 0


Root →

| | | | | | | |
|---|----|---|---|---|---|---|
| 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2 | 8 | 0 | 1 | 8 | 6 | 0 |
| 0 | -1 | 0 | 0 | 0 | 4 | 0 |
| 0 | 2 | 6 | 5 | 6 | 8 | 0 |
| 0 | 0 | 0 | 5 | 0 | 0 | 0 |
| 0 | -1 | 8 | 2 | 9 | 9 | 7 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 |

Example 2

| | | | | | | | |
|---|----|---|---|---|---|---|---|
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2 | 8 | 0 | 1 | 8 | 6 | 0 | |
| 0 | -1 | 0 | 0 | 0 | 4 | 0 | |
| 0 | 2 | 6 | 5 | 6 | 8 | 0 | |
| 0 | 0 | 0 | 5 | 0 | 0 | 0 | |
| 0 | -1 | 8 | 2 | 9 | 9 | 7 | |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | |

Root $\rightarrow 0$



Example 2 (Output)

- Path (1) : 2 6 5 5 2 8 -1 -> sum = ∞
 - Path (2) : 2 6 5 5 2 9 9 7 -> sum = 45
 - Path (3) : 2 6 5 6 8 4 6 8 1 -> sum = 46
 - Path (4) : 2 -1 8 2 -> sum = ∞
-
- Since Path (1), Path (4) have dead road, the shortest distance will be Path (2), hence, the output is 45

Matrix Coordinate

- Notice that the starting point is from left-top, instead of left bottom.
- For example: $(1, 3) = 2$

| | 0 | 1 | 2 | 3 | 4 |
|---|---|---|---|---|---|
| 0 | | | | | |
| 1 | | | | | |
| 2 | | | | | |
| 3 | | 2 | | | |
| 4 | | | | | |

HW3 Timeline

- HW3 Registration:
4/28 9:00 a.m. - 4/29 9:00 a.m.
- HW3 Deadline:
5/10 12:00 p.m.
- Quiz3:
5/10 18:30 p.m. - 20:30 p.m.