

Intro:

Period: 7

Group Members: Gordon Doan, Kevin Lin, Jophy Wang

Group Name: Rhythm Rickles


Project Title: Osu Mania Dup

Description:

We are creating a rhythm game with four channels/lanes where incoming notes need to be pressed at a precise time using the arrow keys (can be reprogrammed). This program will be similar to games such as osu!mania and Friday Night Funkin'. Music will be played in the background, and there will be a score kept based on how well you press incoming keys. The higher your score, the better you do. There will be three songs to select, each with a different beatmap. There will also be an option to change keybinds. To implement this, we will need to use the SoundFile and PVector libraries. We may or may not add a six-channel mode with one song if we find ourselves with excess time.

UML Diagram

SUBJECT TO CHANGE (MORE CLASSES WILL BE ADDED)



How does it work?

Select your desired keybinds on the menu. The default keybinds will be the arrow keys and WASD. You will also be able to change the colors of your keys by pressing [placeholder], which will

bring up a menu. Then, select a song to play. You can return to the selection menu by pressing [placeholder]. To play the game, you must line up incoming notes with set notes at the bottom of your screen by pressing the corresponding keybind that you've selected. The closer you are to perfectly lining the keys up, the more points you gain. There will also be longer keys, where you must hold down the key until it ends. You will also have to time the "letting go" part. There is also a combo counter that counts how many notes you've hit in a row. After the song is over, you will be presented with your final score and an option to either play again or play another song.

Functionalities / Issues

Functionalities Finished/Operational

- FileReader returning a 2D array with channel & time values
- Part of the main class where key pressing is controlled

Functionalities Planned To Be Done

- Animation of notes coming down the channels
- Drawing the channels
- Difficulty levels (TBD due to time constraint)

Issues (So Far...)

- Problem with Keycode vs Key values for reassigning keybinds (**Resolved**)

Log:

Gordan:

- Working on Keybinds and drawing

Jophy:

- Music Implementation- In Progress
- Song Selections- In Progress
- Combo Counter- In Progress
- Scoring Table + Scoring Grades- In Progress

Kevin:

- FileReader
- The main class receives data from the array
-

osu!mania PROCESSING

- We have a text file with an array that is read by a method in the main class

Specs

- 4 Channels / Lanes
- Color-coded assets

Task:

- Implement BPM of Track
- Implement difficulties
- Implement songs + music files
- Implement beatmap text files
- Implement keybinds
- Implement settings to swap keybinds
- Implement how well you pressed the keys
- Implement reading beatmaps
- Implement start + end screen
- Implement hold keys

Data structure:

- ArrayList

- 2d Array
- {{0,0,0,0},
- {0,0,0,0},
- {0,0,0,0},
- {0,0,0,0},
- }

Libraries Required:

Sound - The Processing Foundation

PVector - The Processing Foundation porbably

Text file format:

<song name>

<BPM>

<music file>

<channel, time>

<channel, time>

Etc...