

GUP Design Standards — Master Reference for Designers

Government Unified Portal (GUP) / Gov.om Design System The single, complete reference for designing and onboarding services onto GUP. Every value here is taken directly from the official Gov.om Design System (`@govom/tokens`), (`@govom/components`) and the live Gov.om platform. Design to *the token name*, not to a one-off value.

Audience	UI/UX designers and front-end implementers building or onboarding GUP services.
-----------------	---

Status	Authoritative standard. Compliance is checked at onboarding (see §2).
---------------	---

Sources	<code>design-system.service.gov.om</code> , the <code>Gov-om/design-system</code> repository, the <code>@govom/tokens</code> package, and the live <code>gov.om</code> platform.
----------------	--

Scope	Visual foundations, UX patterns, full page architecture, and shared platform components (sign-in, service landing, account context, feedback).
--------------	--

Table of Contents

1. How to use this document
2. Governing documents & compliance
3. Design system source of truth
4. **Foundations** — colour, typography, spacing, radius, elevation, icons, breakpoints, focus, RTL
5. **Information architecture** — the five page archetypes
6. **Shared platform components** — header, footer, breadcrumbs, account switcher, search, language, feedback, chatbot, entity badge
7. **Service landing (detail) page** — the mandated template
8. **Sign-in / authentication** — PKI method selection
9. **Catalogue & home** — discovery pages
10. **Entity service forms** — the one-thing-per-page journey
11. **Forms** — field anatomy, validation, grouping
12. **Navigation & journey** — steppers, wizard, lifecycle, pagination, tabs
13. **Messaging, feedback & status**
14. **Interaction states**
15. **Content & voice**

16. **Component library inventory**
 17. **Compliance checklists**
 18. **Quick reference card**
 19. **Known gaps & governance**
-

1. How to Use This Document

- Values shown as `--gup-color-brand-medium` are **design tokens** — the canonical names shared by design handoff and the front-end build. Use the token, not a raw hex copied out of context.
 - Each colour role has an intensity ladder (`xhigh → high → medium → low → xlow`) plus a `contrast` value (the colour for text/icons placed on that family).
 - "Compliant" means: correct tokens **and** correct page structure **and** correct journey behaviour. All three are assessed.
 - Two principles run through everything:
 - **Compose, don't invent.** If a pattern exists as a GUP component, use it. New components go to the Gov.om Design System team.
 - **Bilingual by default.** Every screen is designed (or validated) in both English (LTR) and Arabic (RTL).
-

2. Governing Documents & Compliance

GUP onboarding is governed by these official Gov.om documents (Guidelines & Policies register). Several are Arabic-only.

Document	Type	Language
GUP Frontend Implementation Quality Criteria	Control / Standard	EN
Compliance Assessment Form for Government Digital Services	Reference (audit)	EN
UX Guidelines for Government Digital Solutions and Products	Guideline	AR only
Design Standards for Government Website and E-Services Interfaces	Control / Standard	AR only
Standards and Procedures for Developing Government Applications	Control / Standard	AR only
Digital Accessibility Guideline	Guideline	EN
National Digital Accessibility Policy	National Policy	AR only
Content Strategy — Content Patterns / Style Guidelines / Creating Content Capability	Strategy	EN
Governance Regulation for Government Digital Transformation	Regulation	AR only

Services are formally checked against the **Compliance Assessment Form** and the **GUP Frontend Implementation Quality Criteria** before going live. Design deliverables must map cleanly onto these.

3. Design System Source of Truth

GUP front end is a framework-agnostic web-component library.

Package	Purpose	Version
@govom/components	Core web components (Lit + PostCSS)	3.26.0
@govom/react	React wrappers (React < 19)	1.5.0
@govom/angular	Angular Forms compatibility layer	0.0.3
@govom/tokens	Design tokens (colour, typography, spacing)	0.2.2
@govom/icons	Icon library (Material Design + flags)	0.2.0

- Live component explorer (Storybook): <https://storybook.service.gov.om/>
- Design system docs: <https://design-system.service.gov.om/>

4. Foundations

4.1 Colour

Brand

Token	Hex	Use
--gup-color-brand-xhigh	 #132459	Darkest brand; link colour
--gup-color-brand-high	 #243d89	Primary hover; strong fills
--gup-color-brand-medium	 #2f57cd	Primary brand — primary buttons, key accents
--gup-color-brand-medium-low	 #4d78ff	Lighter accent
--gup-color-brand-low	 #bfd8ff	Subtle tint
--gup-color-brand-xlow	 #dde9ff	Lightest background tint
--gup-color-brand-contrast	 #ffffff	Text/icon on brand fills
--gup-color-accent-2xhigh	 #132459	Deepest accent

Brand accent (navy-grey)

Token	Hex
--gup-color-brand-accent-xhigh	#11111e
--gup-color-brand-accent-high	#2a324c
--gup-color-brand-accent-medium	#414e77
--gup-color-brand-accent-low	#c9ccdd
--gup-color-brand-accent-xlow	#eceedf
--gup-color-brand-accent-contrast	#ffffff

Neutral

Token	Hex
--gup-color-neutral-xhigh	#202024
--gup-color-neutral-high	#27272a
--gup-color-neutral-medium	#3f3f46
--gup-color-neutral-low	#d0d0d4
--gup-color-neutral-xlow	#fcfcfc
--gup-color-neutral-contrast	#ffffff

Status (use only for their meaning; always pair with an icon, never colour alone)

Role	xhigh	high	medium (core)	low	xlow	contrast
Positive	#114c29	#157f3c	#16a249	#85efac	#f2fdf5	#ffffff
Warning	#733f12	#a26107	#ca8511	#ffe771	#fefce7	#ffffff
Negative	#811d1d	#ba1c1c	#dc2828	#ffa0a0	#fef1f1	#ffffff

Content (text)

Token	Hex	Use
--gup-color-content-primary	 #27272a	Body & headings
--gup-color-content-secondary	 #52525b	Secondary text
--gup-color-content-tertiary	 #7a7a83	Tertiary / hint
--gup-color-content-link	 #132459	Links
--gup-color-content-inverted-primary	 #ffffff	Primary text on dark
--gup-color-content-inverted-secondary	rgba(255 255 255 / 70%)	Secondary on dark
--gup-color-content-inverted-tertiary	rgba(255 255 255 / 60%)	Tertiary on dark
--gup-color-content-inverted-link	 #bfd8ff	Links on dark

Border

Token	Hex
--gup-color-border-medium	 #d0d0d4
--gup-color-border-low	 #e1e1e2
--gup-color-border-xlow	 #f4f4f5
--gup-color-border-inverted-medium	rgba(255 255 255 / 26%)
--gup-color-border-inverted-low	rgba(255 255 255 / 18%)
--gup-color-border-inverted-xlow	rgba(255 255 255 / 12%)

Background / surface

Token	Hex	Use
--gup-color-background-base	 #ffffff	Base surface
--gup-color-background-canvas	 #fefcf9	Page canvas (warm off-white)
--gup-color-background-overcanvas	 #ecef4	Raised section over canvas
--gup-color-background-elevated-container	 #ffffff	Cards / elevated containers
--gup-color-background-accent-container	 #ecef4	Accent container
--gup-color-background-navigation-bar	 rgba(255 255 255 / 48%)	Nav bar (translucent)
--gup-color-background-footer	 #1c2133	Footer (dark navy)
--gup-color-background-wizard-bar	 #ecef4	Wizard / stepper bar
--gup-color-background-gradient-1	#eff5ff → #f7f5f1	Hero gradient 1
--gup-color-background-gradient-2	#eff5ff → #fafbff	Hero gradient 2

Interaction-state

Token	Value
--gup-color-states-base-border	 #7a7a83
--gup-color-states-base-bg	 #ffffff
--gup-color-states-base-bg-secondary	 #f4f4f5
--gup-color-states-base-bg-control	 #ecef4
--gup-color-states-base-focus-ring	 #9747ff (purple)
--gup-color-states-primary-hover	rgba(26 26 26 / 26%)
--gup-color-states-primary-active	rgba(26 26 26 / 70%)
--gup-color-states-secondary-hover	rgba(26 26 26 / 8%)
--gup-color-states-secondary-active	rgba(26 26 26 / 18%)
--gup-color-states-disabled-medium	 #a1a1aa
--gup-color-states-disabled-low	 #d0d0d4
--gup-color-states-inverted-primary-hover	rgba(255 255 255 / 80%)
--gup-color-states-inverted-primary-active	rgba(255 255 255 / 60%)

Shadow tints: `--gup-color-shadow-color-1...5` = `rgba(28 33 51 / 1%...6%)`. **Icon inverse:** `#ffffff`.

Colour rules

1. No hex outside these tables. A mockup colour with no token is non-compliant.
2. Pair every fill with its `contrast` token for text/icons.
3. Status colours are reserved for status, with an icon.
4. Page background is the warm canvas `#fefcf9`; cards sit on white above it.

4.2 Typography

- **Single typeface: Readex Pro.** Weights **400** and **700** only. Latin + Arabic subsets (one family serves LTR and RTL). `woff2`, `font-display: swap`. Never substitute another font for headings, Arabic, or numerals.

Token	Size	Role
<code>--font-size-90</code>	8px	Micro / fine print
<code>--font-size-200</code>	12px	Captions, helper text
<code>--font-size-250</code>	13px	Small labels
<code>--font-size-300</code>	14px	Secondary body, dense UI
<code>--font-size-400</code>	16px	Body default
<code>--font-size-525</code>	19px	Lead / large body
<code>--font-size-550</code>	20px	Subheading
<code>--font-size-600</code>	24px	Heading
<code>--font-size-700</code>	32px	Page title / display

Line heights: `--line-height-400` = 1.4, `--line-height-500` = 1.5. Body = 16px / 1.5, colour `content-primary`. Bold weight = 700.

4.3 Spacing & Layout

Base unit `--unit` = 4px. All spacing is a multiple of 4.

Semantic token	Value	Use
<code>--gup-spacing-between-options</code>	0px	Adjacent options
<code>--gup-spacing-between-items</code>	8px	Items in a group
<code>--gup-spacing-component-default</code>	12px	Default inside-component
<code>--gup-spacing-between-text</code>	16px	Between text blocks
<code>--gup-spacing-text-to-component</code>	16px	Text → component
<code>--gup-spacing-image-bottom</code>	8px	Below image
<code>--gup-spacing-between-form-fields</code>	20px	Between form fields
<code>--gup-spacing-between-content</code>	24px	Between content blocks
<code>--gup-spacing-horizontal-between-columns</code>	24px	Column gutters
<code>--gup-spacing-content-to-cta</code>	32px	Content → primary CTA
<code>--gup-spacing-between-sections</code>	48px	Between page sections

Padding scale: `--gup-padding-xs/sm/md/lg/xl` = 8 / 16 / 24 / 32 / 40 px. Universal scale (`--gup-component-0...9`, `--gup-universal-space-*`): 0, 2, 4, 8, 12, 16, 20, 24, 32, 40, 64, 80 px.

4.4 Border Radius

Token	Value	Use
<code>--gup-radius-component-small</code>	4px	Small controls, checkboxes
<code>--gup-radius-component-default</code>	8px	Inputs, default components
<code>--gup-radius-card</code>	12px	Cards, containers
<code>--gup-radius-button</code> / <code>--gup-radius-component-full</code>	999px	Buttons & pills (fully rounded)

Fully-rounded pill buttons are a defining GUP signature. Square/lightly-rounded buttons are non-compliant.

4.5 Elevation & Shadows

Subtle, layered, built from the five navy shadow tints. Standard card / elevated container:

```
box-shadow:
  0 8px 16px 0 var(--gup-color-shadow-color-3),
  0 4px 8px 0 var(--gup-color-shadow-color-2),
  0 1.5px 3px 0 var(--gup-color-shadow-color-1),
  0 0.5px 1px 0 var(--gup-color-shadow-color-1);
```

Separation relies on canvas + white cards + hairline borders more than heavy shadow.

4.6 Iconography

Material Design icons + country flags, via `@govom/icons` / `gup-icon` only. Sizes: `--gup-icon-xs/sm/md/lg/xl` = 16 / 20 / 24 / 28 / 32 px.

4.7 Breakpoints / Responsive

Name	Min width
<code>xsmall</code>	360px
<code>small</code>	768px
<code>medium</code>	1024px
<code>large</code>	1440px

Mobile-first. Design and review at 360 / 768 / 1024 / 1440.

4.8 Accessibility & Focus

Mandated by the National Digital Accessibility Policy and Digital Accessibility Guideline; verified at onboarding.

- Focus ring:** `--gup-color-states-base-focus-ring` = `#9747ff` (purple), stroke 6px (`--gup-stroke-focus-ring`), offset 3px.
- Standard focus treatment:**

```
box-shadow: 0 0 0 2px var(--gup-color-neutral-contrast),
            0 0 0 6px var(--gup-color-states-base-focus-ring);
```

- Every interactive element shows the purple focus state on keyboard focus.

- Status by icon **and** colour, never colour alone.
- Provide visible labels; use `screenreader-text`, `skip-link`, `labelled-item`, `form-hint`.
- Disabled states use the `states-disabled-*` tokens.

4.9 Bilingual & RTL

GUP is bilingual (Arabic / English); Arabic is RTL and a first-class requirement.

- Direction via `dir="rtl"` / `:dir rtl`; a `--gup--is-ltr` flag (`1` LTR, `-1` RTL) drives directional logic.
- Use **logical CSS properties** (`padding-inline`, `margin-inline`, `inset-inline-start`, `start` / `end`) — never hard left/right — so layouts mirror.
- RTL text alignment defaults to `start`.
- Readex Pro covers both scripts; no font swap between languages.
- Every screen designed/validated in **both** LTR English and RTL Arabic. Icons, steppers, breadcrumbs, navigation mirror. Numerals, dates, currency checked in Arabic context.

5. Information Architecture — The Five Page Archetypes

Gov.om is primarily a **service catalogue and identity layer**. The actual transactional form usually runs on the **entity's own system**, reached after authentication. Designers must know which archetype they are building, because each has a different required structure.

#	Archetype	URL pattern	Role
1	Home	<code>/home</code>	Search-first discovery, categories, life-event bundles
2	Catalogue / category listing	<code>/service-catalogue?service=...</code>	Searchable, filterable service cards
3	Service landing (detail) page	<code>/w/[service-name]</code>	Standardised service description + "Start now"
4	Sign-in (authentication)	<code>/sign-in</code>	National PKI identity (phone or ID card)
5	Entity service form	entity portal	The multi-step transactional form

The canonical end-to-end journey: Home (search) → category catalogue → service landing/detail → sign-in (PKI) → Start now → entity form → confirmation

The auth gate sits between archetype 3 and 5. The entity form should assume the user arrives already authenticated via SSO, with personal/business context already set.

6. Shared Platform Components

These appear across archetypes and must be identical everywhere.

6.1 Global header

- Gov.om logo (links Home), primary nav landmark (aria-label), global **search**, **language toggle** (English ⇌ العربية), and **Sign in** / signed-in account.
- Background translucent white (background-navigation-bar), hairline bottom border. May be sticky.

6.2 Global footer (dark navy ■ #1c2133)

Consistent across all pages, in this order:

- Emergency numbers** (Emergency 9999, Water 1442, Electricity 80070008, View all).
- Service categories** (the 14 categories: Education, Family & Parenting, Licenses & permits, Housing, Environment, Justice, Jobs, Retirement, Citizenship, Tourism, Public Health, Business & investment, Benefits, Labor).
- Digital Oman links** (Home, News, Entities, Sign Language Library, Open Data, E-Participation).
- Social** (YouTube, Facebook, X, Instagram, Snapchat, LinkedIn, WhatsApp).
- Utility links** (About, FAQ, Contact, Accessibility, Sitemap, ePayment policy/FAQ, Privacy, Guidelines & Policies, Design System, Feedback Hub).
- App store badges** (Apple, Google Play, Huawei AppGallery) and © Gov.om. Use inverted content/link tokens on the dark surface.

6.3 Breadcrumbs

role="list"; separator ⌵ (LTR) / ⌴ (RTL). Depth reflects IA — service detail pages run 5 levels: Home > Services > [Category] > [Sub-group] > [Service].

6.4 Account context switcher (Personal / Business)

- Tied to the **signed-in PKI identity**, not a per-form control.

- Surfaces on service pages as **"You are starting the service as:"** with Personal account / Business account options (avatar + label).
- The active context carries through the journey into the entity form. Design it consistently across pages.

6.5 Global search

Search-first is central to the platform (the home hero is a search). Provide a prominent search field with "Popular searches" suggestions where space allows.

6.6 Language toggle

Single control switching English ⇌ العربية and flipping (dir). Present in the header on every page.

6.7 Skip link

"Skip to main content" as the first focusable element on every page.

6.8 Feedback bar

Appears near the foot of content pages: **"Are you satisfied with this page?"** with Yes / No (thumb icons), plus **"Report a problem with this page"** opening a short form ("What were you doing? / What went wrong?", with a "don't include personal or financial information" note). Standardised — reuse, don't redesign.

6.9 GUP chatbot

A persistent assistant ("GUP Chatbot") is available across the portal. Reserve space for its launcher; don't let it collide with sticky CTAs or footers.

6.10 Entity badge

On service pages: the responsible entity's logo + name (e.g. "Ministry of Health"), shown with an **"Updated: [date]"** stamp.

7. Service Landing (Detail) Page — Mandated Template

This is the standardised structure of every Gov.om service page (archetype 3). It is consistent across ministries (verified on Labour and Health services). Build it section-for-section in this order.

#	Section	Content / rules
1	Breadcrumb	5 levels: Home › Services › Category › Sub-group › Service.
2	H1 + description	Service name (one H1) + a single-sentence description.
3	Entity badge + Updated date	Responsible entity logo + name; "Updated: [date]".
4	Account context	"You are starting the service as:" → Personal / Business account (avatar).
5	Required documents	Tick list of documents the applicant must have.
6	Service fees	Collapsible (Show/Hide) panel; amounts with the Omani rial mark; "0" / "-" where free or not applicable.
7	Service steps (lifecycle)	Numbered list of the post-application lifecycle (e.g. Submit → Process → Approve, or up to 8+ steps). Variable length with a "Show All Steps" toggle when long. This is informational, <i>not</i> the form's progress bar.
8	Special conditions	List of eligibility prerequisites (e.g. "must have a health record").
9	Service Locations / channels	Channel (e.g. Online), estimated time (e.g. "~3 minutes"), and cost ("Fixed cost"), shown as chips.
10	Start now CTA	Primary action. Variants: Start now (redirects to the provider) or Visit website . Always show the disclaimer: <i>"By clicking Start now you will leave Gov.om and be taken to the service provider's website."</i>
11	Feedback bar	The shared satisfaction + report-a-problem bar (§6.8).

Layout: main column for sections 5–9, with a sticky sidebar carrying the account context + fee/time/channel summary + the **Start now** button + disclaimer. Stacks above content on tablet/mobile.

"Steps" disambiguation: On the service landing page, "Service steps" is the **lifecycle** (what happens after applying) and supports a show-all toggle. On the entity form, the stepper is **form progress** (page X of Y). Never mix them.

GUP authentication is **national PKI / eID — not username + password**. The sign-in page (archetype 4) is a method-selection page.

Structure

1. Breadcrumb: Home › Gov.om Experiences › Sign In.
2. H1 "Sign in" + description ("Log in with your information to get a personalized experience...").
3. **"Choose a way to sign in"** — two selectable method cards:
 - **Mobile phone** — "You'll need your PKI-activated phone number."
 - **Identity card** — "You'll need the card reader."
4. **Continue** (primary) + **Get Help** (secondary/link).
5. Benefits panel — **"What do you benefit from signing in?"**:
 - A single sign-in for all services
 - A personalized dashboard to track service progress online
 - Easy navigation between personal and business profiles
 - Editable user details
 - Personalized notifications of what matters to you
6. Shared feedback bar + footer.

Design rules

- Present the two methods as equal, selectable cards (radio-style), one chosen at a time, then Continue. One-thing-per-page.
 - Account duality (personal/business) is established here and persists across the session (§6.4).
 - Don't design password fields, "remember me", or social login — they don't exist in this model.
-

9. Catalogue & Home (Discovery Pages)

9.1 Home (archetype 1)

- **Search-first hero**: a welcome line + "How can we help you today?" + a prominent search with **Popular searches**.
- **Category tiles** (Unified Services, Jobs & Occupations, Public Health & Safety, Business & investment, Benefits, Labor, ...) → catalogue pages.

- **"Life's big events" bundles** — curated multi-service journeys (e.g. *A new baby joins my family*, *Step into the job market*, *Care for the elderly*, *Accessible life for people with disabilities*) → `/w/` bundle pages.
- Supporting blocks: upcoming dates, the **PKI activation guide** (3 steps), homepage slider.

9.2 Catalogue / category listing (archetype 2)

- Breadcrumb, H1 (category name), one-line description.
- Prominent **search** + filters.
- A **grid of service cards** (each linking to a service landing page). Cards use the standard card radius (12px), white surface, hairline border, elevation.

10. Entity Service Forms — One-Thing-Per-Page Journey

The transactional form (archetype 5) follows the government **one-thing-per-page** service model: a guided journey of small, focused pages — not dense multi-field screens.

Journey shape: `Start → stepped form pages → Check your answers → Confirmation`.

Page anatomy (top to bottom):

1. Global header (§6.1).
2. **Form progress stepper** (`gup-stepper`) — current step highlighted.
3. **Content header** (`gup-content-header`): breadcrumbs → optional small subtitle → **H1** → summary.
4. Main content: `gup-form-section` panels (each with an H2).
5. **Wizard footer** (`gup-wizard-main` + `gup-wizard-footer`): sticky, with **Back** (`start` slot) + **Continue/Submit** (`end` slot).
6. Global footer.

Layout rules: page canvas (`#fefcf9`); cards on white; single readable column for forms (don't widen line length). Section rhythm: 48px between sections, 24px between content blocks, 20px between fields, 32px from last content to primary CTA.

11. Forms — Field Anatomy, Validation, Grouping

The most important pattern. Encoded in `gup-input-field`, `gup-form-section`, `gup-form-hint`, `gup-form-validation-message`.

11.1 Field anatomy (top to bottom inside one field)

1. **Label** — *above* the input, always visible. Never use placeholder text as the label.
2. **Hint** — directly under the label, before the input (format help, e.g. "DD/MM/YYYY").
3. **Error message** — appears **above the input** when invalid, prefixed with an `error` icon.
4. **Input** — with optional leading/trailing affordances.

Accessibility wiring is built in: the input's `aria-describedby` links hint + error; validity is driven by the error message. Designers must design the **error and hint states**, not just the empty state.

11.2 Built-in input affordances

Type	Affordance
Email	leading <code>mail</code> icon
Phone	leading <code>phone</code> icon
Date	trailing <code>calendar-today</code> button
Time	trailing <code>schedule</code> button
Password	trailing visibility toggle

11.3 Grouping & required marking

- Group related fields under a `gup-form-section` with an **H2** and optional footer.
- Fields expose a `required` flag; mark requirement consistently (follow the Arabic UX guideline for exact required/optional wording).
- Spacing: 20px between fields; 32px to the primary CTA.
- **Read-only / answer display:** `gup-labelled-item` (label above, value below) — e.g. on "Check your answers".

11.4 Form journey rules

- One question (or one tightly-related group) per page.
- One primary action per page (`Continue` / `Submit`); secondary actions subordinate.
- A **Back** affordance on every step.
- A **"Check your answers"** page (`gup-labelled-item` rows + "Change" links) before final submit.

12. Navigation & Journey

Pattern	Component	Rules
Global nav	<code>gup-header</code>	Logo + nav landmark; minimal items.
Breadcrumbs	<code>gup-breadcrumbs</code> / <code>-item</code>	Location in hierarchy; mirrors in RTL.
Form progress	<code>gup-stepper</code> / <code>gup-stepper-item</code>	Step states <code>default</code> , <code>done</code> , <code>selected</code> (+ <code>and</code>). <code>wizard-mode</code> (active) / <code>static-mode</code> (overview). Supports show/hide-all (<code>toggle-all-displayed</code> , <code>show-all-label</code> , <code>hide-all-label</code>) — used for long step lists.
Lifecycle steps	numbered list (service landing)	Informational post-application stages; variable length with "Show All Steps" toggle.
Wizard chrome	<code>gup-wizard-main</code> + <code>gup-wizard-footer</code>	Sticky footer: <code>start</code> = Back, <code>end</code> = Continue/Submit.
Pagination	<code>gup-pagination</code>	<code>numbered</code> / <code>directional</code> ; <code>aria-current="page"</code> . For lists/results, not form steps.
Tabs	<code>gup-tabs</code> (+ <code>tab</code> , <code>tab-panel</code> , <code>tabs-navigation</code>)	Switch views within one page; never to advance a journey.
Links	<code>gup-link</code>	Underlined, 2px offset; link colour <code>#132459</code> ; inverted <code>#bfd8ff</code> on dark.
Skip link	<code>gup-skip-link</code>	Required.

Progress through a service is **linear and explicit**. Provide in-page Back; don't rely on browser back. Don't use tabs/pagination to advance a form.

Need	Component	Options
Page-level inline notice	<code>gup-banner</code>	<code>type</code> : neutral/success/warning/error; <code>appearance</code> : outline/filled; optional close + icon; H2 title + message + action slot.
Highlighted aside / callout	<code>gup-callout</code>	<code>appearance</code> : default/background/border; H2 title + content + footer. Emphasis, not errors.
Whole-page outcome	<code>gup-page-status</code>	<code>type</code> : success/error/expired → icon done/close/priority-high; large icon + H2 title + message + action. The confirmation page .
Transient confirmation	<code>gup-toasts</code>	Brief, auto-dismiss, non-blocking.
Blocking decision/detail	<code>gup-dialog</code> (+ <code>dialog-container</code>)	Modal.
Contextual help	<code>gup-tooltip</code>	Hover/focus hints.
In-progress	<code>gup-spinner</code>	Loading.
Inline field error	<code>gup-form-validation-message</code>	Error icon + message tied to field.
Page satisfaction	shared feedback bar (§6.8)	"Are you satisfied with this page?" + report.

Status colour discipline: success/warning/error map to the status tokens, always with an icon.

14. Interaction States

Every interactive element defines **five** states.

State	Standard
Default	Base token fill/border.
Hover	<code>states-*-hover</code> overlays.
Active/Pressed	<code>states-*-active</code> overlays.
Focus	Purple ring — white halo +  #9747ff, 6px, 3px offset. Mandatory on all interactive elements.
Disabled	<code>states-disabled-medium/low</code> ; reduced affordance, not just low opacity.

Button hierarchy (`gup-button`, appearance) — one primary per view:

Appearance	Use
<code>primary</code>	The single main action (Continue, Submit, Start now).
<code>secondary</code>	Supporting actions.
<code>text</code>	Low-emphasis / tertiary (Back-style).
<code>danger</code>	Destructive only.

Also: `kind` (`button`/`link`), `type` (`button`/`submit`/`reset`), `with-icon-only`, `inverted` (dark surfaces). All buttons are full pills (999px); padding-block 8 / padding-inline 16; font 16/1.5; icon-label gap 12.

15. Content & Voice

Mandated by the **Content Strategy** (Content Patterns, Style Guidelines, Creating Content Capability).

- Write realistic, plain-language copy in mockups (labels, hints, errors, button text) — not lorem ipsum.
- Active voice; buttons say what happens ("Save changes", not "Submit"); an action keeps the same name through the flow.
- Errors explain what went wrong and how to fix it, in the interface's voice; they don't apologise or stay vague.
- Sentence case; no filler; one job per element.

- Apply the same standards in Arabic per the Arabic content rules; confirm all Arabic wording with an Arabic reviewer.

16. Component Library Inventory

Compose services from these existing components. A custom alternative to any of these will fail review.

Actions & navigation: `button`, `button-group`, `link`, `breadcrumbs`, `pagination`, `tabs`, `header`, `skip-link`, `dropdown`, `search` **Forms & inputs:** `input-field`, `textarea-field`, `checkbox`, `radio-button`, `radio-button-group`, `toggle`, `file-upload`, `file-item`, `form-section`, `form-list`, `form-hint`, `form-validation-message`, `labelled-item`, `filter-chip` **Content & layout:** `accordion`, `details`, `content-header`, `divider`, `image`, `rich-text`, `data-table`, `table`, `data-sheet`, `avatar`, `badge`, `badge-chip`, `flag`, `logo`, `icon` **Feedback & status:** `banner`, `callout`, `dialog`, `generic-popup`, `toasts`, `tooltip`, `spinner`, `page-status` **Process / wizard:** `stepper`, `track`, `wizard-main`, `wizard-footer` **Utilities:** `gup-track` (spacing — `gap` scale 2=4px, 3=8px, 4=12px, 5=16px, 6=20px), `gup-screenreader-text` (visually hidden, AT-readable).

17. Compliance Checklists

17.1 Visual (every screen)

- ☐ Page canvas (`#fefcf9`); content cards on white.
- ☐ All colours are GUP tokens; status colours used only for status (with icon).
- ☐ Readex Pro only; weights 400/700; type sizes snapped to scale; body 16/1.5.
- ☐ Spacing on the 4px grid (48 sections / 24 content / 20 fields / 32 to CTA).
- ☐ Buttons full-pill, correct appearance; cards 12px, components 8px radius.
- ☐ Standard layered elevation only.
- ☐ Icons from `@govom/icons` at standard sizes.
- ☐ Purple 6px focus on every interactive element.
- ☐ Validated in English (LTR) and Arabic (RTL); responsive at 360/768/1024/1440.

17.2 UX / structure (per screen)

- ☐ Exactly one H1; no skipped heading levels; no faked headings via size.
- ☐ Content-header order (breadcrumbs → subtitle → H1 → summary).
- ☐ Forms: label above, hint below label, error above input with icon; no placeholder-as-label.
- ☐ Required/optional marked consistently; fields grouped in `gup-form-section` (H2).

- ☐ One primary action per screen; correct messaging component chosen.
- ☐ Every element maps to an existing GUP component.

17.3 Per-archetype

- ☐ **Service landing page** follows the §7 template, in order, with the off-portal disclaimer on Start now and the lifecycle steps (show-all if long).
- ☐ **Sign-in** uses PKI method selection (phone / ID card), Continue + Get Help, benefits panel; no passwords.
- ☐ **Catalogue** has search + filterable service-card grid.
- ☐ **Entity form** is one-thing-per-page with stepper + wizard footer + Check-your-answers + `page-status` confirmation; assumes SSO-authenticated, account-context set.
- ☐ **Shared components** (header, footer, breadcrumbs, account switcher, feedback bar, chatbot space) identical across pages.

17.4 Per-journey

- ☐ Linear flow; stepper shows progress; wizard footer provides Back + Continue.
- ☐ Auth gate (PKI) sits before the entity form; personal/business context persists.
- ☐ Outcome via `gup-page-status`; skip link present; logical focus order.
- ☐ Whole journey validated EN (LTR) and AR (RTL).

18. Quick Reference Card

Item	Standard
Primary brand	#2f57cd
Brand dark / links	#132459
Page canvas	#fefcf9
Footer	#1c2133
Success / Warning / Error	#16a249 / #ca8511 / #dc2828
Body text	#27272a
Focus ring	#9747ff , 6px, 3px offset
Font	Readex Pro (400 / 700), Latin + Arabic

Item	Standard
Body type	16px / 1.5
Base unit	4px
Button radius	999px (pill)
Card / component radius	12px / 8px
Breakpoints	360 / 768 / 1024 / 1440
Section spacing	48px
Icon set	@govom/icons (Material + flags)
Auth	National PKI (phone / ID card) — no passwords
Service page CTA	"Start now" (redirects off-portal) + disclaimer
Account model	Personal / Business, tied to PKI identity

19. Known Gaps & Governance

This document covers the token, component, interaction-pattern, and page-architecture layers — everything derivable from the design system and the live platform. Confirm these before final sign-off:

1. **Arabic-only governance documents** (UX Guidelines; interface Design Standards; App Development Standards) may add rules on journey structure, required/optional conventions, microcopy, and date/number/address formats. Review with an Arabic reviewer.
2. **Live behavioural detail** — animation/transition timings, exact responsive reflow of complex components (tables, long steppers), and any newly-added components — confirm against the live **Storybook** ([storybook.service.gov.om](#)), since the library is versioned (current: [@govom/tokens](#) 0.2.2, [@govom/components](#) 3.26.0) and evolving.
3. **Catalogue card and search/filter detail** render client-side on the live site; confirm card fields and filter behaviour against Storybook/production at build time.

Re-verify token versions before each major design cycle.