

Full name: Ha Hoang Phuc Student: 222683 Class: DH22TIN07 LESSON 1: Library management system - Identify candidate classes (Books, Readers, Loans, Employees, Publishers) + Books: main entity, book information management.-

+ DocGia: person who borrows books.

+ PhieuMuon: records borrowing/returning.

+ NhanVien: system manager (librarian, warehouse keeper...).

+ NhaXuatBan: book source information.

- Properties and behavior (methods) of each class + Book

- o Attributes: maSach (PK, string), nameSach (string), tacGia (string), namXuatBan (int), maNXB (FK), soLuongTon (int), thai page (string: "Available"/"On loan").
- o Behavior: addSach(), capNhatSach(), deleteSach(), saveSach(), capNhatTonKho().

+ DocGia

- o Attributes: maDocGia (PK, string), hoTen (string), daySinh (date), diaChi (string), soDienThoai (string), dayDangKy (date), gioiTinh (boolean).
- o Behavior: dangKyThe(), capNhatThongTin(), viewLichSuMuon(). + PhieuMuon
- o Attributes: maPhieu (PK, string), maDocGia (FK), maSach (FK), maNhanVien (FK), nhaMuon (date), ngoHenTra (date), ngoTraThucTe (date), tinhTrang (string: "On loan"/"Paid"/"Overdue").
- o Behavior: createPhieuMuon(), searchSach(), saveTraQuaHan(), crystalPhieuPhat(). + NhanVien
- o Attributes: maNhanVien (PK, string), hoTen (string), chucVu (string), date of birth (date), soDienThoai (string).
- o Behavior: dangNhap (), quanLyDocGia (), quanLyMuonTra (), quanLySach ().()

+ NhaXuatBan

o Attributes: maNXB (PK, string), nameNXB (string),
diaChi (string), email (string).

o Behavior: addNXB (), capNhatNXB ().

- Relationships: Books and Publishers: 1 book – 1
publisher

- ☒☐ Readers and Borrowing Slips: 1 reader – many borrowing slips
- ☒☐ Books and borrowing slips: 1 book – many borrowing slips
- ☒☐ Employees and Vouchers: 1 employee – many vouchers

LESSON 2: Online sales management system

- Identify main use cases

Main actors:

- + Customer (Customers / Potential Customers).
- + NguoiQuanLy / Admin (Administrator / Sales staff).

Main use cases (customer registration, ordering, payment, product management):

KhachHang:

- ☒☐ DangKyTaiKhan (Customer registration).
- ☒☐ DangNhap (Sign in).
- ☒☐ See SanPham (Search / View product list).
- ☒☐ ThemVaoGioHang (Add to cart).
- ☒☐ DatHang (Order).
- ☒☐ ThanhToan (Online payment / COD).
- ☒☐ View DonHang (View order history).

Admin / NguoiQuanLy:

- ☒☐ QuanLySanPham (Add/Edit/Delete products).
- ☒☐ QuanLyDonHang (View/Confirm/Cancel order).
- ☒☐ QuanLyKhachHang (Customer information management).
- ☒☐ QuanLyThanhToan (Payment processing, refund if necessary).

Extend / Include:

- ☒☐ ThanhToan includes XacNhanDonHang.
- ☒☐ DatHang extends ThanhToan (if paying online).
- From use case, find the necessary classes
- ☒☐ Customer (Customer): from register, view orders.
- ☒☐ SanPham (Product): product management.
- ☒☐ GioHang (Cart): temporarily store products before ordering.
- ☒☐ Don Hang (Order): from order, payment.
- ☒☐ ChiTietDonHang (OrderDetail): product details in the order.

- ☐ ThanhToan (Payment): payment processing (may have subclasses such as OnlinePayment, COD).
- ☐ Admin or Personnel (inherited from User if there is a user system).

- Analyze the relationship between classes (specify inheritance if any) □ Customer and Customer: 1 customer – many orders (abstract class) ←-inherits ←-KhachHang and Admin (KhachHang and Admin are both the same type of User, sharing the same account, password, full name). □ □ □ □ □

Lesson 3: Convert class diagrams into data tables

1. MonHoc table

No	School name	Data Types	Bind			
			PK	FK	Not NULL	Unique
1	maMon	Nvarchar(10)	x		x	x
2	tenMon	Nvarchar(50)			x	
3	soTinChiLT	Int			x	
4	soTinChiTH	Int			x	

2. Science Table

No	School name	Data Types	Bind			
			PK	FK	Not NULL	Unique
1	maKhoaHoc	Nvarchar(10)	x			x
2	tenKhoaHoc	Nvarchar(50)			x	
3	ngayTao	Date			x	