Nama: Muhamad Fachri Haikal

NIM: 1301202398 Kelas: IF-44-01

SLL.h

```
main.cpp X SLL.cpp X *SLL.h X

1 #ifndef SLL_H_INCLUDED
          #define SLL_H_INCLUDED
     3
         #include <iostream>
     4
     5
         using namespace std;
         #define info(P) (P)->info
         #define next(P) (P)->next
#define first(MH) ((MH).first)
     8
     9
    10
    11
          //NIM : 1301202398
    12
         typedef char infotype;
    13
         typedef struct element *adr;
    14
    15 struct element {
                                       //adr == Node, head == MH
    16
            infotype info;
    17
              adr next;
    18 };
    19
    21 adr first;
22 };
    23
    24
         // 1301202398 % 4 = 2
         // Muhamad Fachri Haikal = MH
         void createList(List &MH); //Procedure Create list(in/out L : List)
adr newElement(infotype x); // Procedure newElement(in x : infotype, out p : adr)
    26
    27
    28
         void insertFirst(List &MH, adr p); // Procedure insertFirst(in/out L : List, in p : adr)
    29
          void show(List MH); // Procedure show(in L : List)
    30 | adr deleteLast(List &MH); //Procedure DeleteLast(In/Out L : List)
    31 adr deleteFirst(List &MH); //TUGAS TP (1301202398 % 4 = 2)
          #endif // SLL_H_INCLUDED
    32
    33
```

Nama: Muhamad Fachri Haikal

NIM: 1301202398 Kelas: IF-44-01

SLL.cpp

```
main.cpp X SLL.cpp X *SLL.h X
         #include "SLL.h"
     1
        □void createList(List &MH) {
             first(MH) = NULL;
     4
     5
     6
        adr p = new element;
     8
     9
    10
              info(p) = x;
    11
             next(p) = NULL;
    12
              return p;
    13
    14
        void insertFirst(List &MH, adr p) {

if (first(MH) - \text{MH})
    15
             if (first(MH) == NULL) {
    16
                  first(MH) = p;
    17
    18
              } else{
    19
                  next(p) = first(MH);
                  first(MH) = p;
    20
    21
        L}
    22
    23
    24
        □void show(List MH){
    25
              adr p;
    26
    27
              if (first(MH) != NULL) {
                  p = first(MH);
    28
                  while (p != NULL) {
    29
                      cout << info(p)<< " ";</pre>
    30
    31
                      p = next(p);
    32
    33
                  cout << endl;
    34
              } else{
    35
                  cout << "List Kosong" << endl;</pre>
    36
    37
    38
         39
    40
              adr p, q;
    41
              if (first(MH) == NULL) {
    42
    43
                  p = NULL;
                  cout << "List Kosong";</pre>
     44
    45
              } else if (next(first(MH)) == NULL) {
     46
                  p = first(MH);
     47
                  first(MH) = NULL;
     48
              } else{
     49
                 q = first(MH);
     50
                  p = first(MH);
     51
                  while (next(p) != NULL) {
     52
                     q = p;
                      p = next(p);
    53
    54
    55
                  next(q) = NULL;
    56
              return p;
    57
    58
    59
         60
     61
              adr p, temp;
    62
    63
             temp = next(first(MH));
     64
             p = first(MH);
     65
             first(MH) = NULL;
     66
             first(MH) = temp;
     67
             return p;
     68
```

Nama: Muhamad Fachri Haikal

NIM: 1301202398 Kelas: IF-44-01 main.cpp

```
main.cpp X SLL.cpp X *SLL.h X
          #include "SLL.h"
     1
           using namespace std;
          int main()
        □ {
     6
                List MH;
                //test createList
cout << "first(MH) sebelum createList: " << first(MH) << endl;
     8
                createList(MH);
     9
                cout << "first(MH) setelah createList: " << first(MH) << endl;</pre>
    10
    11
                cout << endl;
    12
                //test newElement
    13
    14
               adr p;
               p = newElement('C');
cout << "Info p: " << info(p) << endl;
cout << "Next p: " << next(p) << endl;</pre>
    15
    16
    17
    18
                cout << endl;
    19
               //test insertFirst
cout << "first(MH) sebelum insertFirst: " << first(MH) << endl;</pre>
    20
    21
                insertFirst(MH, p);
    22
    23
               cout << "first(MH) setelah insertFirst: " << first(MH) << endl;
cout << "info first(MH): " << info(first(MH)) << endl;</pre>
    24
    25
    26
               p = newElement('T');
    27
                insertFirst(MH, p);
    28
                cout << "info first(MH): " << info(first(MH)) << endl;</pre>
    29
    30
                p = newElement('X');
    31
                insertFirst(MH, p);
    32
                cout << "info first(MH): " << info(first(MH)) << endl;</pre>
    33
                p = newElement('S');
    34
    35
                insertFirst(MH, p);
    36
                cout << "info first(MH): " << info(first(MH)) << endl;</pre>
    37
    38
                p = newElement('A');
    39
                insertFirst(MH, p);
    40
                cout << "info first(MH): " << info(first(MH)) << endl;</pre>
    41
    42
                p = newElement('B');
    43
                 insertFirst(MH, p);
    44
                 cout << "info first(MH): " << info(first(MH)) << endl;</pre>
    45
                 cout << endl;</pre>
    46
    47
                 //test show
    48
                 cout << "Output list: " << endl;</pre>
    49
                show (MH);
    50
                 cout << endl;
    51
    52
                 //deleteLast
    53
                 p = deleteLast(MH);
                show(MH);
cout << "Last element yang terhapus: " << info(p) << endl;
    54
    55
                 cout << endl;
    56
    57
    58
                 p = deleteLast(MH);
                show(MH);
cout << "Last element yang terhapus: " << info(p) << endl;
    59
    60
    61
                 cout << endl;
    62
                 p = deleteLast(MH);
    63
    64
                 cout << "Last element yang terhapus: " << info(p) << endl;</pre>
    65
    66
                 cout << endl;</pre>
    67
    68
                 //deleteFirst
                 p = deleteFirst(MH);
    69
                 show(MH);
cout << "First element yang terhapus: " << info(p) << endl;
    70
    71
    72
                 return 0:
    73
```

Nama: Muhamad Fachri Haikal

NIM: 1301202398 Kelas: IF-44-01

Hasil output:

```
"C:\Users\haikal\Documents\Kuliah\Semester 3\Strukdat\TP4\TP4\bin\Debug\TP4.exe"
first(MH) sebelum createList: 0x4021bb
first(MH) setelah createList: 0
Info p: C
Next p: 0
first(MH) sebelum insertFirst: 0
first(MH) setelah insertFirst: 0xf31490
info first(MH): C
info first(MH): T
info first(MH): X
info first(MH): S
info first(MH): A
info first(MH): B
Output list:
BASXTC
B A S X T
Last element yang terhapus: C
B A S X
Last element yang terhapus: T
BAS
Last element yang terhapus: X
AS
First element yang terhapus: B
```