Foundational NLP Tools for Ge'ez-Script Languages: A Systematic Tool-Centred Analysis

Hailay Kidu Teklehaymanot[1,2⋆], Gebreagziher Gebrelibanos Mesfun[3], Tsegaye Semere Gebremichael[4], Gebrearegawi Gebremariam[5], Alemu Kumilachew Tegegnie[6], and Nesina Grütter[2]

[1] L3S Research Center, Leibniz University Hannover, Hannover, Germany
teklehaymanot@l3s.de
[2] University of Zurich, Zurich, Switzerland
hailaykidu.teklehaymanot@uzh.ch
[3] Adigrat University, Adigrat, Ethiopia
[4] National Tsing Hua University, Hsinchu, Taiwan
[5] Axum University, Axum, Ethiopia
[6] Bahir Dar University, Bahir Dar, Ethiopia

Abstract. The Ge'ez script is used to write several languages of the Horn of Africa. This survey covers three of them: Amharic and Tigrinya, spoken by tens of millions of people in Ethiopia and Eritrea, and Classical Ge'ez, the liturgical language of the Ethiopian and Eritrean Orthodox Tewahedo and Catholic Churches. These languages remain underrepresented in natural language processing (NLP) research. We present a systematic, tool-centred survey organised around four pillars: (i) tokenisation and normalisation; (ii) morphological analysis and synthesis; (iii) text representation, embeddings, and evaluation; and (iv) sequence labelling and structure extraction. A dual inclusion standard governs the survey: papers enter the literature corpus through a peer-review track or, if they release a checkable artefact, a provenance track, while tools enter the inventory on public provenance alone. Guided by PRISMA 2020, we review 69 verified publications (2017–2026) and report 28 foundational tools, models, datasets, and linguistic resources confirmed publicly available on GitHub, Zenodo, PyPI, or HuggingFace as of 21 September 2026; 26 trace to a corpus paper and two are provenance-track additions. Amharic is the most represented language in both the literature and the inventory, Tigrinya second, and Classical Ge'ez least. Tokenisation and morphology are the least-served pillars, while embeddings and evaluation dominate. Eight tools cover more than one of the three languages, but none is a script-level transfer framework, and they share no annotation or evaluation standard. We close with seven research priorities. Data and verification code: https://github.com/hailaykidu/geez-nlp-survey.

Keywords: Ge'ez script · Low-resource NLP · Amharic · Tigrinya · Classical Ge'ez · Systematic review · NLP tools.

⋆ Corresponding author.

1 Introduction

Despite the impact of deep learning, large-scale corpora, and multilingual models on NLP, only a small share of the world's 7,000+ languages are meaningfully represented in language technology [28]. Ge'ez-script languages remain underrepresented relative to their speaker population: Amharic and Tigrinya are spoken by tens of millions of people in Ethiopia and Eritrea, and Classical Ge'ez is retained as a liturgical language. Contributing factors include limited funding, scarce digital corpora [51], and the computational demands of Semitic morphology combined with a non-Latin script [45]. The script encodes consonant-vowel pairs as atomic *fidels*, which limits direct reuse of tokenisers and models built for alphabetic scripts [48]. For example, the fidel sequence ሰላም (*salām*, 'peace') is identical in all three languages, which both enables transfer and requires a single tokeniser to absorb language-specific morphology layered on one orthography.

Scope. The script is used for several languages; this survey covers Amharic, Tigrinya, and Classical Ge'ez. We organise the analysis around four methodological pillars: (P1) tokenisation and normalisation; (P2) morphological analysis and synthesis; (P3) text representation, embeddings, and evaluation; and (P4) sequence labelling and structure extraction.

Foundational NLP Tools. We define these as reusable, technically non-trivial components that perform core NLP tasks (tokenisation, morphological analysis, embedding generation, sequence labelling), incorporate knowledge of Ge'ez-script structure or morphology, and have a stable, citable public identifier. We exclude end-user applications without source code, unpublished or proprietary tools, simple heuristic scripts, and tools designed for other scripts or language families.

Contributions. (1) A systematic, tool-centred review, guided by PRISMA 2020, of 69 verified papers published from 2017 to 2026; (2) an explicit dual inclusion standard that separates literature screening from tool-inventory verification; (3) a 28-tool inventory confirmed live on public repositories; (4) quantified evidence of language and pillar asymmetries; and (5) seven research priorities grounded in these gaps.

2 Methodology

2.1 Literature Search

The search targeted six peer-reviewed NLP venues (ACL, EMNLP, NAACL, LREC, COLING, EACL), was extended to other peer-reviewed venues and regional workshops (e.g. RAIL, AfricaNLP, ICT4DA), and was supplemented by forward and backward citation tracing. Queries combined a language name (Amharic, Tigrinya, Ge'ez) or script designation (Ethiopic, Fidel) with task labels for the four pillars (e.g. tokenisation, normalisation, morphological analysis, morphological synthesis, embeddings, language models, part-of-speech tagging, named entity recognition, parsing).

Search Period. The search and screening were carried out between July and mid-September 2026. The corpus was first recorded on 16 September 2026 (71 records). Full-text re-checking excluded one record (MasakhaPOS [14], in which Amharic is not a subject of the work); one further record, withdrawn by its authors, was removed during revision, leaving 69. All bibliographic details and repository links were verified on 21 September 2026. The search was conducted manually and no query-level log was preserved, so counts are reported only for documented stages (Fig. 1).

Inclusion and Exclusion. *Peer-review track:* journal articles and conference or workshop proceedings, published 2016–2026, that describe foundational NLP tools, datasets, or algorithms. Amharic, Tigrinya, and/or Classical Ge'ez must be "an actual subject of the work rather than an incidental member of a large, undifferentiated multilingual set." *Provenance track:* a non-peer-reviewed paper is admitted, under the same year and language requirements, only if it describes a concrete, independently checkable tool, dataset, corpus, or software pipeline. *Excluded:* grey literature without a checkable artefact; downstream applications that contribute no tool, dataset, or algorithm of their own (application papers that do release one, e.g. a speech or OCR dataset, are in scope); and papers whose treatment of a Ge'ez-script language is not independently identifiable.

Corpus Composition. Of the 69 papers, 18 appeared at the six named venues and 35 at other peer-reviewed or workshop venues; 16 were admitted under the provenance track. Seven of these describe a released artefact [1, 7, 12, 18, 24, 32, 49]. Five have since appeared in peer-reviewed venues and are cited in their published form [4, 20, 26, 47, 56]. Two were recorded on this track conservatively, although they had already been peer-reviewed [30, 55]. The remaining two, a survey of Tigrinya NLP [15] and a study of Ge'ez machine translation [52], describe no released artefact and so do not strictly meet the track's criterion. They are retained as two of the very few studies of these languages and contribute to no tool count. The full list is in the public repository.

Data Extraction and Coding. All extracted data and category assignments (language, pillar, artefact type) were independently reviewed by all co-authors, and disagreements were resolved by discussion. Formal double-coding with an inter-rater agreement statistic was not performed; this is noted as a limitation (Sect. 7).

2.2 The Dual Inclusion Standard

Screening literature by peer-review status while harvesting tools from GitHub, Zenodo, PyPI, and HuggingFace would be contradictory if left unstated: a tool's public existence and its peer-review status are independent properties. MoVoC [45] and LGSE [46], for example, are peer-reviewed but had no confirmable release of their reported artefacts, whereas HornMorpho [21] is a maintained public repository whose paper predates the review window. We therefore use two standards that are never merged:

– **Literature standard (two tracks).** Applies to the literature corpus (Sect. 4). A paper is admitted through the peer-review track or the provenance track defined above;




Fig. 1. PRISMA 2020 flow diagram. Counts are reported only for the stages documented in the repository's version history; no preserved search log supports counts at the Identification or Screening stages, so none are asserted.

each paper's track is recorded in the corpus file. Related work may additionally cite background sources outside the corpus.

– **Tool-inventory standard (provenance-based).** Applies to the inventory (Sect. 5). Any code repository, dataset, or model with a stable, citable public identifier (a DOI, a GitHub repository, a HuggingFace card, or a Zenodo record) is eligible regardless of peer-review status.

The provenance track admits a *paper* that describes an artefact; the tool-inventory standard admits an *artefact* with a public identifier. "Verified" means that an entry's bibliographic details, or for a tool its repository link, were independently confirmed to exist and to match the source. It does not mean that data quality was assessed: this survey does not re-annotate or audit any dataset (Sect. 7).

2.3 Tool Discovery and Verification

For every corpus paper that reports creating a tool, model, dataset, or resource, we searched GitHub, Zenodo, PyPI, and HuggingFace for that specific artefact. An artefact is counted only when a live link to the artefact the paper reports was confirmed; a link to a different or later artefact, even under the same author's account, does not qualify.[7] This yielded 26 corpus-traceable tools. The search is corpus-first: no repository search was run independently of the corpus, so the inventory is not an exhaustive census. Two well-known tools found outside the corpus are added under the provenance-based standard, each to fill a pillar with no corpus-traceable tool: HornMorpho (P2) and MasakhaNER 1.0 [3] (P4), giving 28. Every repository link is checked by a committed script that records a timestamped log. The inventory is frozen at its verification date

[7] For example, the HuggingFace Space `Hailay/movoc-tok-playground` hosts a later tokenizer described by its model card as "a continuation of MoVoC", not the artefact the MoVoC paper reports, and is therefore not counted.

Table 1. The 69-paper literature corpus by language (overlapping counts), pillar, and period

Language	n	%	Pillar	n	%	Period	n	%
Amharic	47	68	P1 Tokenisation	1	1	2016–2018	5	7
Tigrinya	26	38	P2 Morphology	3	4	2019–2021	23	33
Classical Ge'ez	14	20	P3 Embeddings/eval.	33	48	2022–2024	27	39
			P4 Seq. labelling	6	9	2025–2026	14	20
			Other/infrastructure	26	38			

(21 September 2026); later releases are recorded in a repository addenda file but not counted here.

3 Related Work

Joshi et al. [28] document the underrepresentation of most of the world's languages in NLP, and Blodgett et al. [13] connect such gaps to linguistic inequality. For Ge'ez-script languages, Gaim and Park [15] survey Tigrinya NLP across 15 tasks, and Tonja et al. [51] survey four Ethiopian languages and consolidate their resources in a central repository. Neither reports a tool inventory scoped to Ge'ez-script languages and checked against live repository sources, which is the contribution of the present work. Methodologically, we follow the PRISMA 2020 reporting guideline [38] as far as our preserved evidence allows, and extend it with a separately governed tool inventory.

4 The Reviewed Literature

Table 1 characterises the 69 papers, tallied directly from the corpus file. Amharic dominates (68%), Tigrinya follows (38%), and Classical Ge'ez is least represented (20%). By pillar, P3 accounts for nearly half of the corpus (48%) and infrastructure and resource papers for a further 38%, while P1 (1%) and P2 (4%) are markedly underrepresented relative to their importance for Ge'ez-script morphology. Publication activity is concentrated in 2022–2026 (59%).

Application papers are included only through their artefact or algorithmic contribution (Sect. 2.1): for example, fake-news datasets [23], speech and speech-emotion corpora [2, 6, 39], OCR datasets and pipelines [12, 36], and bias-evaluation studies, which fall under P3 [40, 58]. Large multilingual works in which a Ge'ez-script language is one of many (e.g. AfroXLMR [5], MasakhaPOS [14]) are excluded under the language-focus criterion.

5 The Tool Inventory

Table 2 lists the 28 verified tools. Summed over the corpus, papers report 75 artefacts across 53 papers; 26 of these, from 17 papers, have a confirmed live release. The others are described in their papers but have no confirmable public link, or were excluded

Table 2. The 28 verified tools. Languages: Amh = Amharic, Tir = Tigrinya, Gez = Classical Ge'ez (out-of-scope languages also covered are omitted). The full table with exact repository identifiers and verification log is in the public repository.

Source	Name	Type	Lang.	Pillar	Host
[33]	amharic-ir-benchmarks	Library	Amh	P3	GitHub
[33]	roberta-amharic-text-embedding (base, medium)	Model ×2	Amh	P3	HF
[33]	ColBERT-Mini (Amharic)	Model	Amh	P3	HF
[50]	EthioPOS / EthioSenti / EthioHate	Dataset ×3	Amh,Tir,Gez / Tir / Amh	P3	HF
[50]	EthioLLM model family	Model	Amh,Tir,Gez	P3	HF
[54]	Amharic sentiment dataset	Dataset	Amh	P3	GitHub
[55]	amseg	Library	Amh	P1	GitHub+PyPI
[57]	Tigrinya NER dataset	Dataset	Tir	P4	GitHub
[19]	GeezSwitch / GeezSwitch-data	Library, Dataset	Amh,Tir,Gez	Other	GitHub
[41]	Amharic UD Treebank	Ling. resource	Amh	P4	GitHub
[1]	AmQA	Dataset	Amh	P3	GitHub+HF
[8]	EthioProverbEval / ProverbEval benchmark	Library, Dataset	Amh,Tir,Gez	P3	GitHub, HF
[16]	TiALD / TiALD dataset	Library, Dataset	Tir	Other	GitHub, HF
[18]	TLMD	Dataset	Tir	Other	Zenodo
[17]	Tigrinya PLMs (TiBERT, TiELECTRA, TiRoBERTa)	Model	Tir	P3	HF
[9]	Walia-LLM	Model	Amh	P3	HF
[53]	2AIRTC	Dataset	Amh	Other	HF
[10]	EthioEmo-intensities	Dataset	Amh,Tir	P3	GitHub+HF
[39]	ASED	Dataset	Amh	Other	GitHub
[34]	amharic_word_embeddings	Dataset+Model	Amh	P3	GitHub
Provenance-track additions (originating paper outside the corpus)					
[21]	HornMorpho	Library	Amh,Tir	P2	GitHub
[3]	MasakhaNER 1.0	Dataset	Amh	P4	GitHub+HF

as general-purpose multilingual models without Ge'ez-script-specific adaptation. EthioLLM's benchmark is listed per dataset because language coverage differs between its constituents [50]. Oromo, covered by several tools, is written in Latin script (Qubee) [44] and is outside scope even where a tool also covers in-scope languages.

Pillars. P3 dominates (16 of 28; Table 3), reflecting the trend towards pre-trained models and dense retrieval. P1 has a single verified tool, the Amharic-only amseg. No P2 tool from the corpus itself has a confirmed release: morphology-focused artefacts are described in the reviewed papers [22, 25, 37], but no public link could be confirmed, and the single P2 tool is the provenance-track addition HornMorpho. P4 has three tools; further sequence-labelling artefacts, such as TiNC24 [11] and ANEC [27], have no confirmable public release.

Languages. Amharic is supported by 22 tools (79%), Tigrinya by 14 (50%), and Classical Ge'ez by 6 (21%). No tool is dedicated to Classical Ge'ez alone: all six Ge'ez-supporting tools also cover both Amharic and Tigrinya.

6 Research Asymmetry

Amharic is the most represented language in both the literature (68% of 69 papers) and the inventory (79% of 28 tools); Tigrinya is second (38%; 50%); and Classical Ge'ez is

Table 3. The 28 tools by pillar and by language (overlapping counts)

Pillar	n	%	Language	n	%
P1 Tokenisation & normalisation	1	4	Amharic	22	79
P2 Morphological analysis & synthesis	1	4	Tigrinya	14	50
P3 Embeddings, LMs & evaluation	16	57	Classical Ge'ez	6	21
P4 Sequence labelling	3	11			
Other: infrastructure	7	25			
Total	28	100			

least represented (20%; 21%). Eight tools cover more than one of the three languages: EthioPOS, the EthioLLM model family, GeezSwitch, GeezSwitch-data, EthioProverbEval, and the ProverbEval benchmark cover all three, and EthioEmo-intensities and HornMorpho cover Amharic and Tigrinya. Most are multilingual resources for Ethiopian languages in general, and only GeezSwitch and GeezSwitch-data are designed around the script itself. None is a script-level transfer framework, and they follow no shared annotation or evaluation conventions. LGSE [46] and MoVoC [45] propose cross-lingual components for these languages, but neither had a confirmable release of its reported artefact at the verification date.[8]

7 Limitations

Search. No query-level log was preserved, so counts before full-text assessment are not reported (Fig. 1). The search favours published and NLP-venue work, and English-language publications. Some in-scope work was not captured, including Tigrinya part-of-speech tagging on the Nagaoka Tigrinya Corpus [43], LSTM-based Tigrinya morphological segmentation [42], and deep-learning part-of-speech tagging for Tigrinya and Tigre [29]. These fall in P2 and P4; adding them would leave P1 and P2 the least-represented pillars.

Coding. Formal double-coding with an inter-rater agreement statistic was not performed (Sect. 2.1).

Inventory. The inventory is corpus-first and frozen at its verification date; an artefact whose public release could not be confirmed is not counted, even when its paper asserts one.

Data Quality. Verification establishes existence and provenance only. Annotation quality, agreement, and label correctness of the catalogued datasets are not assessed.

[8] A release matching MoVoC's corrected version (ACL Anthology revision 2, 21 October 2026) has since appeared and is recorded in the repository's inventory addenda.

8 Research Priorities

The first five priorities follow from the gaps in Sects. 4–6; the last two address a limitation of this survey and a scope boundary of its search.

Priority 1: Shared Tokenisation. P1 holds 1 of 28 tools and 1 of 69 papers, and that tool is Amharic-only. A tokeniser evaluated jointly on all three languages, with a documented public release, is the clearest gap.

Priority 2: Morphology with a Verifiable Release. Three corpus papers describe P2 tools [22, 25, 37] without a confirmable release. Publishing such a tool with a stable identifier, or extending HornMorpho rather than duplicating it, would close this gap.

Priority 3: Balance Against P3. P3 holds 57% of tools and 48% of papers; new work on P1, P2, or P4 adds more than further P3 work.

Priority 4: Releases for Sequence Labelling. P4 artefacts already described in the literature (e.g. TiNC24, ANEC) could be released under stable identifiers without new research.

Priority 5: Cross-Language Coordination. Shared annotation and evaluation conventions would let tools reuse resources across the three languages instead of duplicating single-language work.

Priority 6: Independent Data-Quality Assessment. Catalogued datasets should be adopted only after their annotation methodology and quality metrics are reviewed; a systematic quality audit of the inventory is a natural follow-up.

Priority 7: Reuse of Classical Semitic Studies and Digital Humanities. Our search is scoped to NLP venues. Long-running philological and digital-humanities projects, often funded by research councils, produced manuscript digitisations, digital editions, Unicode transcriptions, TEI annotation workflows, tagging manuals, and parsers, but these have rarely reached working tools for the communities that use the script. Much of this material was processed in Latin transliteration. For example, the Ge'ez Morphological Parser [31], developed in the ERC-funded TraCES project, is being redeveloped under the SNSF-funded MiTAnIm project. Adapting such resources, and converting transliterated material back into the Ge'ez script, would advance all four pillars without building from scratch [35].

9 Conclusion

This survey documents 28 foundational tools, models, datasets, and linguistic resources confirmed publicly available for Amharic, Tigrinya, and Classical Ge'ez, alongside a PRISMA-guided review of 69 verified papers. Amharic dominates both the literature and the inventory, and Classical Ge'ez is least served. Tokenisation and morphology are the thinnest pillars: P1 has a single, Amharic-only tool, and no corpus paper's own morphological tool has a confirmed release. Eight tools span more than one language, but none is a shared framework. The seven priorities above, from a joint tokeniser to the reuse of digital-humanities resources, target these gaps. All data, the full inventory, and the verification code are public.

Acknowledgments. This review was conducted as part of research on low-resource language technology at the L3S Research Center, Leibniz University Hannover. We thank the Ge'ez-script NLP community, particularly contributors to the LGSE Project and the Masakhane initiative.

Disclosure of Interests. The authors have no competing interests to declare that are relevant to the content of this article.

References

1. Abedissa, T., Usbeck, R., Assabie, Y.: Amqa: Amharic question answering dataset (2023), https://arxiv.org/abs/2303.03290
2. Abera, H., H/Mariam, S.: Design of a Tigrinya language speech corpus for speech recognition. In: Machonis, P., Barreiro, A., Kocijan, K., Silberztein, M. (eds.) Proceedings of the First Workshop on Linguistic Resources for Natural Language Processing. pp. 78–82. Association for Computational Linguistics, Santa Fe, New Mexico, USA (Aug 2018), https://aclanthology.org/W18-3811/
3. Adelani, D.I., Abbott, J., Neubig, G., D'souza, D., Kreutzer, J., Lignos, C., Palen-Michel, C., Buzaaba, H., Rijhwani, S., Ruder, S., Mayhew, S., Azime, I.A., Muhammad, S.H., Emezue, C.C., Nakatumba-Nabende, J., Ogayo, P., Anuoluwapo, A., Gitau, C., Mbaye, D., Alabi, J., Yimam, S.M., Gwadabe, T., Ezeani, I., Niyongabo, R.A., Mukiibi, J., Otiende, V., Orife, I., David, D., Ngom, S., Adewumi, T., Rayson, P., Adeyemi, M., Muriuki, G., Anebi, E., Chukwuneke, C., Odu, N., Wairagala, E.P., Oyerinde, S., Siro, C., Bateesa, T.S., Oloyede, T., Wambui, Y., Akinode, V., Nabagereka, D., Katusiime, M., Awokoya, A., MBOUP, M., Gebreyohannes, D., Tilaye, H., Nwaike, K., Wolde, D., Faye, A., Sibanda, B., Ahia, O., Dossou, B.F.P., Ogueji, K., DIOP, T.I., Diallo, A., Akinfaderin, A., Marengereke, T., Osei, S.: MasakhaNER: Named entity recognition for African languages. Transactions of the Association for Computational Linguistics **9**, 1116–1131 (2021). https://doi.org/10.1162/tacl_a_00416, https://aclanthology.org/2021.tacl-1.66/
4. Adnew, S., Liang, P.P.: Semantically corrected Amharic automatic speech recognition. In: Girma Debelee, T., Ibenthal, A. (eds.) Pan-African Conference on Artificial Intelligence. pp. 324–340. Communications in Computer and Information Science, Springer, Cham (2025). https://doi.org/10.1007/978-3-032-05063-2_15
5. Alabi, J.O., Adelani, D.I., Mosbach, M., Klakow, D.: Adapting pre-trained language models to African languages via multilingual adaptive fine-tuning. In: Proceedings of the 29th International Conference on Computational Linguistics (COLING 2022) (2022), https://arxiv.org/abs/2204.06487, arXiv:2204.06487

6. Assfaw, T.T., Abebe, T., Yalew, B., Belay, T.D.: Dialect-based noisy speech dataset, preprocessing tools, and recognition models for Amharic. In: 2022 International Conference on Information and Communication Technology for Development for Africa (ICT4DA). pp. 90–95. IEEE, Bahir Dar, Ethiopia (2022). https://doi.org/10.1109/ICT4DA56482.2022.9971434
7. Azime, I.A., Mohammed, N.: An Amharic news text classification dataset (2021), https://arxiv.org/abs/2103.05639
8. Azime, I.A., Tonja, A.L., Belay, T.D., Chanie, Y., Balcha, B.F., Abadi, N.H., Ademtew, H.B., Nerea, M.A., Yadeta, D.D., Geremew, D.D., Tesfau, A.A., Slusallek, P., Solorio, T., Klakow, D.: ProverbEval: Exploring LLM evaluation challenges for low-resource language understanding. In: Findings of the Association for Computational Linguistics: NAACL 2025. pp. 6250–6266. Association for Computational Linguistics, Albuquerque, New Mexico (2025). https://doi.org/10.18653/v1/2025.findings-naacl.350, https://aclanthology.org/2025.findings-naacl.350/
9. Azime, I.A., Tonja, A.L., Belay, T.D., Fuge, M.Y., Wassie, A.K., Jada, E.S., Chanie, Y., Sewunetie, W.T., Yimam, S.M.: Walia-LLM: Enhancing Amharic-LLaMA by integrating task-specific and generative datasets. In: Findings of the Association for Computational Linguistics: EMNLP 2024. pp. 432–444. Association for Computational Linguistics, Miami, Florida, USA (Nov 2024). https://doi.org/10.18653/v1/2024.findings-emnlp.25, https://aclanthology.org/2024.findings-emnlp.25/
10. Belay, T.D., Gete, D.K., Ayele, A.A., Kolesnikova, O., Ameer, I., Sidorov, G., Yimam, S.M.: Enhancing multi-label emotion analysis and corresponding intensities for Ethiopian languages. In: Piperidis, S., Bel, N., van den Heuvel, H., Ide, N., Krek, S., Toral, A. (eds.) Proceedings of the Fifteenth Language Resources and Evaluation Conference. pp. 8056–8075. ELRA Language Resource Association, Palma de Mallorca, Spain (May 2026). https://doi.org/10.63317/4a4fd8aj2q2a, https://aclanthology.org/2026.lrec-1.639/
11. Berhane, S.K., Beyene, S.M., Teklit, Y.G., Ibrahim, I.A., Teklu, N.A., Bereketeab, S.A., Gaim, F.: Towards neural named entity recognition system in Tigrinya with large-scale dataset. Language Resources and Evaluation **59**(3), 3311–3339 (2025). https://doi.org/10.1007/s10579-025-09825-4
12. Beyene, E.G.: Handwritten and machine printed OCR for Geez numbers using artificial neural network (2019), https://arxiv.org/abs/1911.06845, presented at NeurIPS 2019 Workshop on Machine Learning for the Developing World
13. Blodgett, S.L., Barocas, S., Daumé III, H., Wallach, H.: Language (technology) is power: A critical survey of "bias" in NLP. In: Proceedings of the 58th Annual Meeting of the Association for Computational Linguistics. pp. 5454–5476 (2020). https://doi.org/10.18653/v1/2020.acl-main.485
14. Dione, C.M.B., Adelani, D.I., Nabende, P., Alabi, J., Sindane, T., Buzaaba, H., Muhammad, S.H., Emezue, C.C., Ogayo, P., Aremu, A., Gitau, C., Mbaye, D., Mukiibi, J., Sibanda, B., Dossou, B.F.P., Bukula, A., Mabuya, R., Tapo, A.A., Munkoh-Buabeng, E., Memdjokam Koagne, V., Ouoba Kabore, F., Taylor, A., Kalipe, G., Macucwa, T., Marivate, V., Gwadabe, T., Elvis, M.T., Onyenwe, I., Atindogbe, G., Adelani, T., Akinade, I., Samuel, O., Nahimana, M., Musabeyezu, T., Niyomutabazi, E., Chimhenga, E., Gotosa, K., Mizha, P., Agbolo, A., Traore, S., Uchechukwu, C., Yusuf, A., Abdullahi, M., Klakow, D.: MasakhaPOS: Part-of-speech tagging for typologically diverse African languages. In: Rogers, A., Boyd-Graber, J., Okazaki, N. (eds.) Proceedings of the 61st Annual Meeting of the Association for Computational Linguistics (Volume 1: Long Papers). pp. 10883–10900. Association for Computational Linguistics, Toronto, Canada (Jul 2023). https://doi.org/10.18653/v1/2023.acl-long.609, https://aclanthology.org/2023.acl-long.609/
15. Gaim, F., Park, J.C.: Natural language processing for Tigrinya: Current state and future directions (2025), https://arxiv.org/abs/2507.17974

16. Gaim, F., Song, H., Lee, H., Ko, C., Hwang, E.J., Park, J.C.: A multi-task benchmark for abusive language detection in low-resource settings. In: Advances in Neural Information Processing Systems 38 (NeurIPS 2025). pp. 179154–179182. Curran Associates, Inc., San Diego, California, USA (2025). https://doi.org/10.52202/085713-5387
17. Gaim, F., Yang, W., Park, J.C.: Monolingual pre-trained language models for Tigrinya. In: Proceedings of the Fifth Widening NLP Workshop (WiNLP 2021), co-located with EMNLP 2021 (2021), https://github.com/fgaim/Tigrinya-PLMs
18. Gaim, F., Yang, W., Park, J.C.: TLMD: Tigrinya language modeling dataset (2021). https://doi.org/10.5281/zenodo.5139094, https://zenodo.org/records/5139094
19. Gaim, F., Yang, W., Park, J.C.: GeezSwitch: Language identification in typologically related low-resourced East African languages. In: Calzolari, N., Béchet, F., Blache, P., Choukri, K., Cieri, C., Declerck, T., Goggi, S., Isahara, H., Maegaard, B., Mariani, J., Mazo, H., Odijk, J., Piperidis, S. (eds.) Proceedings of the Thirteenth Language Resources and Evaluation Conference. pp. 6578–6584. European Language Resources Association, Marseille, France (Jun 2022), https://aclanthology.org/2022.lrec-1.707/
20. Gashaw, I., Shashirekha, H.L.: Amharic-Arabic neural machine translation. In: 5th International Conference on Data Mining and Applications (DMAP 2019). Computer Science & Information Technology (CS & IT), vol. 9, pp. 55–68 (2019). https://doi.org/10.5121/csit.2019.91606
21. Gasser, M.: HornMorpho: A system for morphological processing of Amharic, Oromo, and Tigrinya. In: Conference on Human Language Technology for Development. pp. 94–99. Alexandria, Egypt (2011)
22. Gebremeskel, H.G., Chong, F., Heyan, H.: Design and development of morphological analyzer for Tigrigna verbs using hybrid approach. International Journal of Natural Language Computing (IJNLC) **12**(5) (2023). https://doi.org/10.5121/ijnlc.2023.12501, https://aircconline.com/abstract/ijnlc/v12n5/12523ijnlc01.html
23. Gereme, F., Zhu, W., Ayall, T., Alemu, D.: Combating fake news in "low-resource" languages: Amharic fake news detection accompanied by resource crafting. Information **12**(1), 20 (2021). https://doi.org/10.3390/info12010020, https://www.mdpi.com/2078-2489/12/1/20
24. Gete, D.K., Ahmed, B.Y., Belay, T.D., Ejigu, Y.A., Imam, S.H., Tessema, A.B., Adem, M.O., Belay, T.A., Geislinger, R., Musa, U.A., Semmann, M., Muhammad, S.H., Schreiber, H., Yimam, S.M.: Whispering in Amharic: Fine-tuning Whisper for low-resource language (2025), https://arxiv.org/abs/2503.18485
25. Gidey, G.G., Teklehaymanot, H.K., Atsbha, G.M.: Morphological synthesizer for Ge'ez language: Addressing morphological complexity and resource limitations. In: Mabuya, R., Matfunjwa, M., Setaka, M., van Zaanen, M. (eds.) Proceedings of the Fifth Workshop on Resources for African Indigenous Languages @ LREC-COLING 2024. pp. 94–106. ELRA and ICCL, Torino, Italia (May 2024), https://aclanthology.org/2024.rail-1.11/
26. Gondere, M.S., Schmidt-Thieme, L., Boltena, A.S., Jomaa, H.S.: Handwritten Amharic character recognition using a convolutional neural network. Archives of Data Science, Series A **6**(1), P09 (2020). https://doi.org/10.5445/KSP/1000098011/09
27. Jibril, E.C., Tantuğ, A.C.: ANEC: An Amharic named entity corpus and transformer based recognizer. IEEE Access **11**, 15799–15815 (2023). https://doi.org/10.1109/ACCESS.2023.3243468
28. Joshi, P., Santy, S., Budhiraja, A., Bali, K., Choudhury, M.: The state and fate of linguistic diversity and inclusion in the NLP world. In: Proceedings of the 58th Annual Meeting of the Association for Computational Linguistics. pp. 6282–6293 (2020). https://doi.org/10.18653/v1/2020.acl-main.560
29. Kapočiūtė-Dzikienė, J., Tesfagergish, S.G.: Part-of-speech tagging via deep neural networks for northern-Ethiopic languages. Information Technology and Control **49**(4), 482–494 (2020). https://doi.org/10.5755/j01.itc.49.4.26808

30. Kidane, L., Kumar, S., Tsvetkov, Y.: An exploration of data augmentation techniques for improving English to Tigrinya translation (2021), https://arxiv.org/abs/2103.16789
31. Liuzzo, P.: Ge'ez morphological parser application. Version 0.5, University of Hamburg Open Science (TraCES project) (May 2019). https://doi.org/10.25592/uhhfdm.125, https://www.fdr.uni-hamburg.de/record/125
32. Medhanie, Y.H., Ni, Y.: Adapting TrOCR for printed Tigrinya text recognition: Word-aware loss weighting for cross-script transfer learning (2026), https://arxiv.org/abs/2604.20813
33. Mekonnen, K.A., Alemneh, Y.W., de Rijke, M.: Optimized text embedding models and benchmarks for Amharic passage retrieval. In: Che, W., Nabende, J., Shutova, E., Pilehvar, M.T. (eds.) Findings of the Association for Computational Linguistics: ACL 2025. pp. 10428–10445. Association for Computational Linguistics, Vienna, Austria (Jul 2025). https://doi.org/10.18653/v1/2025.findings-acl.543, https://aclanthology.org/2025.findings-acl.543/
34. Mersha, A., Wu, S.: Morphology-rich alphasyllabary embeddings. In: Calzolari, N., Béchet, F., Blache, P., Choukri, K., Cieri, C., Declerck, T., Goggi, S., Isahara, H., Maegaard, B., Mariani, J., Mazo, H., Moreno, A., Odijk, J., Piperidis, S. (eds.) Proceedings of the Twelfth Language Resources and Evaluation Conference. pp. 2590–2595. European Language Resources Association, Marseille, France (May 2020), https://aclanthology.org/2020.lrec-1.315/
35. Miyagawa, S.: Current trends in digital corpora and manuscript archives of classical Ethiopic (Ge'ez). The Digital Orientalist (Apr 2026), https://digitalorientalist.com/2026/04/03/current-trends-in-digital-corpora-and-manuscript-archives-of-classical-ethiopic-geez/
36. Negashe, G., Mamuye, A.: Modified segmentation algorithm for recognition of older Geez scripts written on vellum (2020), https://arxiv.org/abs/2006.00465, africaNLP 2020 Workshop
37. Nigusie, G.: Suffix inflectional morphology generation for Amharic text. In: ICLR 2024 Workshop: AfricaNLP (2024), https://openreview.net/pdf?id=4JT3ntOlyU
38. Page, M.J., McKenzie, J.E., Bossuyt, P.M., Boutron, I., Hoffmann, T.C., Mulrow, C.D., Shamseer, L., Tetzlaff, J.M., Akl, E.A., Brennan, S.E., Chou, R., Glanville, J., Grimshaw, J.M., Hróbjartsson, A., Lalu, M.M., Li, T., Loder, E.W., Mayo-Wilson, E., McDonald, S., McGuinness, L.A., Stewart, L.A., Thomas, J., Tricco, A.C., Welch, V.A., Whiting, P., Moher, D.: The PRISMA 2020 statement: An updated guideline for reporting systematic reviews. BMJ **372**, n71 (2021). https://doi.org/10.1136/bmj.n71
39. Retta, E.A., Almekhlafi, E., Sutcliffe, R., Mhamed, M., Ali, H., Feng, J.: A new Amharic speech emotion dataset and classification benchmark. ACM Transactions on Asian and Low-Resource Language Information Processing **22**(1), 1–22 (2023). https://doi.org/10.1145/3529759, preprint: arXiv:2201.02710
40. Sewunetie, W., Tonja, A., Belay, T., Nigatu, H.H., Gebremeskel, G., Mossie, Z., Seid, H., Yimam, S.: Gender bias evaluation in machine translation for Amharic, Tigrigna, and Afaan Oromoo. In: Savoldi, B., Hackenbuchner, J., Bentivogli, L., Daems, J., Vanmassenhove, E., Bastings, J. (eds.) Proceedings of the 2nd International Workshop on Gender-Inclusive Translation Technologies. pp. 1–11. European Association for Machine Translation (EAMT), Sheffield, United Kingdom (Jun 2024), https://aclanthology.org/2024.gitt-1.1/
41. Seyoum, B.E., Miyao, Y., Mekonnen, B.Y.: Universal Dependencies for Amharic. In: Proceedings of the Eleventh International Conference on Language Resources and Evaluation (LREC 2018). European Language Resources Association (ELRA), Miyazaki, Japan (May 2018), https://aclanthology.org/L18-1350/
42. Tedla, Y., Yamamoto, K.: Morphological segmentation with LSTM neural networks for Tigrinya. International Journal on Natural Language Computing **7**(2), 29–44 (2018). https://doi.org/10.5121/ijnlc.2018.7203
43. Tedla, Y.K., Yamamoto, K., Marasinghe, A.: Tigrinya part-of-speech tagging with morphological patterns and the new Nagaoka Tigrinya corpus. International Journal of Computer Applications **146**(14), 33–41 (2016). https://doi.org/10.5120/ijca2016910943

44. Tegegne, W.: The development of written Afan Oromo and the appropriateness of Qubee, Latin script, for Afan Oromo writing. Historical Research Letter **8**, 8–14 (2016)
45. Teklehaymanot, H.K., Fazlija, D., Nejdl, W.: MoVoC: Morphology-aware subword construction for Ge'ez script languages. In: Christodoulopoulos, C., Chakraborty, T., Rose, C., Peng, V. (eds.) Findings of the Association for Computational Linguistics: EMNLP 2025. pp. 13131–13144. Association for Computational Linguistics, Suzhou, China (Nov 2025). https://doi.org/10.18653/v1/2025.findings-emnlp.706, https://aclanthology.org/2025.findings-emnlp.706/
46. Teklehaymanot, H.K., Fazlija, D., Nejdl, W.: LGSE: Lexically grounded subword embedding initialization for low-resource language adaptation. In: Piperidis, S., Bel, N., van den Heuvel, H., Ide, N., Krek, S., Toral, A. (eds.) Proceedings of the Fifteenth Language Resources and Evaluation Conference. pp. 10341–10352. ELRA Language Resource Association, Palma de Mallorca, Spain (May 2026). https://doi.org/10.63317/5i7acx7v348w, https://aclanthology.org/2026.lrec-1.812/
47. Teklehaymanot, H.K., Gidey, G., Nejdl, W.: Low-resource English–Tigrinya MT: Leveraging multilingual models, custom tokenizers, and clean evaluation benchmarks. In: 2025 3rd International Conference on Foundation and Large Language Models (FLLM). pp. 121–128. IEEE, Vienna, Austria (2025). https://doi.org/10.1109/FLLM67465.2025.11390974
48. Teklehaymanot, H.K., Nejdl, W.: Tokenization disparities as infrastructure bias: How subword systems create inequities in LLM access and efficiency. In: 2025 3rd International Conference on Foundation and Large Language Models (FLLM). pp. 822–828 (2025). https://doi.org/10.1109/FLLM67465.2025.11390956
49. Teklehaymanot, H.K., Yadeta, D.D., Nejdl, W.: Expanding the lexicon of Ge'ez based African languages: A comparative study of Amharic and Tigrinya (2026), https://arxiv.org/abs/2607.15209
50. Tonja, A.L., Azime, I.A., Belay, T.D., Yigezu, M.G., Mehamed, M.A., Ayele, A.A., Jibril, E.C., Woldeyohannis, M.M., Kolesnikova, O., Slusallek, P., Klakow, D., Xiong, S., Yimam, S.M.: EthioLLM: Multilingual large language models for Ethiopian languages with task evaluation. In: Proceedings of the 2024 Joint International Conference on Computational Linguistics, Language Resources and Evaluation (LREC-COLING 2024). pp. 6341–6352. ELRA and ICCL, Torino, Italia (2024). https://doi.org/10.63317/3xseji2kaeg2, https://aclanthology.org/2024.lrec-main.561/
51. Tonja, A.L., Belay, T.D., Azime, I.A., Ayele, A.A., Mehamed, M.A., Kolesnikova, O., Yimam, S.M.: Natural language processing in Ethiopian languages: Current state, challenges, and opportunities. In: Mabuya, R., Mthobela, D., Setaka, M., Van Zaanen, M. (eds.) Proceedings of the Fourth workshop on Resources for African Indigenous Languages (RAIL 2023). pp. 126–139. Association for Computational Linguistics, Dubrovnik, Croatia (May 2023). https://doi.org/10.18653/v1/2023.rail-1.14, https://aclanthology.org/2023.rail-1.14/
52. Wassie, A.K.: Machine translation for Ge'ez language (2023), https://arxiv.org/abs/2311.14530
53. Yeshambel, T., Mothe, J., Assabie, Y.: 2AIRTC: The Amharic adhoc information retrieval test collection. In: Experimental IR Meets Multilinguality, Multimodality, and Interaction. pp. 55–66. Lecture Notes in Computer Science, Springer International Publishing, Cham (2020). https://doi.org/10.1007/978-3-030-58219-7_5, https://link.springer.com/chapter/10.1007/978-3-030-58219-7_5
54. Yimam, S.M., Alemayehu, H.M., Ayele, A., Biemann, C.: Exploring Amharic sentiment analysis from social media texts: Building annotation tools and classification models. In: Scott, D., Bel, N., Zong, C. (eds.) Proceedings of the 28th International Conference on Computational Linguistics. pp. 1048–1060. International Committee on Computational Linguistics,

Barcelona, Spain (Online) (Dec 2020). https://doi.org/10.18653/v1/2020.coling-main.91, https://aclanthology.org/2020.coling-main.91/

55. Yimam, S.M., Ayele, A.A., Venkatesh, G., Gashaw, I., Biemann, C.: Introducing various semantic models for Amharic: Experimentation and evaluation with multiple tasks and datasets. Future Internet **13**(11), 275 (2021). https://doi.org/10.3390/fi13110275, https://doi.org/10.3390/fi13110275
56. Yimer, H.L., Degefa, H.D., Cristani, M., Cunico, F.: Learning based Ge'ez character handwritten recognition. In: 2024 IEEE International Multi-Conference on Smart Systems & Green Process (IMC-SSGP). pp. 1–5. IEEE, Djerba, Tunisia (2024). https://doi.org/10.1109/IMC-SSGP63352.2024.10919767
57. Yohannes, H.M., Amagasa, T.: Named-entity recognition for a low-resource language using pre-trained language model. In: Proceedings of the 37th ACM/SIGAPP Symposium on Applied Computing. pp. 837–844. SAC '22, ACM, Virtual Event (2022). https://doi.org/10.1145/3477314.3507066, https://doi.org/10.1145/3477314.3507066
58. Zenebe, B., Gizaw, S., Abgaz, Y.: Evaluation of gender bias in Amharic word embedding model. In: Natural Language Processing and Information Systems. pp. 172–182. Lecture Notes in Computer Science, Springer Nature Switzerland, Cham (2024). https://doi.org/10.1007/978-3-031-70242-6_17