Ethiopian
የኢትዮጵያ

Ethiopian
የኢትዮጵያ
THE NEW SPIRIT OF AFRICA

# API Documentation for Payment Integration With Enat Bank

flygate

Developer Guide

July 2025

# Payment API Documentation

## 1. Introduction

The Ethiopian Airlines Payment API provides a standardized REST interface for third-party banks and financial institutions to integrate with our ECOM service. This API supports refund processing, offering both JSON and XML formats for requests and responses. It ensures a seamless, secure transaction experience through authenticated access and robust data exchange protocols.

### Security

Banks and PSPs that access the API are subject to the security protections and user authentication that is provided by Ethiopian.

User Authentication is a combination of the following:

- ✓ Basic Authentication encoded with Base64 in transit over HTTPS. Any Third party uses the username: password provided specifically for this API. Please refer **http://tools.ietf.org/html/rfc2617** for Basic Authentication.

## 2. API Methods and Endpoints

### 2.1. Get Order (Retrieve Order Information)

This API retrieves the details of an order based on the provided `OrderId` and `shortCode`. It returns information such as the order amount, transaction status, status code response and other relevant data.

#### Request

| METHOD | URL: |
|---|---|
| GET | {{URL}}/Enat/api/V1.0/ Enat /GetOrder |

#### Request Parameters: (From: Enat)

| Params | Type | Required | Description | JSON |
|---|---|---|---|---|
| **Header** | String | Yes | Basic authentication | Authorization |
| **OrderId** | String | Yes | Order code (PNR) provided by the merchant (Ethiopian Airlines) to the customer | GET |
| **shortCode** | String | Yes | Specific unique Merchant code (for Ethiopian Airlines Ticket or other services) configured by FlyGate (ET) | GET |

## Response Parameters: (From: ET / FlyGate)

| Parameter | Type | Required | Description |
|---|---|---|---|
| Amount | Double | Yes | The Order Amount |
| Currency | String | Yes | Currency |
| Status | Int | Yes | API Status response |
| TraceNumber | String | Yes | Unique ET Gateway transaction no |
| OrderId | String | Yes | Unique Order Code provided by the merchant (Ethiopian Airlines) to the customer |
| ExpireDate | DateTime | Yes | The expiration date and time of the payment |
| **statusCodeResponse** | Int | Yes | **Pending = 1,** |
| | | | Expired = 2, |
| | | | AlreadyPaid = 3, |
| | | | OrderNotFound = 4, |
| | | | Error = 5, |
| | | | SuccessfullyPaid = 6 |
| statusCodeResponse Description | String | Yes | Description for the status code response |
| customerName | String | Yes | Name of the customer |
| merchantId | Long | Yes | Unique merchant Identification Number |
| merchantCode | String | Yes | Unique merchant Code |
| merchantName | String | Yes | Name of the merchant |

## Sample Response


```
{
    "amount": 100.00,
    "currency": "ETB",
    "traceNumber": "EM257396E91",
    "statusCodeResponse": 1,
    "statusCodeResponseDescription": "Pending Order",
    "orderId": "TEATST",
    "expireDate": "JUN 04, 2025 20:23",
    "customerName": "Abebe Kebede",
    "merchantId": 29,
    "merchantCode": "EM",
    "merchantName": "Ethiopian Mobile App",
    "message": "Operation successfully completed",
    "status": 1,
}
```

## 2.2. Confirm Order (Confirm Payment)

This API confirms the payment of an order and updates the transaction status. After the bank processes the payment, a confirmation request must be sent using this confirmation API.

### Endpoint:

| METHOD | URL |
|---|---|
| POST | {{URL}}/Enat/api/V1.0/Enat/ConfirmOrder |

### Request Parameters:

| Parameter | Type | Required | Description |
|---|---|---|---|
| Header | String | Yes | Basic authentication header |
| OrderId | String | Yes | Order code provided by the merchant to the customer |
| **shortCode** | String | Yes | Specific unique Merchant code provided by FlyGate (ET) |
| Amount | Double | Yes | Paid Amount |
| Currency | String | Yes | Currency in three-digit code (e.g., "ETB") |
| **Status** | Int | Yes | Payment status: 1=Success, 0=Error |
| **Remark** | String | Yes | Additional response remarks for success or failure |
| TraceNumber | String | Yes | Unique Ethiopian Gateway transaction number |
| **ReferenceNumber** | String | Yes | Unique bank payment approval reference number |
| **PaidAccountNumber** | String | Yes | Customer Bank account number used for payment |
| **PayerCustomerName** | String | Yes | Name of the customer who made the payment |

Sample Bank Payment Confirmation Request

```
{
  "orderId": "TEATST",
  "amount": 100.00,
  "currency": "ETB",
  "status": 1,
  "remark": "Successfully Paid",
  "shortCode":"562341",
  "traceNumber": "EM257396E91",
  "ReferenceNumber": "FT12345678",
  "PayerCustomerName ": "Abebe Kebede"
  "PaidAccountNumber": "1000*****1425"

}
```

## Response Parameters

| Parameter | Type | Required | Description |
|---|---|---|---|
| Amount | Double | Yes | Order Amount |
| Status | Int | Yes | API status response (success or error) |
| TraceNumber | String | Yes | Unique Ethiopian Gateway transaction number |
| OrderId | String | Yes | Unique Order Code provided by the merchant to the customer |
| ExpireDate | Datetime | Yes | The expiration date and time of the payment |
| **statusCodeResponse** | Int | Yes | Pending = 1,<br>Expired = 2,<br>AlreadyPaid = 3,<br>OrderNotFound = 4,<br>Error = 5,<br>SuccessfullyPaid = 6 |
| **statusCodeResponse Description** | String | Yes | Description for the status code response |
| **ReferenceNumber** | String | Yes | Unique bank payment approval reference number |
| customerName | String | Yes | Name of the customer |
| merchantId | Long | Yes | Unique merchant identification number |
| merchantCode | String | Yes | Unique merchant Code |
| merchantName | String | Yes | The name of the merchant |
| **PaidAccountNumber** | String | Yes | Customer's Bank account number used for payment |
| **PayerCustomerName** | String | Yes | Name of the customer who made the payment |

### Sample Payment Confirmation Response:


```
{
    "amount": 100.00,
    "traceNumber": "EM257396E91",
    "statusCodeResponse": 6,
    "statusCodeResponseDescription": "Successfully Paid",
    "orderId": "TEATST",
    "expireDate": " JUN 04, 2025 20:23”,
    "customerName": "Abebe Kebede",
    "ReferenceNumber": "FT12345678",
    "merchantId": 29,
    "merchantCode": "EM",
    "merchantName": "Ethiopian Mobile App",
    "PaidAccountNumber": "1000*****1425",
    "message": "Successfully Paid",
    "status": 1,
}
```

# 3. Environments

The API is available in both CERT and PROD environments:

- **CERT Environment (Testing) :**
  - Private VPN URL: **http://flygateapitestvpn.azurewebsites.net/**
  - Public URL : **https://ethiopiangatewaytest.azurewebsites.net/**

- **PROD Environment (Production):**
  - Private VPN URL: ***to be advised soon***

# 4. Short Code

For integration, communication, merchant identification, and account mapping, each message within API requests and responses includes Merchant ID and Short Code. These identifiers enable streamlined technical communication and precise mapping of transactions.

The tables below outline the designated **Short Codes** and Merchant IDs for both Test and Production environments. On this integration, the below short codes are specific to Ethiopian Airlines Passenger Ticketing service.

## 4.1. Test Environment: Short Code and Merchant ID

| No | Merchant Name | Merchant ID | Short Code |
|---|---|---|---|
| 1 | Ethiopian Airlines Passenger Ticketing | EM | **562341** |

## 4.2. Production Environment: Short Code and Merchant ID

| No | Merchant Name | Merchant ID | Short Code |
|---|---|---|---|
| 1 | Ethiopian Airlines Passenger Ticketing | EM | **586828** |