Financial metrics

Every metric on the Lightyear dashboard and in the Excel workbook: where it is, the formula, and how to read it.

> **How this is arranged.** The sections follow the dashboard from top to bottom, one section per card, with the card's own name. Under each heading two lines say where to find it: the dashboard card, and the workbook sheet. **Part 1** is the Results tab, **Part 2** the Gate B tab, and **Part 3** lists every workbook sheet.
>
> In the workbook, a **formula** means Excel calculates the figure itself; a **pasted value** means Python calculated it and the workbook only shows it. There are no run results or examples here.

Notation used in every formula

Symbol	Meaning
r, b	One day's return on the strategy and on the benchmark, the NIFTY 500 price index.
m	One calendar month's return, compounded from the daily returns. Used in 1.3.
Rf (5%)	The risk-free rate in every Sharpe and Sortino. One config setting. A yardstick, not income.
c	The card's cash rate: what idle cash earns in the backtest. Beta and the factor regression subtract it. Not the risk-free rate.
V_t	Portfolio value on day t.
mean, stdev	Average and sample standard deviation (divides by n − 1). **Pop stdev** divides by n; 1.3 uses it.
√252, √12	Annualise daily and monthly volatility. 252 is the assumed trading days a year.
years	Calendar days ÷ 365.25. In 1.3, months ÷ 12.

Contents

Part 1. The Results tab, top to bottom **2**
- 1.1 Strategy vs benchmark: the five tiles 2
- 1.2 Core performance (daily) 2
- 1.3 SE Return Analytics (monthly) 3
- 1.4 The charts 6
- 1.5 Appendix: the simpler alternatives 7
- 1.6 Returns & risk 7
- 1.7 Costs & execution 7
- 1.8 Statistical robustness 8
- 1.9 Diagnostics 9
- 1.10 Other 10

Part 2. The Gate B tab **11**
- 2.1 Hard blocks 11
- 2.2 Evidence scorecard 11

Part 3. The workbook, sheet by sheet **12**

Part 1. The Results tab, top to bottom

1.1 Strategy vs benchmark: the five tiles

> **Dashboard:** Results tab, card "Strategy vs benchmark".
> **Excel:** sheet "Summary", cells B11 to B15, formulas.

CAGR: the steady yearly growth rate from start to finish

$$\text{CAGR} = \left(\frac{V_{\text{end}}}{V_{\text{start}}}\right)^{\frac{1}{\text{years}}} - 1$$

Volatility: how much returns swing in a year. Lower is a smoother ride

$$\text{Vol} = \text{stdev}\left(r_{\text{daily}}\right) \times \sqrt{252}$$

Sharpe (risk-free rate 5%): return above the risk-free rate, per unit of risk. Higher is better

$$\text{Sharpe} = \frac{\text{CAGR} - 5\%}{\text{Vol}}$$

Worst fall from peak (maximum drawdown): the biggest loss from a high to a later low

$$\text{Max drawdown} = \max_{t}\left(1 - \frac{V_t}{\max_{s \le t} V_s}\right)$$

100 became: what 100 grew into, after every daily return

$$\text{Final} = 100 \times \prod_{t}\left(1 + r_t\right)$$

1.2 Core performance (daily)

> **Dashboard:** Results tab, card "Core performance (daily)": the table, then the lines of text under it.
> **Excel:** sheet "Core metrics", formulas over the "Returns" sheet. Sortino and Calmar are also in "Summary" B16 and B17. Turnover and the after-publication figures are pasted values.

The table's first rows, CAGR, volatility, Sharpe and maximum drawdown, are the formulas in 1.1.

Metric	Formula	How to read it
Sortino (risk-free rate 5%)	(CAGR − 5%) ÷ DD, where DD = √mean(min(r − Rf per day, 0)²) × √252	Like the Sharpe, but only falls below the risk-free rate count as risk.
Calmar	CAGR ÷ maximum drawdown	Return per unit of worst fall.
Drawdown duration	Longest run of trading days below a previous high	How long the longest wait to recover took.
95% CVaR (daily loss)	−mean of the daily returns at or below their 5th percentile	The average bad day, as a positive number.
Skew	Sample skew of daily returns	Negative means big falls are more common than big rises.

Metric	Formula	How to read it
CAGR without the 10 best days	Remove the 10 best days, then compound; years run from the first return date	Whether a handful of days made the result.
Beta	Cov(r − c, b − c) ÷ Var(b − c)	1.0 moves in line with the index. Below 1 is less sensitive.
Tracking error	stdev(r − b) × √252	How far it strays from the index.
Information ratio	mean(r − b) × 252 ÷ tracking error	Return over the index per unit of straying. Higher is better.
Up / down capture (monthly)	mean monthly return ÷ the benchmark's, in months the benchmark rose / fell	Above 1 up and below 1 down is the good shape.
Rolling one-year periods behind	Share of 252-day windows with compounded return below the index's	How often an investor would have been trailing.
Two-way turnover a year ***(text under the table)***	Σ |weight after − weight before| over every trade, ÷ years	1.0 means trading the whole portfolio's value once a year.
After publication ***(text under the table)***	CAGR, benchmark CAGR, their gap (edge), arithmetic Sharpe and maximum drawdown, on the days from the paper's publication date	Whether the result held once the idea was public. A date given only as a year is read as 31 December.
Capacity per Rs 1 crore ***(text under the table; dashboard only)***	For each trade: (its share of capital × Rs 1 crore) ÷ the stock's 20-day average traded value. The 95th percentile P is shown, and the capital at which it reaches the limit: 10% ÷ P	Information only. No fund size is assumed, and the limit is a placeholder.
Sharpe by calendar year, arithmetic ***(text under the table; dashboard only)***	mean(r − Rf per day) ÷ stdev(r − Rf per day) × √252, on that year's days	The yearly form of the Sharpe. It is labelled arithmetic wherever it appears.

1.3 SE Return Analytics (monthly)

> **Dashboard:** Results tab, card "SE Return Analytics (monthly)", the six small tables in this order, then the period tables and the beta table.
> **Excel:** sheet "SE Return Analytics", column K, rows 5 to 57, in the same order, all formulas. Monthly returns are in columns C and D. The sheet "Python vs Excel" checks each one.

A separate block, on monthly returns. Every figure uses calendar-month returns m, the population standard deviation, and three inputs: risk-free rate 5%, Omega threshold 1% a month, drawdown limit 0%. Do not compare a figure here with a daily figure of the same name in 1.2. Python (ros/metrics/se.py) and Excel calculate each metric separately, and the "Python vs Excel" sheet marks each OK or FAIL at 1e-9.

Performance

Metric	Formula	How to read it
Total Return	∏(1 + m) − 1	What 1 became over the whole window.
CAGR	$(1 + \text{Total Return})^{12 \div \text{months}} - 1$	Twelve months count as a year, whatever the calendar days.

Metric	Formula	How to read it
Avg Month Ret	mean(m)	A typical month.
Positive Months	count of months with m > 0	
Negative Months	count of months with m ≤ 0	A flat month counts as negative.
Max Month Ret	max(m)	
Min Month Ret	min(m)	
Best Month Contri	Max Month Ret ÷ Total Return	How much of the whole gain one month is worth.
Worst Month Contri	Min Month Ret ÷ Total Return	

Risk Parameters

Metric	Formula	How to read it
Annualized Volatility	pop stdev(m) × √12	Lower is smoother. Population stdev, on months.
Positive Monthly Vol	pop stdev of the months with m ≥ 0	Bumpiness of the winning months. Not annualised.
Negative Monthly Vol	pop stdev of the months with m ≤ 0	Bumpiness of the losing months. Not annualised.
Max Drawdown	min over months of (W ÷ highest W so far − 1), where W = running ∏(1 + m)	A negative number. **The peak starts at the first month's own value, so a loss in the first month is not counted.**
Average Annual Max Drawdown	mean of the Max Calendar Year Drawdown rows	A typical year's worst fall. The same first-month rule applies inside each year, and part-years are included.
Sharpe Ratio	(CAGR − Rf) ÷ Annualized Volatility	Return above the risk-free rate per unit of risk.
Treynor Ratio	(CAGR − Rf) ÷ Beta	Return above the risk-free rate per unit of market risk.
Sortino Ratio	(CAGR − Rf) ÷ (Negative Monthly Vol × √12)	**Differs from the textbook:** the divisor is the spread of the losing months, not a downside deviation below a target.
Calmar Ratio	CAGR ÷ |Max Drawdown|	Return per unit of worst fall.
Sterling Ratio	CAGR ÷ (|Average Annual Max Drawdown| − drawdown limit)	**Differs from the textbook:** the usual 10-point adjustment is replaced by the drawdown limit, which is 0.
Omega Ratio	Σ(m − T) over months with m > T ÷ |Σ(m − T) over months with m < T|, T the monthly threshold	Above 1 means gains over the threshold outweigh shortfalls.
Gain to Pain ratio	Σ of months with m ≥ 0 ÷ |Σ of months with m < 0|	Winning months against losing months.
Tail Ratio	|95th percentile of m| ÷ |5th percentile of m|	Above 1 means big wins are larger than big losses.

Performance Vs Index

Metric	Formula	How to read it
Beta	slope of m on the benchmark's monthly returns	1.0 moves in line with the index.
Alpha	CAGR − $CAGR_{benchmark}$	Points a year ahead of the index.
Jensens Alpha (Adj Beta)	CAGR − $CAGR_{benchmark}$ × Beta	**Differs from its label:** no risk-free rate and no adjusted beta are used.
Positive Monthly Alpha	count of months with m > b	Months ahead of the index.
Negative Monthly Alpha	count of months with m < b	Months behind it.
Tracking Error	pop stdev(m − b) × √12	How far it strays from the index.
Information Ratio	Alpha ÷ Tracking Error	The CAGR gap, not the mean monthly gap, over tracking error.
Hit Rate	Positive Monthly Alpha ÷ (Positive + Negative Monthly Alpha)	Share of months ahead; ties are left out.
Max Monthly Alpha	max(m − b)	
Min Monthly Alpha	min(m − b)	

Capture Ratio

Metric	Formula	How to read it
Ret +Ve	mean(m) in months with b ≥ 0	What it earned in the index's up months.
Ret -Ve	mean(m) in months with b < 0	What it lost in the index's down months.
Upside Capture	Ret +Ve ÷ the benchmark's Ret +Ve	Above 1 rises more than the index.
Downside Capture	Ret −Ve ÷ the benchmark's Ret −Ve	Below 1 falls less than the index.
Capture Ratio	Upside Capture ÷ Downside Capture	Above 1 gains more than it gives back.

Extreme Capture Ratio

Metric	Formula	How to read it
Ex. Ret +Ve	mean(m) in months with b ≥ 5%	The index's strongest months.
Ex. Ret -Ve	mean(m) in months with b < −5%	The index's worst months.
Ex. Upside Capture	Ex. Ret +Ve ÷ the benchmark's	
Ex. Downside Capture	Ex. Ret −Ve ÷ the benchmark's	
Extreme Capture Ratio	Ex. Upside Capture ÷ Ex. Downside Capture	Whether it holds up when the market moves hardest.

Tail Risk

Metric	Formula	How to read it
Skewness	sample skew of m	Negative means big falls are more common than big rises.

Metric	Formula	How to read it
Kurtosis	sample excess kurtosis of m	A bell curve scores 0. Positive means fat tails.
95% VaR	5th percentile of m	A negative return, not a positive loss.
99% VaR	1st percentile of m	A negative return.
95% CVaR	mean of the months with m ≤ 95% VaR	The average month once you are in that tail.
99% CVaR	mean of the months with m ≤ 99% VaR	

Period tables

Metric	Formula	How to read it
Quarterly return *(Excel only)*	∏(1 + m) over the calendar quarter − 1	A quarter with fewer than three months is a part-period.
Financial Year Performance	∏(1 + m) from April to March − 1	* marks the first year, ** a last part-year.
Calendar Year Performance	∏(1 + m) from January to December − 1	Same marks.
Max Calendar Year Drawdown	The Max Drawdown formula on that year's months alone	**A loss in the year's first month is not counted**, because the peak starts at that month's own value.

Beta in different markets (daily; dashboard only)

Metric	Formula	How to read it
Up-market / down-market beta	Beta using only days the index rose / fell	Ideally high in rises and low in falls. The two do not average to the overall beta.
Index filter open / shut	Beta using only days the card's index filter was open / shut. The filter's state on a day is read at the previous session's close	Shown when the card has an index filter. A low beta when shut is the filter holding cash.

1.4 The charts

> **Dashboard:** Results tab, one card per chart, under the positives and negatives.
> **Excel:** sheet "Returns": value in columns D and E, drawdown in F and G, formulas. Sheets "Calendar-year returns" and "Monthly returns".

Chart	Calculation	How to read it
Growth of 100	100 × running product of (1 + r)	Above the benchmark's line means ahead of it on that day.
Drawdown	V_t ÷ highest V so far − 1	0% is a new high. Deeper dips are bigger losses.
Rolling 3-month volatility	stdev of the last 63 daily returns × √252	How bumpy the last three months were. Dashboard only.
Calendar-year return	Product of (1 + r) within the year − 1	First and last years may be part-years.

Chart	Calculation	How to read it
Strategy monthly returns	Product of (1 + r) within the month − 1	Green months gained, red months lost.

1.5 Appendix: the simpler alternatives

> **Dashboard:** Results tab, card "Appendix: the simpler alternatives it had to beat".
> **Excel:** sheet "Comparators": daily returns from column H, the metrics table is formulas. Sheet "Performance" holds the same figures as pasted values.

For each alternative (for example the equal-weight basket) the card shows CAGR, volatility, Sharpe and worst fall. They are the formulas in 1.1 on that alternative's daily returns over the same days.

Sections 1.6 to 1.10 are the five cards of rows written by each run's own script. **Rows tied to a strategy's rules appear only for that strategy**, so another run can show a different list.

1.6 Returns & risk

> **Dashboard:** Results tab, card "Returns & risk".
> **Excel:** sheet "Validation", pasted values (blue), in the same order.

Metric	Formula	How to read it
CAGR, volatility, Sharpe, max drawdown: strategy, index, alternatives	The formulas in 1.1	The same headline figures, listed for each series.
Edge over the index	$CAGR_{strategy} - CAGR_{benchmark}$	Points a year ahead of the index.
Drawdown in the latest index correction	Each series' fall over the index's latest fall deeper than 10%	How it behaved in the most recent real test.
Beta; information ratio	As in 1.2	
Calendar-year return, a named year	Product of (1 + r) within that year − 1	A year the run's notes single out.
Deflated Sharpe, at V = 1 and at V from the variants	$P(skill) = \Phi[(SR - SR_0) \times \sqrt{(n-1)} \div \sqrt{(1 - S \cdot SR + (K-1) \div 4 \times SR^2)}]$, with the luck bar $SR_0 = \sqrt{V} \times [(1-\gamma)\,\Phi^{-1}(1 - 1 \div N) + \gamma\,\Phi^{-1}(1 - 1 \div (N\,e))]$. SR is the arithmetic Sharpe per day, n the days, S and K skew and kurtosis, N the versions tried, V the variance of their Sharpes	The chance the Sharpe is skill, after allowing for N versions tried. Very sensitive to V, so two answers are shown. It is outside Gate B.

1.7 Costs & execution

> **Dashboard:** Results tab, card "Costs & execution".
> **Excel:** sheet "Validation", pasted values (blue), in the same order. The sweep itself is on the sheet "Appendix cost sweep".

Metric	Formula	How to read it
Two-way turnover a year	As in 1.2	
Breakeven round-trip cost	The cost at which CAGR equals the benchmark's, read between two points of the cost sweep	How much trading cost the edge can absorb. Blank if beyond the sweep.

Metric	Formula	How to read it
Edge at a high cost	CAGR re-simulated at that round-trip cost − $CAGR_{benchmark}$	What survives expensive trading.
Fills over the run	Count of trades: buys, sells and resizes	How busy the book is.
Names held per rebalance, mean	mean(stocks held per rebalance)	Too few means the result rests on few companies.
Largest single weight	max(single weight at any rebalance)	Concentration risk.
Different stocks held	Count of distinct names	Higher means more breadth.
Top-2 stocks' share of gains	Gains of the two best names ÷ gains of all winners	High means a couple of stocks made the result.
Mean / maximum cash share	mean / max(cash ÷ NAV)	How invested the book really was.
Median holding period	Median calendar days, entry to exit	How long a position typically lasts.
Small-cap share	mean(NAV share in Smallcap 250 names)	How much of the result is a small-cap bet.

1.8 Statistical robustness

> **Dashboard:** Results tab, card "Statistical robustness".
> **Excel:** sheet "Validation", pasted values (blue), in the same order. Sheets "Sensitivities", "Cash-rate sweep", "Sub-period stability" and "Sub-period CAGR" hold the tables behind them.

Every Sharpe in this card is arithmetic: mean(r − Rf per day) ÷ stdev(r − Rf per day) × √252.

Metric	Formula	How to read it
Sharpe (arithmetic)	mean(r − Rf per day) ÷ stdev(r − Rf per day) × √252	The form the statistical tests use.
Bootstrap Sharpe 95% low / high	2.5th and 97.5th percentile of the Sharpe across 2,000 re-shuffled histories (stationary bootstrap, blocks of days)	A range that includes low values means the Sharpe is uncertain.
Paired P(no Sharpe edge), each comparator	Share of re-shuffled histories where strategy Sharpe − comparator Sharpe ≤ 0, both cut at the same days	Small means the edge is hard to explain by chance.
Paired P with a 5-day / 63-day block	The same P with the average block length fixed	A check that the answer does not hang on the block length.
Paired Sharpe difference, 95% interval low	2.5th percentile of the Sharpe difference across the histories	Below 0 means no edge is within the range.
Factor alpha a year	Regress r − c on the factor indices' returns − c; α is the intercept. Shown as $(1 + \alpha)^{252} - 1$	Return left after known factors.
Alpha HAC t-stat; p-value	α ÷ its HAC (Newey-West) standard error; p is the two-sided probability of that t	How sure we are alpha is not zero.
Factor alpha over the risk-free rate	The same regression with returns above Rf instead of c	Shown beside the main figure.

Metric	Formula	How to read it
Loading on a factor	β_k in the factor regression	How much of that factor it behaves like.
Factor R-squared	Share of variance the factors explain	High means mostly known factors.
Alpha with a factor left out; on a variant	The same regression with one factor removed, or on a variant book	Shows how much one factor or rule was accounting for.
Worst sub-period excess CAGR	The smallest $CAGR_{strategy} - CAGR_{benchmark}$ across the windows	Whether the result depends on one stretch.
Last window: CAGR, Sharpe	CAGR and arithmetic Sharpe on the last window's days	How it did most recently.
CAGR after one rule change	Re-simulate with one rule changed	A real effect keeps its sign when a rule moves.
CAGR / edge from a later start	Re-simulate from that start date	Tests the years with the weakest data.
CAGR with cash at another rate	Re-simulate with idle cash earning that rate	How much the cash rate contributes.
Deflated Sharpe: selection threshold	The luck bar SR_0 in 1.6, as a yearly Sharpe	The Sharpe luck alone could reach after N versions.

1.9 Diagnostics

> **Dashboard:** Results tab, card "Diagnostics (specific to this strategy's rules)".
> **Excel:** sheet "Validation", pasted values (blue), in the same order. Sheets "Rebalance log", "Exits by reason" and "Exits (every sell)" hold the detail.

Metric	Formula	How to read it
Rebalances with few names	Count with fewer than 5 names, overall and while buying was open	Separates a filter holding cash from a universe running dry.
Signals with buying shut; share	Count of signals with the index filter closed; ÷ all signals	How often the market filter stopped new buys.
Signals fully in cash; with few eligible names	Counts of signals	How often filters left nothing or little to buy.
Eligible names, mean per signal	mean(names passing every filter)	How wide the choice was.
Names removed by a rule	mean(top-band names rejected per signal)	How hard a filter bites.
Names bought and cash share at the first fill	Count of positions opened on day one; cash ÷ NAV after it	How the book starts.
Resize fills	Count of trades that only resized a position	How much trading is upkeep.
Rebalances with a weight above 25%	Count	Concentration risk.
Exits by rule; their mean return	Count of sells forced by each rule; mean return since entry	Whether a rule mostly cuts losers or winners.

Metric	Formula	How to read it
Sells on leaving the index; their mean return	Count; mean return since entry	What index exits cost or earned.
Buys / sells on big-move days	Count of trades after a close up or down more than 9.5%	Proxy for trading at a price band, where a real fill may fail.
Suspensions and delistings sat through	Count of held names with no price	How often the missing-price rule was used.

1.10 Other

> **Dashboard:** Results tab, card "Other".
> **Excel:** sheet "Validation", pasted values (blue), in the same order. Sheets "Checks" and "Universe coverage" hold the detail.

Row	What it counts
Checks passed	Look-ahead and accounting checks that passed, out of those run.
Signals; trading days; last signal and fill; run end date	How many decisions and days the run covers, and where it stops.
Universe source; members; members priced; never priced	Which index list was used, and how many members could actually be traded.
Price moves that coincide with an adjustment change	Whether a price rule is tripped by splits and bonuses rather than real shocks.
Trials for the deflated Sharpe	N in 1.6: versions from the paper, earlier runs and studies, plus this run's sensitivities.
Previous run rows	The same metrics copied from the earlier run, for comparison.

Part 2. The Gate B tab

> **Dashboard:** Gate B tab, card "Gate B: investment decision" (gate version v3): the tables "Hard blocks" and "Evidence scorecard".
> **Excel:** sheet "Gate B", pasted results. The status is repeated on "Summary".

Hard blocks decide the status, PASS or FAIL. Scorecard rows are green, amber or red and do not block. A test with nothing to run on shows as not run, which is not a pass. Every Sharpe here is arithmetic, over the risk-free rate of 5%.

2.1 Hard blocks

Test	What is calculated	Pass mark	Kind
Implementable within the fund's mandate	The largest cash share, the largest single weight and the lowest weight actually held, against the fund's limits	No breach	Hard block
Data integrity	Every check the run wrote passed; no card rule broken; coverage = Σ(priced members × sessions) ÷ Σ(all members × sessions)	All pass; coverage ≥ 90%	Hard block
Edge over the benchmark	$CAGR_{strategy} - CAGR_{benchmark}$, at the cost on the card	> 0	Hard block
Paired bootstrap	P = share of 2,000 re-shuffled histories where $Sharpe_{strategy} - Sharpe_{benchmark} \le 0$. Block length chosen from the data; seed 7	P ≤ 0.1	Hard block

2.2 Evidence scorecard

Test	What is calculated	Pass mark	Kind
Sub-period stability	$Sharpe_{strategy} - Sharpe_{benchmark}$ in each of 4 equal windows; the value shown is the worst gap	Green: ≥ 50% of windows ahead and none below -1.0. Amber: worst ≥ -1.5	Scorecard
Factor alpha, one-sided	Regress r − c on 7 factor indices' returns − c. t = α ÷ its HAC standard error, with lags = $\lceil 4\ (n \div 100)^{2/9} \rceil$	Green: α > 0 and t ≥ 2.0. Amber: t ≥ 1.0	Scorecard
Performance after publication	$CAGR_{strategy} - CAGR_{benchmark}$ from the paper's publication date; needs 252 trading days	Green: > 0%. Amber: > -2%	Scorecard

The same tab also shows the older v1 checklist, folded shut, for comparison. "Evidence supports" is Claude's written read, not a calculation, and the decision stays PENDING until a named person records it.

Part 3. The workbook, sheet by sheet

Downloaded from the Results tab with the Download Excel button. Sheets from "Performance" down exist only when the run wrote that table, so the list can differ by run.

Sheet	What is in it	Formula or pasted	In this document
Summary	The headline figures, Sortino, Calmar, and the Gate B status	Formulas (B7 to B17); Gate B status pasted	1.1, 1.2
Returns	Daily returns, value of 100 and drawdown for the strategy and the benchmark	Returns pasted; value and drawdown formulas	1.4
Monthly returns	Month-by-month returns, strategy and benchmark	Formulas	1.4
Core metrics	The Core performance table	Formulas; turnover and after-publication pasted	1.2
SE Return Analytics	The monthly block and its period tables	Formulas	1.3
Python vs Excel	Each Python value beside the cell Excel calculates, marked OK or FAIL	Formulas	1.3
Gate B	The Gate B rows and results	Pasted	Part 2
Comparators	The simpler alternatives: daily returns and their metrics	Returns pasted; metrics formulas	1.5
Validation	Every row of the five cards in 1.6 to 1.10, and the run's assumptions	Pasted	1.6 to 1.10
Positives & negatives	The written positives, negatives and red flags	Text	Not metrics
Holdings, Rebalances, Trades	Every position, a count and gross exposure per rebalance, every trade	Pasted; counts and changes are formulas	Positions tab
Why these N (N = names held)	Each rebalance explained: bought, kept, sold, skipped	Pasted	Not metrics
Performance	Headline figures for the strategy and each alternative	Pasted	1.5, 1.6
Appendix cost sweep; Cash-rate sweep; Sensitivities	CAGR re-simulated at other costs, cash rates and rule settings	Pasted	1.7, 1.8
Calendar-year returns	Return for each calendar year	Pasted	1.4
Sub-period stability; Sub-period CAGR	The windows behind the sub-period rows	Pasted	1.8, 2.2
Rebalance log; Exits by reason; Exits (every sell)	The detail behind the diagnostics	Pasted	1.9
Worst days; Contributors; Cap mix by year; Gap events	The five worst days, profit by name, size mix, large price moves	Pasted	Detail tables

Sheet	What is in it	Formula or pasted	In this document
Checks; Universe coverage; Missing prices	The checks, members priced per year, names held with no price	Pasted	1.10, 2.1
Notes	Assumptions and caveats	Text	Not metrics

Sources: ros/metrics/core.py, ros/metrics/se.py, lightyear/charts.py, lightyear/gate_run.py, lightyear/workbook.py, lightyear/se_sheet.py, ros/governance/gate_v2.py, ros/validation/gate_evidence.py, research.py, portfolio.py, trials.py, config/fund.yaml, config/gate_thresholds.yaml, config/mandate.yaml.