



jobid: 25793658	uid: 35712	nprocs: 128	runtime: 109.0688 seconds

I/O performance *estimate* (at the MPI-IO layer): transferred 327133.0 MiB at 3018.33 MiB/s
I/O performance *estimate* (at the STDIO layer): transferred 0.0 MiB at 1.31 MiB/s










Most Common Access Sizes
(POSIX or MPI-IO)


	access size	count
POSIX	1048576	327133
	328	4
	544	4
	600	3
MPI-IO ‡	1048576	327680
	544	4
	328	4
	600	3


‡ NOTE: MPI-IO accesses are given in terms of aggregate datatype size.

File Count Summary
(estimated by POSIX I/O access offsets)

type	number of files	avg. size	max size
total opened	132	156MiB	21GiB
read-only files	1	260B	260B
write-only files	2	872B	1.4KiB
read/write files	1	21GiB	21GiB
created files	3	6.7GiB	21GiB








Average I/O per process (POSIX and STDIO)

	Cumulative time spent in I/O functions (seconds)	Amount of I/O (MiB)
Independent reads	0	0
Independent writes	0	0
Independent metadata	0.0174807890625	N/A
Shared reads	7.1326153828125	1275.72681045532
Shared writes	95.9122063359375	1280.00008314103
Shared metadata	0.0123930703125	N/A

Data Transfer Per Filesystem (POSIX and STDIO)

File System	Write		Read	
	MiB	Ratio	MiB	Ratio
UNKNOWN	163840.01064	1.00000	163293.03174	1.00000



sequential: An I/O op issued at an offset greater than where the previous I/O op ended.
consecutive: An I/O op issued at the offset immediately following the end of the previous I/O op.

Variance in Shared Files (POSIX and STDIO)

File Suffix	Processes	Fastest			Slowest			σ	
		Rank	Time	Bytes	Rank	Time	Bytes	Time	Bytes
...terleaved.h5	128	0	84.157300	2.5GiB	74	108.484153	2.5GiB	4.74	1.59e+07
...ite_rep2.csv	128	37	0.000495	0	8	0.022211	0	0.00707	27.4
.../h5bench.cfg	128	76	0.000088	260B	123	0.003069	260B	0.001	0
...<STDOUT>	128	1	0.000000	0	0	0.000239	1.4KiB	0	126