



jobid: 25793659	uid: 35712	nprocs: 128	runtime: 21.7170 seconds

I/O performance *estimate* (at the MPI-IO layer): transferred 38226.8 MiB at 1811.81 MiB/s
I/O performance *estimate* (at the STDIO layer): transferred 0.0 MiB at 1.25 MiB/s










Most Common Access Sizes
(POSIX or MPI-IO)


	access size	count
POSIX	131072	305814
	272	40
	544	5
	120	4
MPI-IO ‡	131072	307200
	272	40
	544	5
	120	4


‡ NOTE: MPI-IO accesses are given in terms of aggregate datatype size.

File Count Summary
(estimated by POSIX I/O access offsets)

type	number of files	avg. size	max size
total opened	132	156MiB	21GiB
read-only files	1	260B	260B
write-only files	2	890B	1.5KiB
read/write files	1	21GiB	21GiB
created files	3	6.7GiB	21GiB








Average I/O per process (POSIX and STDIO)

	Cumulative time spent in I/O functions (seconds)	Amount of I/O (MiB)
Independent reads	0	0
Independent writes	0	0
Independent metadata	0.0188419375	N/A
Shared reads	6.492273203125	138.646732330322
Shared writes	13.96658946875	160.000141881406
Shared metadata	0.0121809609375	N/A

Data Transfer Per Filesystem (POSIX and STDIO)

File System	Write		Read	
	MiB	Ratio	MiB	Ratio
UNKNOWN	20480.01816	1.00000	17746.78174	1.00000



sequential: An I/O op issued at an offset greater than where the previous I/O op ended.
consecutive: An I/O op issued at the offset immediately following the end of the previous I/O op.

Variance in Shared Files (POSIX and STDIO)

File Suffix	Processes	Fastest			Slowest			σ	
		Rank	Time	Bytes	Rank	Time	Bytes	Time	Bytes
...ed_contig.h5	128	30	19.594591	299MiB	102	21.117220	300MiB	0.411	3.29e+06
...ite_rep1.csv	128	8	0.000760	0	56	0.021976	0	0.00663	27.3
.../h5bench.cfg	128	9	0.000098	260B	26	0.004495	260B	0.001	0
...<STDOUT>	128	1	0.000000	0	0	0.000201	1.5KiB	0	129