



jobid: 25797917	uid: 35712	nprocs: 128	runtime: 24.3773 seconds

I/O performance *estimate* (at the MPI-IO layer): transferred 38220.4 MiB at 1630.06 MiB/s
I/O performance *estimate* (at the STDIO layer): transferred 0.0 MiB at 1.62 MiB/s










Most Common Access Sizes
(POSIX or MPI-IO)


	access size	count
POSIX	131072	305763
	272	40
	544	5
	120	4
MPI-IO ‡	131072	307200
	272	40
	544	5
	120	4


‡ NOTE: MPI-IO accesses are given in terms of aggregate datatype size.

File Count Summary
(estimated by POSIX I/O access offsets)

type	number of files	avg. size	max size
total opened	132	156MiB	21GiB
read-only files	1	257B	257B
write-only files	2	884B	1.5KiB
read/write files	1	21GiB	21GiB
created files	3	6.7GiB	21GiB








Average I/O per process (POSIX and STDIO)

	Cumulative time spent in I/O functions (seconds)	Amount of I/O (MiB)
Independent reads	0	0
Independent writes	0	0
Independent metadata	0.0183974296875	N/A
Shared reads	6.617857359375	138.596924781799
Shared writes	16.43516825	160.000141791999
Shared metadata	0.0080891640625	N/A

Data Transfer Per Filesystem (POSIX and STDIO)

File System	Write		Read	
	MiB	Ratio	MiB	Ratio
UNKNOWN	0.00139	0.00000	0.00000	0.00000
/scratch	20480.01676	1.00000	17740.40637	1.00000



sequential: An I/O op issued at an offset greater than where the previous I/O op ended.
consecutive: An I/O op issued at the offset immediately following the end of the previous I/O op.

Variance in Shared Files (POSIX and STDIO)

File Suffix	Processes	Fastest			Slowest			σ	
		Rank	Time	Bytes	Rank	Time	Bytes	Time	Bytes
...ed_contig.h5	128	13	22.584885	294MiB	90	23.486052	300MiB	0.228	2.8e+06
...ite_rep1.csv	128	7	0.000361	0	42	0.019835	0	0.00663	27.3
.../h5bench.cfg	128	3	0.000057	257B	0	0.000366	257B	0	0
...<STDOUT>	128	1	0.000000	0	0	0.000189	1.5KiB	0	128