



jobid: 25797917	uid: 35712	nprocs: 128	runtime: 21.5800 seconds

I/O performance *estimate* (at the MPI-IO layer): transferred 38225.4 MiB at 1851.80 MiB/s
I/O performance *estimate* (at the STDIO layer): transferred 0.0 MiB at 1.32 MiB/s










Most Common Access Sizes
(POSIX or MPI-IO)


	access size	count
POSIX	131072	305803
	272	40
	544	5
	120	4
MPI-IO ‡	131072	307200
	272	40
	544	5
	120	4


‡ NOTE: MPI-IO accesses are given in terms of aggregate datatype size.

File Count Summary
(estimated by POSIX I/O access offsets)

type	number of files	avg. size	max size
total opened	132	156MiB	21GiB
read-only files	1	257B	257B
write-only files	2	884B	1.5KiB
read/write files	1	21GiB	21GiB
created files	3	6.7GiB	21GiB








Average I/O per process (POSIX and STDIO)

	Cumulative time spent in I/O functions (seconds)	Amount of I/O (MiB)
Independent reads	0	0
Independent writes	0	0
Independent metadata	0.0175045625	N/A
Shared reads	6.60863421875	138.635987281799
Shared writes	13.8522817421875	160.000141791999
Shared metadata	0.010793453125	N/A

Data Transfer Per Filesystem (POSIX and STDIO)

File System	Write		Read	
	MiB	Ratio	MiB	Ratio
/scratch	20480.01676	1.00000	17745.40637	1.00000
UNKNOWN	0.00139	0.00000	0.00000	0.00000



sequential: An I/O op issued at an offset greater than where the previous I/O op ended.
consecutive: An I/O op issued at the offset immediately following the end of the previous I/O op.

Variance in Shared Files (POSIX and STDIO)

File Suffix	Processes	Fastest			Slowest			σ	
		Rank	Time	Bytes	Rank	Time	Bytes	Time	Bytes
...ed_contig.h5	128	1	19.917683	296MiB	47	20.664648	301MiB	0.148	3.27e+06
...ite_rep2.csv	128	11	0.000272	0	10	0.022867	0	0.00714	27.3
.../h5bench.cfg	128	120	0.000066	257B	90	0.001985	257B	0	0
...<STDOUT>	128	1	0.000000	0	0	0.000196	1.5KiB	0	128