



jobid: 25797922	uid: 35712	nprocs: 1024	runtime: 23.1618 seconds

I/O performance *estimate* (at the MPI-IO layer): transferred 20480.0 MiB at 971.81 MiB/s
I/O performance *estimate* (at the STDIO layer): transferred 0.2 MiB at 0.15 MiB/s










Most Common Access Sizes
(POSIX or MPI-IO)


	access size	count
POSIX	524288	40960
	272	40
	544	5
	120	4
MPI-IO ‡	524288	40960
	272	40
	544	5
	120	4


‡ NOTE: MPI-IO accesses are given in terms of aggregate datatype size.

File Count Summary
(estimated by POSIX I/O access offsets)

type	number of files	avg. size	max size
total opened	1029	20MiB	21GiB
read-only files	1	246B	246B
write-only files	4	5.1GiB	21GiB
read/write files	0	0	0
created files	4	5.1GiB	21GiB








Average I/O per process (POSIX and STDIO)

	Cumulative time spent in I/O functions (seconds)	Amount of I/O (MiB)
Independent reads	0	0
Independent writes	0	0
Independent metadata	0.02319356640625	N/A
Shared reads	0.0001013095703125	0.000234603881835938
Shared writes	15.9070212421875	20.0000176643953
Shared metadata	0.808230124023438	N/A

Data Transfer Per Filesystem (POSIX and STDIO)

File System	Write		Read	
	MiB	Ratio	MiB	Ratio
/scratch	20480.01677	1.00000	0.24023	1.00000
UNKNOWN	0.00131	0.00000	0.00000	0.00000



sequential: An I/O op issued at an offset greater than where the previous I/O op ended.
consecutive: An I/O op issued at the offset immediately following the end of the previous I/O op.

Variance in Shared Files (POSIX and STDIO)

File Suffix	Processes	Fastest			Slowest			σ	
		Rank	Time	Bytes	Rank	Time	Bytes	Time	Bytes
...arshan_n8.h5	1024	632	1.557693	20MiB	149	20.937837	20MiB	5.35	71.4
...ite_rep2.csv	1024	7	0.000353	0	928	1.595849	0	0.453	9.65
...-2929966.loc	1024	196	0.000361	0	331	0.037217	0	0.00975	0.5
.../h5bench.cfg	1024	352	0.000057	246B	256	0.002766	246B	0	0
...<STDOUT>	1024	1	0.000000	0	0	0.000202	1.4KiB	0	43