



jobid: 26029851	uid: 35712	nprocs: 64	runtime: 120.1675 seconds

I/O performance *estimate* (at the MPI-IO layer): transferred 16384.0 MiB at 137.92 MiB/s
I/O performance *estimate* (at the STDIO layer): transferred 0.0 MiB at 0.02 MiB/s










Most Common Access Sizes
(POSIX or MPI-IO)


	access size	count
POSIX	16777216	1024
	272	16
	544	3
	120	2
MPI-IO ‡	16777216	1024
	272	16
	544	3
	120	2


‡ NOTE: MPI-IO accesses are given in terms of aggregate datatype size.

File Count Summary
(estimated by POSIX I/O access offsets)

type	number of files	avg. size	max size
total opened	68	241MiB	17GiB
read-only files	1	275B	275B
write-only files	3	5.4GiB	17GiB
read/write files	0	0	0
created files	3	5.4GiB	17GiB








Average I/O per process (POSIX and STDIO)

	Cumulative time spent in I/O functions (seconds)	Amount of I/O (MiB)
Independent reads	0	0
Independent writes	0	0
Independent metadata	0.007627453125	N/A
Shared reads	7.1375e-05	0.000262260437011719
Shared writes	97.733060703125	256.000136852264
Shared metadata	0.9058073125	N/A

Data Transfer Per Filesystem (POSIX and STDIO)

File System	Write		Read	
	MiB	Ratio	MiB	Ratio
UNKNOWN	16384.00876	1.00000	0.01678	1.00000



sequential: An I/O op issued at an offset greater than where the previous I/O op ended.
consecutive: An I/O op issued at the offset immediately following the end of the previous I/O op.

Variance in Shared Files (POSIX and STDIO)

File Suffix	Processes	Fastest			Slowest			σ	
		Rank	Time	Bytes	Rank	Time	Bytes	Time	Bytes
...ig_contig.h5	64	61	28.548969	256MiB	7	118.754329	257MiB	32.5	156
...01/write.csv	64	46	0.000597	0	60	0.925966	0	0.115	38.4
.../h5bench.cfg	64	54	0.000105	275B	45	0.003455	275B	0.001	0
...<STDOUT>	64	1	0.000000	0	0	0.000156	1.3KiB	0	153