



jobid: 26029852	uid: 35712	nprocs: 64	runtime: 160.6419 seconds

I/O performance *estimate* (at the MPI-IO layer): transferred 30485.0 MiB at 192.77 MiB/s
I/O performance *estimate* (at the STDIO layer): transferred 0.0 MiB at 0.06 MiB/s










Most Common Access Sizes
(POSIX or MPI-IO)


	access size	count
POSIX	131072	243880
	272	16
	544	3
	120	2
MPI-IO ‡	131072	245760
	272	16
	544	3
	120	2


‡ NOTE: MPI-IO accesses are given in terms of aggregate datatype size.

File Count Summary
(estimated by POSIX I/O access offsets)

type	number of files	avg. size	max size
total opened	68	241MiB	17GiB
read-only files	1	285B	285B
write-only files	2	782B	1.3KiB
read/write files	1	17GiB	17GiB
created files	3	5.4GiB	17GiB








Average I/O per process (POSIX and STDIO)

	Cumulative time spent in I/O functions (seconds)	Amount of I/O (MiB)
Independent reads	0	0
Independent writes	0	0
Independent metadata	0.00856	N/A
Shared reads	67.021453640625	220.32839679718
Shared writes	56.50252540625	256.000137150288
Shared metadata	0.290423609375	N/A

Data Transfer Per Filesystem (POSIX and STDIO)

File System	Write		Read	
	MiB	Ratio	MiB	Ratio
UNKNOWN	16384.00878	1.00000	14101.01740	1.00000



sequential: An I/O op issued at an offset greater than where the previous I/O op ended.
consecutive: An I/O op issued at the offset immediately following the end of the previous I/O op.

Variance in Shared Files (POSIX and STDIO)

File Suffix	Processes	Fastest			Slowest			σ	
		Rank	Time	Bytes	Rank	Time	Bytes	Time	Bytes
...ed_contig.h5	64	63	15.224746	256MiB	39	159.312973	480MiB	28.1	2.91e+07
...01/write.csv	64	1	0.000588	0	10	0.297893	0	0.0364	38.6
.../h5bench.cfg	64	21	0.000103	285B	13	0.003391	285B	0.001	0
...<STDOUT>	64	1	0.000000	0	0	0.000170	1.3KiB	0	155