



jobid: 26029849	uid: 35712	nprocs: 64	runtime: 82.4544 seconds

I/O performance *estimate* (at the MPI-IO layer): transferred 16384.0 MiB at 206.34 MiB/s
I/O performance *estimate* (at the STDIO layer): transferred 0.0 MiB at 0.01 MiB/s










Most Common Access Sizes
(POSIX or MPI-IO)


	access size	count
POSIX	16777216	1024
	272	16
	544	3
	120	2
MPI-IO ‡	16777216	1024
	272	16
	544	3
	120	2


‡ NOTE: MPI-IO accesses are given in terms of aggregate datatype size.

File Count Summary
(estimated by POSIX I/O access offsets)

type	number of files	avg. size	max size
total opened	68	241MiB	17GiB
read-only files	1	272B	272B
write-only files	3	5.4GiB	17GiB
read/write files	0	0	0
created files	3	5.4GiB	17GiB








Average I/O per process (POSIX and STDIO)

	Cumulative time spent in I/O functions (seconds)	Amount of I/O (MiB)
Independent reads	0	0
Independent writes	0	0
Independent metadata	0.00868340625	N/A
Shared reads	6.1609375e-05	0.0002593994140625
Shared writes	62.295730390625	256.000136643648
Shared metadata	2.407404734375	N/A

Data Transfer Per Filesystem (POSIX and STDIO)

File System	Write		Read	
	MiB	Ratio	MiB	Ratio
/scratch	16384.00758	1.00000	0.01660	1.00000
UNKNOWN	0.00116	0.00000	0.00000	0.00000



sequential: An I/O op issued at an offset greater than where the previous I/O op ended.
consecutive: An I/O op issued at the offset immediately following the end of the previous I/O op.

Variance in Shared Files (POSIX and STDIO)

File Suffix	Processes	Fastest			Slowest			σ	
		Rank	Time	Bytes	Rank	Time	Bytes	Time	Bytes
...ig_contig.h5	64	50	14.055923	256MiB	17	79.370057	257MiB	11.3	156
...01/write.csv	64	1	0.000291	0	42	2.512986	0	0.438	38.3
.../h5bench.cfg	64	16	0.000057	272B	3	0.000279	272B	0	0
...<STDOUT>	64	1	0.000000	0	0	0.000145	1.2KiB	0	151