



jobid: 26029850	uid: 35712	nprocs: 64	runtime: 94.0195 seconds

I/O performance *estimate* (at the MPI-IO layer): transferred 30273.6 MiB at 334.28 MiB/s
I/O performance *estimate* (at the STDIO layer): transferred 0.0 MiB at 0.02 MiB/s










Most Common Access Sizes
(POSIX or MPI-IO)


	access size	count
POSIX	131072	242189
	272	16
	544	3
	120	2
MPI-IO ‡	131072	245760
	272	16
	544	3
	120	2


‡ NOTE: MPI-IO accesses are given in terms of aggregate datatype size.

File Count Summary
(estimated by POSIX I/O access offsets)

type	number of files	avg. size	max size
total opened	68	241MiB	17GiB
read-only files	1	282B	282B
write-only files	2	774B	1.3KiB
read/write files	1	17GiB	17GiB
created files	3	5.4GiB	17GiB








Average I/O per process (POSIX and STDIO)

	Cumulative time spent in I/O functions (seconds)	Amount of I/O (MiB)
Independent reads	0	0
Independent writes	0	0
Independent metadata	0.00859715625	N/A
Shared reads	32.234622109375	217.025659561157
Shared writes	52.754011421875	256.000136896968
Shared metadata	0.8290864375	N/A

Data Transfer Per Filesystem (POSIX and STDIO)

File System	Write		Read	
	MiB	Ratio	MiB	Ratio
/scratch	16384.00758	1.00000	13889.64221	1.00000
UNKNOWN	0.00118	0.00000	0.00000	0.00000



sequential: An I/O op issued at an offset greater than where the previous I/O op ended.
consecutive: An I/O op issued at the offset immediately following the end of the previous I/O op.

Variance in Shared Files (POSIX and STDIO)

File Suffix	Processes	Fastest			Slowest			σ	
		Rank	Time	Bytes	Rank	Time	Bytes	Time	Bytes
...ed_contig.h5	64	4	55.459428	433MiB	42	91.837906	480MiB	9.01	1.72e+07
...01/write.csv	64	17	0.000298	0	30	0.862025	0	0.137	38.3
.../h5bench.cfg	64	55	0.000058	282B	51	0.000589	282B	0	0
...<STDOUT>	64	1	0.000000	0	0	0.000134	1.3KiB	0	154