



jobid: 25793658	uid: 35712	nprocs: 128	runtime: 108.8829 seconds

I/O performance *estimate* (at the MPI-IO layer): transferred 327181.0 MiB at 3056.24 MiB/s
I/O performance *estimate* (at the STDIO layer): transferred 0.0 MiB at 0.03 MiB/s










Most Common Access Sizes
(POSIX or MPI-IO)


	access size	count
POSIX	1048576	327181
	544	4
	328	4
	600	3
MPI-IO ‡	1048576	327680
	544	4
	328	4
	600	3


‡ NOTE: MPI-IO accesses are given in terms of aggregate datatype size.

File Count Summary
(estimated by POSIX I/O access offsets)

type	number of files	avg. size	max size
total opened	132	156MiB	21GiB
read-only files	1	260B	260B
write-only files	2	872B	1.4KiB
read/write files	1	21GiB	21GiB
created files	3	6.7GiB	21GiB








Average I/O per process (POSIX and STDIO)

	Cumulative time spent in I/O functions (seconds)	Amount of I/O (MiB)
Independent reads	0	0
Independent writes	0	0
Independent metadata	0.0180253359375	N/A
Shared reads	7.7119781015625	1276.10181045532
Shared writes	96.0548158671875	1280.00008314848
Shared metadata	1.13485584375	N/A

Data Transfer Per Filesystem (POSIX and STDIO)

File System	Write		Read	
	MiB	Ratio	MiB	Ratio
UNKNOWN	163840.01064	1.00000	163341.03174	1.00000



sequential: An I/O op issued at an offset greater than where the previous I/O op ended.
consecutive: An I/O op issued at the offset immediately following the end of the previous I/O op.

Variance in Shared Files (POSIX and STDIO)

File Suffix	Processes	Fastest			Slowest			σ	
		Rank	Time	Bytes	Rank	Time	Bytes	Time	Bytes
...terleaved.h5	128	2	86.663563	2.5GiB	102	107.141982	2.5GiB	3.26	1.64e+07
...ite_rep1.csv	128	0	0.000628	312B	62	1.156392	0	0.101	27.5
.../h5bench.cfg	128	7	0.000067	260B	0	0.000310	260B	0	0
...<STDOUT>	128	1	0.000000	0	0	0.000208	1.4KiB	0	126