



jobid: 25793659	uid: 35712	nprocs: 128	runtime: 22.3616 seconds

I/O performance *estimate* (at the MPI-IO layer): transferred 38222.4 MiB at 1764.42 MiB/s
I/O performance *estimate* (at the STDIO layer): transferred 0.0 MiB at 1.64 MiB/s










Most Common Access Sizes
(POSIX or MPI-IO)


	access size	count
POSIX	131072	305779
	272	40
	544	5
	120	4
MPI-IO ‡	131072	307200
	272	40
	544	5
	120	4


‡ NOTE: MPI-IO accesses are given in terms of aggregate datatype size.

File Count Summary
(estimated by POSIX I/O access offsets)

type	number of files	avg. size	max size
total opened	132	156MiB	21GiB
read-only files	1	260B	260B
write-only files	2	890B	1.5KiB
read/write files	1	21GiB	21GiB
created files	3	6.7GiB	21GiB








Average I/O per process (POSIX and STDIO)

	Cumulative time spent in I/O functions (seconds)	Amount of I/O (MiB)
Independent reads	0	0
Independent writes	0	0
Independent metadata	0.0181172890625	N/A
Shared reads	6.2147388515625	138.612552642822
Shared writes	15.1148008828125	160.000141881406
Shared metadata	0.0099501875	N/A

Data Transfer Per Filesystem (POSIX and STDIO)

File System	Write		Read	
	MiB	Ratio	MiB	Ratio
UNKNOWN	20480.01816	1.00000	17742.40674	1.00000



sequential: An I/O op issued at an offset greater than where the previous I/O op ended.
consecutive: An I/O op issued at the offset immediately following the end of the previous I/O op.

Variance in Shared Files (POSIX and STDIO)

File Suffix	Processes	Fastest			Slowest			σ	
		Rank	Time	Bytes	Rank	Time	Bytes	Time	Bytes
...ed_contig.h5	128	40	20.459952	300MiB	93	21.690351	300MiB	0.273	2.59e+06
...ite_rep2.csv	128	30	0.000426	0	36	0.019605	0	0.006	27.3
.../h5bench.cfg	128	6	0.000071	260B	2	0.000524	260B	0	0
...<STDOUT>	128	1	0.000000	0	0	0.000198	1.5KiB	0	129