



jobid: 25797916	uid: 35712	nprocs: 128	runtime: 106.3175 seconds

I/O performance *estimate* (at the MPI-IO layer): transferred 327405.0 MiB at 3107.36 MiB/s
I/O performance *estimate* (at the STDIO layer): transferred 0.0 MiB at 1.27 MiB/s










Most Common Access Sizes
(POSIX or MPI-IO)


	access size	count
POSIX	1048576	327405
	544	4
	328	4
	600	3
MPI-IO ‡	1048576	327680
	328	4
	544	4
	600	3


‡ NOTE: MPI-IO accesses are given in terms of aggregate datatype size.

File Count Summary
(estimated by POSIX I/O access offsets)

type	number of files	avg. size	max size
total opened	132	156MiB	21GiB
read-only files	1	257B	257B
write-only files	2	866B	1.4KiB
read/write files	1	21GiB	21GiB
created files	3	6.7GiB	21GiB








Average I/O per process (POSIX and STDIO)

	Cumulative time spent in I/O functions (seconds)	Amount of I/O (MiB)
Independent reads	0	0
Independent writes	0	0
Independent metadata	0.0179389765625	N/A
Shared reads	5.398626125	1277.8518075943
Shared writes	98.594396984375	1280.00008305907
Shared metadata	0.0110225390625	N/A

Data Transfer Per Filesystem (POSIX and STDIO)

File System	Write		Read	
	MiB	Ratio	MiB	Ratio
/scratch	163840.00928	1.00000	163565.03137	1.00000
UNKNOWN	0.00135	0.00000	0.00000	0.00000



sequential: An I/O op issued at an offset greater than where the previous I/O op ended.
consecutive: An I/O op issued at the offset immediately following the end of the previous I/O op.

Variance in Shared Files (POSIX and STDIO)

File Suffix	Processes	Fastest			Slowest			σ	
		Rank	Time	Bytes	Rank	Time	Bytes	Time	Bytes
...terleaved.h5	128	10	97.930882	2.5GiB	0	105.383399	2.6GiB	1.27	1.54e+07
...ite_rep2.csv	128	3	0.000340	0	97	0.023531	0	0.00781	27.5
.../h5bench.cfg	128	110	0.000061	257B	43	0.002262	257B	0	0
...<STDOUT>	128	1	0.000000	0	0	0.000206	1.4KiB	0	125