

7-Day Home Workout Plan

7-Day Home Workout Plan

Mr. Hajimalung Baba — Age 32 | Male | 84.35 kg | 167 cm

Generated: 9-May-2026 | Based on: Lucid Diagnostics Lab Report LAB122522087 dated 31-Dec-2025

Fitness Profile & Goals

Field	Details
Goal	Fat loss + metabolic health
Current Body Fat	30.7% (obese range) — target <25%
Visceral Fat	12.4 (high range) — target <10
Skeletal Muscle	47.7% (slightly low) — target 49–59%
Activity Level	Sedentary (desk job, 2-wheeler commute)
Equipment	Yoga mat · Light dumbbells · Chair / wall
Setting	Home only — no gym

Medical notes: - HbA1c 5.8% (prediabetes) — resistance training directly improves insulin sensitivity - Lipid profile elevated — aerobic exercise lowers triglycerides and raises HDL - No joint or back issues reported — full moderate-intensity plan applied - **Stop immediately if you experience chest pain, dizziness, or shortness of breath**

Weekly Workout Overview

Day	Type	Duration	Focus
Monday	Full Body Strength + Cardio	50 min	Overall conditioning
Tuesday	Cardio + Core	50 min	Fat burn + abdominal strength
Wednesday	Lower Body Strength	50 min	Glutes, quads, hamstrings
Thursday	Active Recovery + Yoga	45 min	Flexibility, cortisol reduction
Friday	Full Body Strength (progression)	50 min	Strength increase
Saturday	Cardio Burn	55 min	Extended fat burning
Sunday	Rest + Light Walk	30 min	Muscle repair, mental reset



Day 1 — Monday: Full Body Strength + Cardio

Warm-Up (8 min)

- March in place — 2 min
- Arm circles (forward + backward) — 1 min each direction
- Hip rotations — 1 min
- Neck rolls — 30 sec each side
- Ankle rotations — 1 min

Main Workout (35 min)

Exercise	Sets × Reps / Time	Beginner Modification
Bodyweight squats	3 × 15	Hold chair back for balance
Push-ups	3 × 10–12	Knee push-ups
Dumbbell bicep curls	3 × 12 each arm	Use filled water bottles
Chair dips (triceps)	3 × 12	Bend knees for easier version
Standing dumbbell shoulder press	3 × 12	Light weight only
Plank hold	3 × 20–30 sec	Knee plank
Spot jogging / jumping jacks (alternating)	5 × 1 min	Low-impact marching

Cool-Down (7 min)

- Forward fold (hamstring stretch) — 30 sec × 2
 - Child's pose — 1 min
 - Standing quad stretch — 30 sec each leg
 - Chest opener stretch — 1 min
 - Deep breathing — 2 min
-



Day 2 — Tuesday: Cardio + Core

Warm-Up (8 min) — same as Day 1

Main Workout (35 min)

Exercise	Sets × Time / Reps	Modification
Brisk walk (outdoor or indoor)	20 min continuous	Comfortable conversation pace
OR: Spot jogging intervals	10 × (1 min jog + 30 sec walk)	March in place if knee impact concern
Crunches	3 × 20	Slow and controlled
Leg raises	3 × 15	Bend knees to protect lower back
Russian twists (with light dumbbell)	3 × 20 total	No weight if uncomfortable
Bird-dog	3 × 10 each side	Focus on balance and control
Slow mountain climbers	3 × 20 sec	Reduce to stepping if needed

Cool-Down (7 min)

- Child's pose — 1 min
- Supine spinal twist — 30 sec each side
- Deep breathing — 3 min



Day 3 — Wednesday: Strength — Lower Body Focus

Warm-Up (8 min)

- Hip circles — 1 min
- Leg swings (front + lateral) — 1 min each
- Calf raises — 2 min
- Light bodyweight squats — 1 min

Main Workout (35 min)

Exercise	Sets × Reps	Notes
Sumo squats	3 × 15	Wide stance targets inner thighs
Reverse lunges	3 × 12 each leg	Hold chair for balance
Glute bridges	3 × 20	Progress to single-leg variation
Wall sit	3 × 30 sec	Reduce angle / time if needed
Calf raises (standing)	3 × 20	Hold wall for balance
Step-ups on chair	3 × 12 each leg	Use a low, stable chair
Dumbbell Romanian deadlift	3 × 12	Light weight, hinge at hips — keep back flat

Cool-Down (7 min)

- Pigeon pose — 1 min each side
 - Runner's lunge — 30 sec each side
 - Seated hamstring stretch — 1 min each leg
-



Day 4 — Thursday: Active Recovery + Mobility / Yoga

Active recovery lowers cortisol — a direct driver of visceral belly fat — and improves insulin sensitivity.

Activity	Duration
Outdoor slow walk	20–25 min
Yoga / stretching sequence	20 min

Yoga Sequence (20 min)

1. Cat-cow stretch — 10 rounds
2. Downward dog — hold 30 sec × 3
3. Warrior I + II (each side) — 30 sec each
4. Seated forward fold — 1 min
5. Supine spinal twist — 1 min each side
6. Legs-up-the-wall / Viparita Karani — 3–5 min
7. Savasana (lying still) — 5 min



Day 5 — Friday: Full Body Strength (Progression)

Slightly harder than Day 1 — increase reps or weight where possible.

Warm-Up (8 min) — same as Day 1

Main Workout (35 min)

Exercise	Sets × Reps	Notes
Goblet squats (dumbbell held at chest)	3 × 15	
Push-ups	3 × 12–15	Progress toward full push-ups
Bent-over dumbbell rows	3 × 12 each arm	Flat back, slight forward hinge
Lateral raises (dumbbell)	3 × 12	Light weight, fully controlled
Tricep kickbacks	3 × 12 each arm	
Plank to downward dog (slow flow)	3 × 10	
High knees (cardio burst)	3 × 30 sec	March in place if impact concern

Cool-Down (7 min) — forward fold, child's pose, deep breathing



Day 6 — Saturday: Cardio Burn

Longest cardio session of the week — targets visceral fat directly.

Warm-Up (8 min) — same as Day 1

Main Workout (40 min)

Activity	Duration
Brisk outdoor walk / cycling	30 min continuous
Stair climbing (if available)	5 min
Jumping jacks	3 × 1 min
Plank hold	3 × 30 sec

Saturday tip: Walk to the local market or take a longer route on your 2-wheeler journey — park further and walk. Every extra 1,000 steps burns approximately 40–50 kcal.

Cool-Down (7 min) — quad stretch, calf stretch, deep breathing



Day 7 — Sunday: Rest + Light Recovery

Activity	Duration
Slow mindful walk	20–30 min
Light yoga / pranayama breathing	15 min
Weekly meal prep (dietary)	Use this time productively

Full rest is equally important for fat loss. Muscles repair and grow on rest days; hormones reset; adherence improves long-term. Do not skip this day.

Workout Progression Guide

Week	Adjustment
Week 1–2	Follow the plan as written; focus on form over speed
Week 3–4	Add 2–3 reps per set or slightly increase dumbbell weight
Month 2	Add one more exercise to strength days or increase plank hold to 45 sec
Month 3	Aim for full push-ups (not knee), increase walk pace to light jog

Exercise Do's & Don'ts

✓ DO's

Area	Action
Consistency	5 out of 7 days minimum — missing one day is fine, missing two is a habit problem
Office habits	Stand up and walk 5 min every 1–1.5 hrs at the desk; always take stairs
Morning	Even 10 min of stretching on busy days counts — never do zero
Sleep	7–8 hours; muscles recover during sleep — poor sleep undermines all training
Hydration	Drink 300–400 ml water before and after each workout session
Breathing	Exhale on exertion (e.g., exhale while pushing up in a push-up)
Rest	30–60 sec rest between sets is sufficient for fat loss

✗ DON'TS

Avoid	Reason
Skipping warm-up	Increases injury risk, especially for cold muscles after desk work
Training through sharp pain	Distinguish between muscle burn (OK) and joint/sharp pain (stop)
Holding breath during lifts	Causes blood pressure spike — dangerous given elevated lipids
Doing only cardio, skipping strength	Strength training is essential for insulin sensitivity and muscle preservation
Overtraining — more is not better	Recovery is when fat loss happens; rest days are not wasted days
Working out right after a full meal	Wait at least 60–90 min post-meal before exercising

Why These Workouts Were Chosen

Exercise Type	Reason
Resistance / strength training	Directly improves insulin sensitivity — reverses prediabetic HbA1c trend
Cardio (brisk walk, jogging)	Lowers triglycerides, raises HDL cholesterol, reduces visceral fat
Core exercises	Strengthens muscles around the visceral fat deposits
Yoga / mobility	Reduces cortisol (high cortisol → visceral fat accumulation)
Active recovery walk	Maintains daily calorie burn without adding training stress

3-Month Workout Milestones

Timeframe	Goal
Week 1–2	Complete 5/7 workout days consistently
Week 3–4	Increase reps slightly; notice improved stamina on cardio days
Month 2	Full push-ups achieved; plank holds improving; less breathlessness
Month 3	Body composition re-assessment — target skeletal muscle ≥49%, visceral fat <10



Medical Disclaimer

This workout plan is for informational and motivational purposes only. It is based on self-reported health information and lab data. It is NOT a substitute for professional medical or fitness advice.

Please consult your physician before beginning any new exercise program, especially given the borderline lipid profile, prediabetic HbA1c (5.8%), and elevated body fat percentage. **Stop exercising immediately and seek medical attention if you experience chest pain, dizziness, shortness of breath, or severe fatigue.**