

LAB 10

NAME: Hajra Sarwar

REG NO: 2023-BSE-022

CLASS: BSE-5A

SUBJECT: CC

LAB TITLE: GH CLI Codespaces + AWS + Terraform: CLI Automation of VPC/Subnet Creation

TASK:

Task 1: GitHub CLI Codespace Setup & Authentication

Goal: Install GH CLI, authenticate, and connect to Codespace.

Steps:

1. Install GitHub CLI (Windows example):

```
HP@DESKTOP-JFEH5TK MINGW64 /d/Github CLI
$ winget install --id GitHub.cli
Found GitHub CLI [GitHub.cli] Version 2.83.2
This application is licensed to you by its owner.
Microsoft is not responsible for, nor does it grant any licenses to, third-party packages.
Downloading https://github.com/cli/cli/releases/download/v2.83.2/gh_2.83.2_windows_amd64.msi
17.7 MB / 17.7 MB
Successfully verified installer hash
Starting package install...
Successfully installed
```

2. Authenticate GH CLI for Codespaces:

```
PS C:\Users\HP> gh auth login -s codespace
? Where do you use GitHub? GitHub.com
? What is your preferred protocol for Git operations on this host? HTTPS
? Authenticate Git with your GitHub credentials? Yes
? How would you like to authenticate GitHub CLI? Login with a web browser

! First copy your one-time code: 7482-952F
Press Enter to open https://github.com/login/device in your browser...
! Authentication complete.
- gh config set -h github.com git_protocol https
! Configured git protocol
! Logged in as hajrasarwar11
PS C:\Users\HP>
```

3. List available Codespaces:

```
PS C:\Users\HP> gh codespace list
```

NAME	DISPLAY NAME	REPOSITORY	BRANCH	STATE	CREATED AT
psychic-tribble-wrq756xxww9x2964g	psychic tribble	hajrasarwar11/Skill-Bridge	main*	Shutdown	about 12 days ago
fluffy-tribble-wrq756x47vr25q6q	fluffy tribble	hajrasarwar11/CC-HajraSarwar-022	main	Shutdown	about 4 hours ago

```
PS C:\Users\HP>
```

4. Connect to a Codespace via SSH:

```
PS C:\Users\HP> gh codespace ssh -c fluffy-tribble-wrq756x47vr25q6q
Welcome to Alpine!

The Alpine Wiki contains a large amount of how-to guides and general
information about administrating Alpine systems.
See <https://wiki.alpinelinux.org/>.

You can setup the system with the command: setup-alpine

You may change this message by editing /etc/motd.

codespaces-5ad799:/workspaces/CC-HajraSarwar-022$
```

Task 2: AWS CLI, Terraform CLI Installation & Provider Setup

Goal: Install AWS CLI & Terraform, configure Terraform provider.

Steps:

A. Install AWS CLI

1. Install AWS CLI inside Codespace:

```
@hajrasarwar11 →/workspaces/CC-HajraSarwar-022 (main) $ sudo apk update &
& sudo apk add aws-cli
(42/49) Installing py3-urllib3 (1.26.20-r0)
(43/49) Installing py3-urllib3-pyc (1.26.20-r0)
(44/49) Installing py3-zipp (3.17.0-r2)
(45/49) Installing py3-zipp-pyc (3.17.0-r2)
(46/49) Installing aws-cli (2.27.25-r0)
(47/49) Installing aws-cli-pyc (2.27.25-r0)
(48/49) Installing aws-cli-bash-completion (2.27.25-r0)
(49/49) Installing aws-cli-zsh-completion (2.27.25-r0)
Executing busybox-1.37.0-r20.trigger
OK: 615 MiB in 247 packages
@hajrasarwar11 →/workspaces/CC-HajraSarwar-022 (main) $ aws --version
aws-cli/2.27.25 Python/3.12.12 Linux/6.8.0-1030-azure source/x86_64.alpine.3
```

2. Configure AWS CLI:

```
@hajrasarwar11 →/workspaces/CC-HajraSarwar-022 (main) $ aws configure
AWS Access Key ID [*****Q6JS]: AKIA5WPGPNRIULCOQ6JS
AWS Secret Access Key [*****OsFi]: 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
Default region name [me-central-1]: me-central-1
Default output format [json]: json
@hajrasarwar11 →/workspaces/CC-HajraSarwar-022 (main) $
```

3. Verify connectivity:

```
@hajrasarwar11 →/workspaces/CC-HajraSarwar-022 (main) $ aws sts get-caller-identity
{
  "UserId": "AIDA5WPGPNRI7ANGZM5NF",
  "Account": "941618064465",
  "Arn": "arn:aws:iam::941618064465:user/Admin"
}
@hajrasarwar11 →/workspaces/CC-HajraSarwar-022 (main) $
```

B. Install Terraform CLI

1. Add HashiCorp repo and install Terraform:

```
@hajrasarwar11 →/workspaces/CC-HajraSarwar-022 (main) $ wget -qO- https://releases.hashicorp.com/terraform/ | grep -o 'terraform/[0-9][^/]*' | head
terraform/1.14.0-beta3
terraform/1.14.0-beta2
@hajrasarwar11 →/workspaces/CC-HajraSarwar-022 (main) $ VERSION=1.14.3 && cd /tmp && wget -q https://releases.hashicorp.com/terraform/${VERSION}/terraform_${VERSION}_linux_amd64.zip && unzip -o terraform_${VERSION}_linux_amd64.zip >/dev/null && sudo mv -f terraform /usr/local/bin/terraform && sudo chmod +x /usr/local/bin/terraform && rm -f terraform_${VERSION}_linux_amd64.zip
@hajrasarwar11 →/tmp $ which terraform
/usr/local/bin/terraform
@hajrasarwar11 →/tmp $ terraform --version
Terraform v1.14.3
on linux_amd64
```

C. Terraform Provider Configuration

1. Create `main.tf` file:
2. Add provider block:

```
main.tf U X
lab_10 > task2 > main.tf
1 provider "aws" {
2   shared_config_files    = ["~/.aws/config"]
3   shared_credentials_files = ["~/.aws/credentials"]
4 }
5
```

3. Initialize Terraform:

```
@hajrasarwar11 →/tmp $ cd /workspaces/CC-HajraSarwar-022/lab_10/task2 && terraform init
selections it made above. Include this file in your version control repository
so that Terraform can guarantee to make the same selections by default when
you run "terraform init" in the future.

Terraform has been successfully initialized!

You may now begin working with Terraform. Try running "terraform plan" to see
any changes that are required for your infrastructure. All Terraform commands
should now work.

If you ever set or change modules or backend configuration for Terraform,
rerun this command to reinitialize your working directory. If you forget, other
commands will detect it and remind you to do so if necessary.
@hajrasarwar11 →/workspaces/CC-HajraSarwar-022/lab_10/task2 (main) $
```

4. Show lock file & .terraform/ contents:

```
main.tf U X
lab_10 > task2 > main.tf
1 provider "aws" {

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS
@hajrasarwar11 →/workspaces/CC-HajraSarwar-022/lab_10/task2 (main) $ cat .terraform.lock.
hcl
provider "registry.terraform.io/hashicorp/aws" {
  version = "6.28.0"
  hashes = [
    "h1:wZdGs0FFmNqIgPyo9tKnGKJ37BGNSgwRrEXayL29+0=",
    "zh:0ba0d5eb6e0c6a933eb2befe3cddf22b58fbc0337bf138f95bf0e8bb6e6df93e",
    "zh:23eacdd4e6db32cf0ff2ce189461bdbb62e46513978d33c5de4decc4670870ec",
    "zh:307b06a15fc00a8e6fd243abde2cbe5112e9d40371542665b91bec1018dd6e3c",
    "zh:37a02d5b45a9d050b9642c9e2e268297254192280df72f6e46641daca52e40ec",
    "zh:3da866639f07d92e734557d673092719c33ede80f4276c835bf7f231a669aa33",
    "zh:48060b0ba310d0f6b6a14d60b276698cb103c48fd2f7e2802ae47c963995ec6",
    "zh:57796453455c20db80d9168edbf125bf6180e1aae869de1546a2be58e4e405ec",
    "zh:69139cba772d4df8de87598d8d8a2b1b4b254866db046c061dccc79edb14e6b9",
    "zh:7312763259b859ff911c5452ca8bdf7d0be6231c5ea0de2df8f09d51770900ac",
    "zh:8d2d6f4015d3c155d7eb53e36f019a729aefb46ebfe13f3a637327d3a1402ecc",
    "zh:94ce589275c77308e6253f607de96919b840c2dd36c44aa798f693c9dd81af42",
    "zh:9b12af85486a96aedd8d7984b0ff811a4b42e3d88dad1a3fb4c0b580d04fa425",
    "zh:adaceec6a1bf4f5df1e12bd72cf52b72087c72efed078aef636f8988325b1a8b",
    "zh:d37be1ce187d94fd9df7b13a717c219964cd835c946243f096c6b230cdfd7e92",
    "zh:fe6205b5ca2ff36e68395cb8d3ae10a3728f405cdbc46b206a515e1ebcf17a1",
  ]
}
```

```
ls .terraform/
```

```
@hajrasarwar11 →/workspaces/CC-HajraSarwar-022/lab_10/task2 (main) $ ls .terraform/
providers
@hajrasarwar11 →/workspaces/CC-HajraSarwar-022/lab_10/task2 (main) $
```

Task 3: VPC & Subnet Creation via Terraform & Verification

Steps:

1. Add VPC and subnet to main.tf:

```
main.tf U X
lab_10 > task2 > main.tf
6   resource "aws_vpc" "development_vpc" {
7     cidr_block = "10.0.0.0/16"
8   }
9
10  resource "aws_subnet" "dev_subnet_1" {
11    vpc_id      = aws_vpc.development_vpc.id
12    cidr_block  = "10.0.10.0/24"
13    availability_zone = "me-central-1a"
14  }
```

2. Apply Terraform configuration:

```
@hajrasarwar11 →/workspaces/CC-HajraSarwar-022/lab_10/task2 (main) $ terraform apply

Enter a value: yes

aws_vpc.development_vpc: Creating...
aws_vpc.development_vpc: Creation complete after 2s [id=vpc-0b4862fd06919117c]
aws_subnet.dev_subnet_1: Creating...
aws_subnet.dev_subnet_1: Creation complete after 1s [id=subnet-0193e21d87b08e061]

Apply complete! Resources: 2 added, 0 changed, 0 destroyed.
@hajrasarwar11 →/workspaces/CC-HajraSarwar-022/lab_10/task2 (main) $
```

3. Verify VPC & Subnet via AWS CLI:

```
@hajrasarwar11 →/workspaces/CC-HajraSarwar-022/lab_10/task2 (main) $ aws ec2 describe-subnets --filter "Name=subnet-id,Values=<subnet-id>"
{
  "Subnets": []
}

aws ec2 describe-vpcs --filter "Name=vpc-id,Values=<vpc-id>"
@hajrasarwar11 →/workspaces/CC-HajraSarwar-022/lab_10/task2 (main) $ aws ec2 describe-vpcs --filter "Name=vpc-id,Values=<vpc-id>"
{
  "Vpcs": []
}
@hajrasarwar11 →/workspaces/CC-HajraSarwar-022/lab_10/task2 (main) $
```

Task 4: Data Source, Targeted Destroy, Tags

A. Data Source & New Subnet

1. Add data source & new subnet:

```
main.tf U X
lab_10 > task2 > main.tf
16  data "aws_vpc" "existing_vpc" {
17    default = true
18  }
19
20  resource "aws_subnet" "dev_subnet_1_existing" {
21    vpc_id      = data.aws_vpc.existing_vpc.id
22    cidr_block  = "172.31.48.0/24"
23    availability_zone = "me-central-1a"
24  }
```

2. Apply only new resource:

```
@hajrasarwar11 →/workspaces/CC-HajraSarwar-022/lab_10/task2 (main) $ cd /workspaces/CC-HajraSarwar-022/lab_10/task2 && terraform apply -auto-approve
+ vpc_id = "vpc-05883252ecb09ac3e"
}

Plan: 1 to add, 0 to change, 0 to destroy.
aws_subnet.dev_subnet_1_existing: Creating...
aws_subnet.dev_subnet_1_existing: Creation complete after 1s [id=subnet-0ac0767d93a3a6995]

Apply complete! Resources: 1 added, 0 changed, 0 destroyed.
@hajrasarwar11 →/workspaces/CC-HajraSarwar-022/lab_10/task2 (main) $
```

B. Targeted Destroy & Refresh

1. Destroy targeted subnet:

```
@hajrasarwar11 →/workspaces/CC-HajraSarwar-022/lab_10/task2 (main) $ terraform destroy -t
target=aws_subnet.dev_subnet_1_existing

terraform plan

Note that the -target option is not suitable for routine use, and is provided only for
exceptional situations such as recovering from errors or mistakes, or when Terraform
specifically suggests to use it as part of an error message.

Destroy complete! Resources: 1 destroyed.
@hajrasarwar11 →/workspaces/CC-HajraSarwar-022/lab_10/task2 (main) $
```

2. Refresh state:

```
• @hajrasarwar11 →/workspaces/CC-HajraSarwar-022/lab_10/task2 (main) $ terraform refresh
data.aws_vpc.existing_vpc: Reading...
aws_vpc.development_vpc: Refreshing state... [id=vpc-0b4862fd06919117c]
data.aws_vpc.existing_vpc: Read complete after 0s [id=vpc-05883252ecb09ac3e]
aws_subnet.dev_subnet_1: Refreshing state... [id=subnet-0193e21d87b08e061]
○ @hajrasarwar11 →/workspaces/CC-HajraSarwar-022/lab_10/task2 (main) $
```

3. Reapply configuration:

```
@hajrasarwar11 →/workspaces/CC-HajraSarwar-022/lab_10/task2 (main) $ terraform apply
Terraform will perform the actions described above.
Only 'yes' will be accepted to approve.

Enter a value: yes

aws_subnet.dev_subnet_1_existing: Creating...
aws_subnet.dev_subnet_1_existing: Creation complete after 0s [id=subnet-0bb82e7cfddaf84dc]

Apply complete! Resources: 1 added, 0 changed, 0 destroyed.
@hajrasarwar11 →/workspaces/CC-HajraSarwar-022/lab_10/task2 (main) $
```

4. Destroy all resources:

```
@hajrasarwar11 →/workspaces/CC-HajraSarwar-022/lab_10/task2 (main) $ terraform destroy

aws_subnet.dev_subnet_1_existing: Destroying... [id=subnet-0bb82e7cfddaf84dc]
aws_subnet.dev_subnet_1: Destroying... [id=subnet-0193e21d87b08e061]
aws_subnet.dev_subnet_1: Destruction complete after 0s
aws_vpc.development_vpc: Destroying... [id=vpc-0b4862fd06919117c]
aws_subnet.dev_subnet_1_existing: Destruction complete after 0s
aws_vpc.development_vpc: Destruction complete after 1s

Destroy complete! Resources: 3 destroyed.
@hajrasarwar11 →/workspaces/CC-HajraSarwar-022/lab_10/task2 (main) $
```


5. Plan and reapply:

terraform plan

```
@hajrasarwar11 →/workspaces/CC-HajraSarwar-022/lab_10/task2 (main) $ terraform plan
data.aws_vpc.existing_vpc: Reading...
data.aws_vpc.existing_vpc: Read complete after 1s [id=vpc-05883252ecb09ac3e]

Terraform used the selected providers to generate the following execution plan. Resource
actions are indicated with the following symbols:
  + create

Terraform will perform the following actions:

# aws_subnet.dev_subnet_1 will be created
+ resource "aws_subnet" "dev_subnet_1" {
```

terraform apply

```
@hajrasarwar11 →/workspaces/CC-HajraSarwar-022/lab_10/task2 (main) $ terraform apply
Only 'yes' will be accepted to approve.

Enter a value: yes

aws_subnet.dev_subnet_1_existing: Creating...
aws_vpc.development_vpc: Creating...
aws_subnet.dev_subnet_1_existing: Creation complete after 1s [id=subnet-046d7d8b2eb54c368]
aws_vpc.development_vpc: Creation complete after 1s [id=vpc-05dade93299f1d630]
aws_subnet.dev_subnet_1: Creating...
aws_subnet.dev_subnet_1: Creation complete after 1s [id=subnet-0ed09df19e16ad53a]

Apply complete! Resources: 3 added, 0 changed, 0 destroyed.
@hajrasarwar11 →/workspaces/CC-HajraSarwar-022/lab_10/task2 (main) $
```

C. Tagging Resources

1. Add tags to main.tf:

```
main.tf U X
lab_10 > task2 > main.tf
27 resource "aws_subnet" "dev_subnet_1_existing" {
28     vpc_id      = data.aws_vpc.existing_vpc.id
29     cidr_block  = "172.31.48.0/24"
30     availability_zone = "me-central-1a"
31     tags = {
32         Name = "subnet-1-default"
33     }
```

2. Apply & remove tag operations:

terraform refresh

```
@hajrasarwar11 →/workspaces/CC-HajraSarwar-022/lab_10/task2 (main) $ terraform refresh
data.aws_vpc.existing_vpc: Reading...
aws_vpc.development_vpc: Refreshing state... [id=vpc-05dade93299f1d630]
data.aws_vpc.existing_vpc: Read complete after 1s [id=vpc-05883252ecb09ac3e]
aws_subnet.dev_subnet_1_existing: Refreshing state... [id=subnet-046d7d8b2eb54c368]
aws_subnet.dev_subnet_1: Refreshing state... [id=subnet-0ed09df19e16ad53a]
@hajrasarwar11 →/workspaces/CC-HajraSarwar-022/lab_10/task2 (main) $
```

terraform apply -auto-approve

```
@hajrasarwar11 →/workspaces/CC-HajraSarwar-022/lab_10/task2 (main) $ terraform apply -auto-approve
c368]
aws_vpc.development_vpc: Modifications complete after 1s [id=vpc-05dade93299f1d630]
aws_subnet.dev_subnet_1: Modifying... [id=subnet-0ed09df19e16ad53a]
aws_subnet.dev_subnet_1: Modifications complete after 0s [id=subnet-0ed09df19e16ad53a]

Apply complete! Resources: 0 added, 3 changed, 0 destroyed.
@hajrasarwar11 →/workspaces/CC-HajraSarwar-022/lab_10/task2 (main) $
```

```

@hajrasarwar11 →/workspaces/CC-HajraSarwar-022/lab_10/task2 (main) $ cd /workspaces/CC-HajraSarwar-022/lab_10/task2 && terraform plan
data.aws_vpc.existing_vpc: Reading...
aws_vpc.development_vpc: Refreshing state... [id=vpc-05dade93299f1d630]
data.aws_vpc.existing_vpc: Read complete after 1s [id=vpc-05883252ecb09ac3e]
aws_subnet.dev_subnet_1_existing: Refreshing state... [id=subnet-046d7d8b2eb54c368]
aws_subnet.dev_subnet_1: Refreshing state... [id=subnet-0ed09df19e16ad53a]

Terraform used the selected providers to generate the following execution plan. Resource
terraform apply # remove tag

@hajrasarwar11 →/workspaces/CC-HajraSarwar-022/lab_10/task2 (main) $ cd /workspaces/CC-HajraSarwar-022/lab_10/task2 && terraform apply -auto-approve

Plan: 0 to add, 1 to change, 0 to destroy.
aws_vpc.development_vpc: Modifying... [id=vpc-05dade93299f1d630]
aws_vpc.development_vpc: Modifications complete after 1s [id=vpc-05dade93299f1d630]

Apply complete! Resources: 0 added, 1 changed, 0 destroyed.
@hajrasarwar11 →/workspaces/CC-HajraSarwar-022/lab_10/task2 (main) $

```

Task 5: State File Inspection & Terraform State Commands

1. Destroy all resources:

```

@hajrasarwar11 →/workspaces/CC-HajraSarwar-022/lab_10/task2 (main) $ terraform destroy
aws_subnet.dev_subnet_1_existing: Destroying... [id=subnet-046d7d8b2eb54c368]
aws_subnet.dev_subnet_1_existing: Destruction complete after 1s
aws_subnet.dev_subnet_1: Destruction complete after 1s
aws_vpc.development_vpc: Destroying... [id=vpc-05dade93299f1d630]
aws_vpc.development_vpc: Destruction complete after 1s

Destroy complete! Resources: 3 destroyed.
@hajrasarwar11 →/workspaces/CC-HajraSarwar-022/lab_10/task2 (main) $

```

2. Inspect state files:

```
cat terraform.tfstate
```

```

@hajrasarwar11 →/workspaces/CC-HajraSarwar-022/lab_10/task2 (main) $ cat terraform.tfstate
{
  "serial": 30,
  "lineage": "658d74d4-da27-c1a4-d5c5-84bdd6cde6f9",
  "outputs": {},
  "resources": [],
  "check_results": null
}
@hajrasarwar11 →/workspaces/CC-HajraSarwar-022/lab_10/task2 (main) $

```

```
cat terraform.tfstate.backup
```

```

@hajrasarwar11 →/workspaces/CC-HajraSarwar-022/lab_10/task2 (main) $ cat terraform.tfstate.backup
{
  "version": 4,
  "terraform_version": "1.14.3",
  "serial": 25,
  "lineage": "658d74d4-da27-c1a4-d5c5-84bdd6cde6f9",
  "outputs": {},
  "resources": [
    {

```

3. Recreate resources & view state:

```
terraform apply
```

```
@hajrasarwar11 →/workspaces/CC-HajraSarwar-022/lab_10/task2 (main) $ terraform apply
aws_subnet.dev_subnet_1_existing: Creation complete after 1s [id=subnet-08af0755c234646c1]
aws_vpc.development_vpc: Creation complete after 2s [id=vpc-0dc0878b08f614280]
aws_subnet.dev_subnet_1: Creating...
aws_subnet.dev_subnet_1: Creation complete after 0s [id=subnet-0906989cff9992111]
```

Apply complete! Resources: 3 added, 0 changed, 0 destroyed.

```
@hajrasarwar11 →/workspaces/CC-HajraSarwar-022/lab_10/task2 (main) $
```

cat terraform.tfstate

```
@hajrasarwar11 →/workspaces/CC-HajraSarwar-022/lab_10/task2 (main) $ cat terraform.tfstate
{
  "version": 4,
  "terraform_version": "1.14.3",
  "serial": 34,
  "lineage": "658d74d4-da27-c1a4-d5c5-84bdd6cde6f9",
  "outputs": {},
  "resources": [
    {

```

cat terraform.tfstate.backup

```
@hajrasarwar11 →/workspaces/CC-HajraSarwar-022/lab_10/task2 (main) $ cat terraform.tfstate.backup
{
  "version": 4,
  "terraform_version": "1.14.3",
  "serial": 30,
  "lineage": "658d74d4-da27-c1a4-d5c5-84bdd6cde6f9",
  "outputs": {},
  "resources": [],
  "check_results": null
}
```

```
@hajrasarwar11 →/workspaces/CC-HajraSarwar-022/lab_10/task2 (main) $
```

terraform state list

```
@hajrasarwar11 →/workspaces/CC-HajraSarwar-022/lab_10/task2 (main) $ terraform state list
data.aws_vpc.existing_vpc
aws_subnet.dev_subnet_1
aws_subnet.dev_subnet_1_existing
aws_vpc.development_vpc
@hajrasarwar11 →/workspaces/CC-HajraSarwar-022/lab_10/task2 (main) $
```

terraform state show <resource-name>

```
@hajrasarwar11 →/workspaces/CC-HajraSarwar-022/lab_10/task2 (main) $ cd /workspaces/CC-HajraSarwar-022/lab_10/task2 && terraform state show aws_vpc.development_vpc
# aws_vpc.development_vpc:
resource "aws_vpc" "development_vpc" {
  arn                                = "arn:aws:ec2:me-central-1:941618064465:vpc/vpc-0dc0878b08f614280"
  assign_generated_ipv6_cidr_block   = false
  cidr_block                         = "10.0.0/16"
  default_network_acl_id            = "acl-0771a312eedc29b71"
  default_route_table_id            = "rth-07ee084eeb70fc40e"

```

Task 6: Terraform Outputs & Attributes Reporting

1. Add output blocks in main.tf:

```
main.tf
lab_10 > task2 > main.tf
35   output "dev-vpc-id" {
36     value = aws_vpc.development_vpc.id
37   }
38
39   output "dev-subnet-id" {
```


2. Apply Terraform & record outputs:

terraform apply

```
@hajrasarwar11 →/workspaces/CC-HajraSarwar-022/lab_10/task2 (main) $ cd /workspaces/CC-HajraSarwar-022/lab_10/task2 && terraform apply -auto-approve
Outputs:

dev-subnet-arn = "arn:aws:ec2:me-central-1:941618064465:subnet/subnet-0906989cff9992111"
dev-subnet-id = "subnet-0906989cff9992111"
dev-vpc-arn = "arn:aws:ec2:me-central-1:941618064465:vpc/vpc-0dc0878b08f614280"
dev-vpc-id = "vpc-0dc0878b08f614280"
@hajrasarwar11 →/workspaces/CC-HajraSarwar-022/lab_10/task2 (main) $
```

Cleanup: Delete Resources & Verify State

1. Destroy all resources:

```
@hajrasarwar11 →/workspaces/CC-HajraSarwar-022/lab_10/task2 (main) $ terraform destroy
aws_subnet.dev_subnet_1_existing: Destroying... [id=subnet-08af0755c234646c1]
aws_subnet.dev_subnet_1_existing: Destruction complete after 0s
aws_subnet.dev_subnet_1: Destruction complete after 0s
aws_vpc.development_vpc: Destroying... [id=vpc-0dc0878b08f614280]
aws_vpc.development_vpc: Destruction complete after 1s

Destroy complete! Resources: 3 destroyed.
@hajrasarwar11 →/workspaces/CC-HajraSarwar-022/lab_10/task2 (main) $
```

2. Inspect state files:

```
@hajrasarwar11 →/workspaces/CC-HajraSarwar-022/lab_10/task2 (main) $ cat terraform.tfstate
{
  "version": 4,
  "terraform_version": "1.14.3",
  "serial": 40,
  "lineage": "658d74d4-da27-c1a4-d5c5-84bdd6cde6f9",
  "outputs": {},
  "resources": [],
  "check_results": null
}
@hajrasarwar11 →/workspaces/CC-HajraSarwar-022/lab_10/task2 (main) $ cat terraform.tfstate.backup
{
  "version": 4,
  "terraform_version": "1.14.3",
  "serial": 35,
  "lineage": "658d74d4-da27-c1a4-d5c5-84bdd6cde6f9"
```