

# Cucumber Report

Apr 14, 2024, 8:41:56 PM

Start : Apr 14, 8:41:51.648 PM

End : Apr 14, 8:41:54.701 PM

Duration : 3.053 s

Features

Scenarios

Steps

PASSED - 0  
FAILED - 1  
SKIPPED - 0

PASSED - 0  
FAILED - 1  
SKIPPED - 0

PASSED - 0  
FAILED - 1  
SKIPPED - 5




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Hooks Testi</u>	3.053 s	1	0	1	0	6	0	1	5

<i>Tag</i>	<i>Scenario</i>				<i>Feature</i>			
<i>Name</i>	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>
@Hooks	1	0	1	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	<u>Hooks Testi</u>	1	0	1	0	3.053 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Hooks Testi</u>	<u>Hooks Testi Pozitif</u>	6	0	1	5	3.046 s

## Hooks Testi

FAILED	DURATION - 3.053 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 6 Pass - 0 Fail - 1 Skip - 5	
/ 8:41:51.648 PM // 8:41:54.701 PM /					

## Hooks Testi Pozitif

FAILED		DURATION - 3.046 s			Steps Total - 6 Pass - 0 Fail - 1 Skip - 5	
/ 8:41:51.655 PM // 8:41:54.701 PM /						
Hooks Testi						
@Hooks						

#	Step / Hook Details	Status	Duration
1	Given "trendyol" sitesine gidilir io.cucumber.core.exception.CucumberException: Failed to instantiate class stepdefinitions.day04_DataTable_StefDef at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:67) at io.cucumber.core.backend.DefaultObjectFactory.getInstance(DefaultObjectFactory.java:45) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) at io.cucumber.core.runner.TestStep.run(TestStep.java:56) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.lambda\$run\$0(PickleRunners.java:151) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:130) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:130)	FAILED	2.317 s

#	Step / Hook Details	Status	Duration
	<p>at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:148)</p> <p>at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144)</p> <p>at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28)</p> <p>at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331)</p> <p>at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79)</p> <p>at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)</p> <p>at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66)</p> <p>at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293)</p> <p>at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306)</p> <p>at org.junit.runners.ParentRunner.run(ParentRunner.java:413)</p> <p>at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137)</p> <p>at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196)</p> <p>at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89)</p> <p>at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331)</p> <p>at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79)</p> <p>at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)</p> <p>at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66)</p> <p>at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293)</p> <p>at io.cucumber.junit.Cucumber\$RunBeforeAllHooks.evaluate(Cucumber.java:266)</p> <p>at io.cucumber.junit.Cucumber\$RunAfterAllHooks.evaluate(Cucumber.java:281)</p> <p>at io.cucumber.junit.Cucumber\$StartTestRun.evaluate(Cucumber.java:233)</p> <p>at io.cucumber.junit.Cucumber\$FinishTestRun.evaluate(Cucumber.java:248)</p> <p>at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306)</p> <p>at org.junit.runners.ParentRunner.run(ParentRunner.java:413)</p> <p>at org.junit.runner.JUnitCore.run(JUnitCore.java:137)</p> <p>at com.intellij.junit4.JUnit4IdeaTestRunner.startRunnerWithArgs(JUnit4IdeaTestRunner.java:69)</p> <p>at com.intellij.rt.junit.IdeaTestRunner\$Repeater\$1.execute(IdeaTestRunner.java:38)</p> <p>at com.intellij.rt.execution.junit.TestsRepeater.repeat(TestsRepeater.java:11)</p> <p>at com.intellij.rt.junit.IdeaTestRunner\$Repeater.startRunnerWithArgs(IdeaTestRunner.java:35)</p> <p>at com.intellij.rt.junit.JUnitStarter.prepareStreamsAndStart(JUnitStarter.java:232)</p> <p>at com.intellij.rt.junit.JUnitStarter.main(JUnitStarter.java:55)</p> <p>Caused by: java.lang.reflect.InvocationTargetException</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)</p> <p>at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)</p> <p>at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)</p> <p>at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:53)</p> <p>... 46 more</p> <p>Caused by: org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: session not created: This version of ChromeDriver only supports Chrome version 121 Current browser version is 123.0.6312.107 with binary path C:\Program Files\Google\Chrome\Application\chrome.exe Host info: host: 'DESKTOP-6Q36UJF', ip: '192.168.1.104' Build info: version: '4.13.0', revision: 'ba948ece5b*' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.20' Driver info: org.</p>		

#	Step / Hook Details	Status	Duration
	<pre> openqa.selenium.chrome.ChromeDriver Command: [null, newSession {capabilities=[Capabilities {browserName: chrome, goog:chromeOptions: {args: [--remote-allow-origins=*, --headless, --disaple-gpu], extensions: []}}]}]   at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:140)   at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:96)   at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:68)   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:163)   at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)   at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)   at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:236)   at org.openqa.selenium.remote.RemoteWebDriver.&lt;init&gt;(RemoteWebDriver.java:163)   at org.openqa.selenium.chromium.ChromiumDriver.&lt;init&gt;(ChromiumDriver.java:108)   at org.openqa.selenium.chrome.ChromeDriver.&lt;init&gt;(ChromeDriver.java:88)   at org.openqa.selenium.chrome.ChromeDriver.&lt;init&gt;(ChromeDriver.java:83)   at org.openqa.selenium.chrome.ChromeDriver.&lt;init&gt;(ChromeDriver.java:72)   at utilities.Driver.getDriver(Driver.java:42)   at pages.day04_DataTable_Page.&lt;init&gt;(day04_DataTable_Page.java:10)   at stepdefinitions.day04_DataTable_StefDef.&lt;init&gt;(day04_DataTable_StefDef.java:22) </pre>		
2	And arama kutusuna "ekose gömlek" yazılır	SKIPPED	0.001 s
3	Then arama sonuclarinin görüntulendigi dogrulanir	SKIPPED	0.000 s
4	Then sonuc sayfasinda "iran yapıstırıcısı" olduğu dogrulanir	SKIPPED	0.000 s
5	When sonuc sayfasindaki arama sonuc sayisi alinir	SKIPPED	0.000 s
6	Then 20 den fazla urunun ekranda görüntulendigi dogrulanir	SKIPPED	0.000 s
	<p>AFTER - runners.Hooks.tearDownScenarios(io.cucumber.java.Scenario)</p> <pre> org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: session not created: This version of ChromeDriver only supports Chrome version 121 Current browser version is 123.0.6312.107 with binary path C:\Program Files\Google\Chrome\Application\chrome.exe Host info: host: 'DESKTOP-6Q36UJF', ip: '192.168.1.104' Build info: version: '4.13.0', revision: 'ba948ece5b*' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.20' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [null, newSession {capabilities=[Capabilities {browserName: chrome, goog:chromeOptions: {args: [--remote- allow-origins=*, --headless, --disaple-gpu], extensions: []}}]}]   at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:140)   at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:96)   at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:68)   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:163)   at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)   at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)   at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:236)   at org.openqa.selenium.remote.RemoteWebDriver.&lt;init&gt;(RemoteWebDriver.java:163) </pre>	FAILED	0.691 s



#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.chromium.ChromiumDriver.<init>(ChromiumDriver.java:108) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:88) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:83) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:72) at utilities.Driver.getDriver(Driver.java:42) at runners.Hooks.tearDownScenarios(Hooks.java:26)		