

Cucumber Report

Apr 14, 2024, 5:16:22 PM

Start : Apr 14, 5:15:46.420 PM

End : Apr 14, 5:16:21.222 PM

Duration : 34.802 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0


PASSED - 1
FAILED - 3
SKIPPED - 0

PASSED - 11
FAILED - 3
SKIPPED - 30




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Scenario Outline</u>	34.802 s	4	1	3	0	44	11	3	30

<i>Tag</i>	<i>Scenario</i>				<i>Feature</i>			
<i>Name</i>	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>
@boyner	4	1	3	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	<u>Scenario Outline</u>	4	1	3	0	34.802 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Scenario Outline</u>	<u>Negatif Uyelik Testi</u>	11	11	0	0	34.503 s
2	<u>Scenario Outline</u>	<u>Negatif Uyelik Testi</u>	11	0	1	10	0.146 s
3	<u>Scenario Outline</u>	<u>Negatif Uyelik Testi</u>	11	0	1	10	0.025 s
4	<u>Scenario Outline</u>	<u>Negatif Uyelik Testi</u>	11	0	1	10	0.026 s

Scenario Outline



FAILED	DURATION - 34.802 s	Scenarios Total - 4 Pass - 1 Fail - 3 Skip - 0		Steps Total - 44 Pass - 11 Fail - 3 Skip - 30	
/ 5:15:46.420 PM // 5:16:21.222 PM /					

Negatif Uyelik Testi

<div>PASSED</div>	<div>DURATION - 34.503 s</div>	<div></div>	<div>Steps</div> <div>Total - 11</div> <div>Pass - 11</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 5:15:46.430 PM // 5:16:20.933 PM /</div>				
<div>Scenario Outline</div>				
<div>@boyner</div>				

#	Step / Hook Details	Status	Duration
1	Given boyner sitesine gidilir	PASSED	29.695 s
2	When login ikonu ustune gidilir	PASSED	3.160 s
3	And uye ol linki tiklanir	PASSED	0.106 s
4	Then uyelik sayfasinda oldugu dogrulanir	PASSED	0.390 s
5	And uyelik sayfasinda ad bolumune "hakan" girilir	PASSED	0.146 s
6	And uyelik sayfasinda email bolumune "jaziah.poe" girilir	PASSED	0.231 s
7	And uyelik sayfasinda password bolumune "123456a" girilir	PASSED	0.235 s
8	And uyelik sayfasinda cep telefonu bolumune "5455444444" girilir	PASSED	0.178 s
9	And uyelik metni icin "1" checkbox secilir	PASSED	0.001 s
10	And riza metni icin "1" checkbox secilir	PASSED	0.000 s
11	And uye ol butonu tiklanir	PASSED	0.314 s



Negatif Uyelik Testi

<div>FAILED</div> <div>DURATION - 0.146 s</div>		<div></div>	<div>Steps</div> <div>Total - 11</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 10</div> <div></div>
<div>/ 5:16:20.964 PM // 5:16:21.110 PM /</div>			
<div>Scenario Outline</div>			
<div>@boyner</div>			

#	Step / Hook Details	Status	Duration
1	<p>Given boyner sitesine gidilir</p> <p>org.openqa.selenium.NoSuchSessionException: invalid session id Build info: version: '4.13.0', revision: 'ba948ece5b*' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.10' Driver info: org.openqa.selenium.edge.EdgeDriver Command: [27ef5be05e0b04b441fdc0fa7d28e623, get {url=https://www.boyner.com.tr}] Capabilities {acceptInsecureCerts: false, browserName: MicrosoftEdge, browserVersion: 123.0.2420.97, fedcm:accounts: true, ms:edgeOptions: {debuggerAddress: localhost:51003}, msedge: {msedgedriverVersion: 123.0.2420.97 (ba5f45140663..., userDataDir: C:\Users\Hakan\AppData\Loca..., networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:51003/devtoo..., se:cdpVersion: 123.0.2420.97, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 27ef5be05e0b04b441fdc0fa7d28e623</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)</p> <p>at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)</p> <p>at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)</p> <p>at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)</p> <p>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:304)</p> <p>at stepdefinitions.day03_ScenarioOutline_StepDef.boyner_sitesine_gidilir(day03_ScenarioOutline_StepDef.java:28)</p> <p>at ?.boyner sitesine gidilir(file:///C:/Users/Hakan/IdeaProjects/Cucumber_Ders/src/test/resources/features/day03_ScenarioOutline.feature:5)</p> <p>* Not displayable characters are replaced by '?'. </p>	FAILED	0.125 s
2	When login ikonu ustune gidilir	SKIPPED	0.000 s
3	And uye ol linki tiklanir	SKIPPED	0.000 s
4	Then uyelik sayfasinda oldugu dogrulanir	SKIPPED	0.001 s
5	And uyelik sayfasinda ad bolumune "hakan" girilir	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
6	And uyelik sayfasinda email bolumune"jaziah.poe@" girilir	SKIPPED	0.000 s
7	And uyelik sayfasinda password bolumune"123456a" girilir	SKIPPED	0.000 s
8	And uyelik sayfasinda cep telefonu bolumune"5455444444" girilir	SKIPPED	0.000 s
9	And uyelik metni icin "1" checkbox secilir	SKIPPED	0.001 s
10	And riza metni icin "1" checkbox secilir	SKIPPED	0.000 s
11	And uye ol butonu tiklanir	SKIPPED	0.001 s
	AFTER - runners.Hooks.tearDownScenarios(io.cucumber.java.Scenario)	FAILED	0.010 s
	<p>org.openqa.selenium.NoSuchSessionException: invalid session id Build info: version: '4.13.0', revision: 'ba948ece5b*' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.10' Driver info: org.openqa.selenium.edge.EdgeDriver Command: [27ef5be05e0b04b441fdc0fa7d28e623, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: MicrosoftEdge, browserVersion: 123.0.2420.97, fedcm:accounts: true, ms:edgeOptions: {debuggerAddress: localhost:51003}, msedge: {msedgedriverVersion: 123.0.2420.97 (ba5f45140663..., userDataDir: C:\Users\Hakan\AppData\Loca...}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:51003/devtoo..., se:cdpVersion: 123.0.2420.97, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 27ef5be05e0b04b441fdc0fa7d28e623</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:675) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:679) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:325) at runners.Hooks.tearDownScenarios(Hooks.java:26)</p>		



Negatif Uyelik Testi

<div>FAILED</div> <div>DURATION - 0.025 s</div>		<div></div>	<div>Steps</div> <div>Total - 11</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 10</div>	<div></div>
<div>/ 5:16:21.144 PM // 5:16:21.169 PM /</div>				
<div>Scenario Outline</div>				
<div>@boyner</div>				

#	Step / Hook Details	Status	Duration
1	<p>Given boyner sitesine gidilir</p> <p>org.openqa.selenium.NoSuchSessionException: invalid session id Build info: version: '4.13.0', revision: 'ba948ece5b*' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.10' Driver info: org.openqa.selenium.edge.EdgeDriver Command: [27ef5be05e0b04b441fdc0fa7d28e623, get {url=https://www.boyner.com.tr}] Capabilities {acceptInsecureCerts: false, browserName: MicrosoftEdge, browserVersion: 123.0.2420.97, fedcm:accounts: true, ms:edgeOptions: {debuggerAddress: localhost:51003}, msedge: {msedgedriverVersion: 123.0.2420.97 (ba5f45140663..., userDataDir: C:\Users\Hakan\AppData\Loca..., networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:51003/devtoo..., se:cdpVersion: 123.0.2420.97, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 27ef5be05e0b04b441fdc0fa7d28e623</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)</p> <p>at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)</p> <p>at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)</p> <p>at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)</p> <p>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:304)</p> <p>at stepdefinitions.day03_ScenarioOutline_StepDef.boyner_sitesine_gidilir(day03_ScenarioOutline_StepDef.java:28)</p> <p>at ?.boyner sitesine gidilir(file:///C:/Users/Hakan/IdeaProjects/Cucumber_Ders/src/test/resources/features/day03_ScenarioOutline.feature:5)</p> <p>* Not displayable characters are replaced by '?'. </p>	FAILED	0.008 s
2	When login ikonu ustune gidilir	SKIPPED	0.000 s
3	And uye ol linki tiklanir	SKIPPED	0.000 s
4	Then uyelik sayfasinda oldugu dogrulanir	SKIPPED	0.000 s
5	And uyelik sayfasinda ad bolumune "hakan" girilir	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
6	And uyelik sayfasinda email bolumune"jaziah.poe@free2ducks" girilir	SKIPPED	0.000 s
7	And uyelik sayfasinda password bolumune"123456a" girilir	SKIPPED	0.000 s
8	And uyelik sayfasinda cep telefonu bolumune"5455444444" girilir	SKIPPED	0.000 s
9	And uyelik metni icin "1" checkbox secilir	SKIPPED	0.001 s
10	And riza metni icin "1" checkbox secilir	SKIPPED	0.000 s
11	And uye ol butonu tiklanir	SKIPPED	0.000 s
	AFTER - runners.Hooks.tearDownScenarios(io.cucumber.java.Scenario)	FAILED	0.007 s
	<p>org.openqa.selenium.NoSuchSessionException: invalid session id Build info: version: '4.13.0', revision: 'ba948ece5b*' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.10' Driver info: org.openqa.selenium.edge.EdgeDriver Command: [27ef5be05e0b04b441fdc0fa7d28e623, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: MicrosoftEdge, browserVersion: 123.0.2420.97, fedcm:accounts: true, ms:edgeOptions: {debuggerAddress: localhost:51003}, msedge: {msedgedriverVersion: 123.0.2420.97 (ba5f45140663..., userDataDir: C:\Users\Hakan\AppData\Loca...}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:51003/devtoo..., se:cdpVersion: 123.0.2420.97, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 27ef5be05e0b04b441fdc0fa7d28e623</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:675) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:679) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:325) at runners.Hooks.tearDownScenarios(Hooks.java:26)</p>		

Negatif Uyelik Testi

<div>FAILED</div> <div>DURATION - 0.026 s</div>		<div></div>	<div>Steps</div> <div>Total - 11</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 10</div>	<div></div>
<div>/ 5:16:21.196 PM // 5:16:21.222 PM /</div>				
<div>Scenario Outline</div>				
<div>@boyner</div>				

#	Step / Hook Details	Status	Duration
1	<p>Given boyner sitesine gidilir</p> <p>org.openqa.selenium.NoSuchSessionException: invalid session id Build info: version: '4.13.0', revision: 'ba948ece5b*' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.10' Driver info: org.openqa.selenium.edge.EdgeDriver Command: [27ef5be05e0b04b441fdc0fa7d28e623, get {url=https://www.boyner.com.tr}] Capabilities {acceptInsecureCerts: false, browserName: MicrosoftEdge, browserVersion: 123.0.2420.97, fedcm:accounts: true, ms:edgeOptions: {debuggerAddress: localhost:51003}, msedge: {msedgedriverVersion: 123.0.2420.97 (ba5f45140663..., userDataDir: C:\Users\Hakan\AppData\Loca..., networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:51003/devtoo..., se:cdpVersion: 123.0.2420.97, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 27ef5be05e0b04b441fdc0fa7d28e623</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:304) at stepdefinitions.day03_ScenarioOutline_StepDef.boyner_sitesine_gidilir(day03_ScenarioOutline_StepDef.java:28) at ?.boyner sitesine gidilir(file:///C:/Users/Hakan/IdeaProjects/Cucumber_Ders/src/test/resources/features/day03_ScenarioOutline.feature:5)</p> <p>* Not displayable characters are replaced by '?'. </p>	FAILED	0.007 s
2	When login ikonu ustune gidilir	SKIPPED	0.000 s
3	And uye ol linki tiklanir	SKIPPED	0.000 s
4	Then uyelik sayfasinda oldugu dogrulanir	SKIPPED	0.000 s
5	And uyelik sayfasinda ad bolumune "hakan" girilir	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
6	And uyelik sayfasinda email bolumune"jaziah.poe@free2ducks." girilir	SKIPPED	0.001 s
7	And uyelik sayfasinda password bolumune"123456a" girilir	SKIPPED	0.001 s
8	And uyelik sayfasinda cep telefonu bolumune"5455444444" girilir	SKIPPED	0.000 s
9	And uyelik metni icin "1" checkbox secilir	SKIPPED	0.001 s
10	And riza metni icin "1" checkbox secilir	SKIPPED	0.000 s
11	And uye ol butonu tiklanir	SKIPPED	0.000 s
	AFTER - runners.Hooks.tearDownScenarios(io.cucumber.java.Scenario)	FAILED	0.009 s
	<p>org.openqa.selenium.NoSuchSessionException: invalid session id Build info: version: '4.13.0', revision: 'ba948ece5b*' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.10' Driver info: org.openqa.selenium.edge.EdgeDriver Command: [27ef5be05e0b04b441fdc0fa7d28e623, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: MicrosoftEdge, browserVersion: 123.0.2420.97, fedcm:accounts: true, ms:edgeOptions: {debuggerAddress: localhost:51003}, msedge: {msedgedriverVersion: 123.0.2420.97 (ba5f45140663..., userDataDir: C:\Users\Hakan\AppData\Loca...}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:51003/devtoo..., se:cdpVersion: 123.0.2420.97, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 27ef5be05e0b04b441fdc0fa7d28e623</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:675) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:679) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:325) at runners.Hooks.tearDownScenarios(Hooks.java:26)</p>		