


Nama : Andri Firman Saputra

NIM : 201011402125


No. Reg : 1502830101-81

Kasus menyambung 4 Router di Gedung Hotel SPADA



Kasus 3 Router

Desain Jaringan 3 Router



Tes Ping

Hasil Ping Dari Pc 0 Ke Pc 1

```
C:\>ping 192.168.20.2

Pinging 192.168.20.2 with 32 bytes of data:

Reply from 192.168.20.2: bytes=32 time<1ms TTL=126
Reply from 192.168.20.2: bytes=32 time<1ms TTL=126
Reply from 192.168.20.2: bytes=32 time=1ms TTL=126
Reply from 192.168.20.2: bytes=32 time=10ms TTL=126

Ping statistics for 192.168.20.2:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 0ms, Maximum = 10ms, Average = 2ms

C:\>
```

☐ Top

Hasil Ping Dari Pc 0 Ke Pc 2

```
C:\>ping 192.168.30.2

Pinging 192.168.30.2 with 32 bytes of data:

Reply from 192.168.30.2: bytes=32 time=1ms TTL=125
Reply from 192.168.30.2: bytes=32 time=1ms TTL=125
Reply from 192.168.30.2: bytes=32 time=1ms TTL=125
Reply from 192.168.30.2: bytes=32 time=11ms TTL=125

Ping statistics for 192.168.30.2:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 1ms, Maximum = 11ms, Average = 3ms

C:\>
```

☐ Top

Hasil Ping Dari Pc 1 Ke Pc 0

PC1

Physical Config Desktop Programming Attributes

Command Prompt X

```
Cisco Packet Tracer PC Command Line 1.0
C:\>ping 192.168.10.2

Pinging 192.168.10.2 with 32 bytes of data:

Reply from 192.168.10.2: bytes=32 time=10ms TTL=126
Reply from 192.168.10.2: bytes=32 time=1ms TTL=126
Reply from 192.168.10.2: bytes=32 time=1ms TTL=126
Reply from 192.168.10.2: bytes=32 time=10ms TTL=126

Ping statistics for 192.168.10.2:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 1ms, Maximum = 10ms, Average = 5ms

C:\>
```

☐ Top

Hasil Ping Dari Pc 1 Ke Pc 2

```
C:\>ping 192.168.30.2

Pinging 192.168.30.2 with 32 bytes of data:

Reply from 192.168.30.2: bytes=32 time<1ms TTL=126
Reply from 192.168.30.2: bytes=32 time=11ms TTL=126
Reply from 192.168.30.2: bytes=32 time=10ms TTL=126
Reply from 192.168.30.2: bytes=32 time=1ms TTL=126

Ping statistics for 192.168.30.2:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 0ms, Maximum = 11ms, Average = 5ms

C:\>
```

☐ Top

Hasil Ping Dari Pc 2 Ke Pc 0

PC2

Physical Config Desktop Programming Attributes

Command Prompt X

```
Cisco Packet Tracer PC Command Line 1.0
C:\>ping 192.168.10.2

Pinging 192.168.10.2 with 32 bytes of data:

Reply from 192.168.10.2: bytes=32 time<1ms TTL=125
Reply from 192.168.10.2: bytes=32 time=11ms TTL=125
Reply from 192.168.10.2: bytes=32 time=1ms TTL=125
Reply from 192.168.10.2: bytes=32 time=1ms TTL=125

Ping statistics for 192.168.10.2:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 0ms, Maximum = 11ms, Average = 3ms

C:\>
```

☐ Top

Hasil Ping Dari Pc 2 Ke Pc 1

```
C:\>ping 192.168.20.2

Pinging 192.168.20.2 with 32 bytes of data:

Reply from 192.168.20.2: bytes=32 time=13ms TTL=126
Reply from 192.168.20.2: bytes=32 time=1ms TTL=126
Reply from 192.168.20.2: bytes=32 time=1ms TTL=126
Reply from 192.168.20.2: bytes=32 time=1ms TTL=126

Ping statistics for 192.168.20.2:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 1ms, Maximum = 13ms, Average = 4ms

C:\>
```

☐ Top