


Nama: Andri Firman Saputra


NIM : 201011402125 Kelas : 05TPLP016


Tugas: Basis Data II – Latihan 10























Source code:

```
SET QUOTED_IDENTIFIER ON
CREATE TRIGGER HapusMerekMotor
       ON TblJenisMotor 201011402125 andri
       INSTEAD OF DELETE
AS
BEGIN
       SET NOCOUNT ON;
       DECLARE @jml NUMERIC(10);
       SET @jml = (SELECT jm.Stok_201011402125_andri FROM
TblJenisMotor_201011402125_andri jm,
                            deleted d WHERE
                            jm.KodeJenis_201011402125_andri =
d.KodeJenis_201011402125_andri);
       IF (@jml = 0)
       BEGIN
              DELETE FROM TblJenisMotor_201011402125_andri WHERE
KodeJenis_201011402125_andri =
              (SELECT KodeJenis_201011402125_andri FROM deleted);
              print 'Item telah berhasil dihapus';
       END
       ELSE
       BEGIN
              print 'Item tidak dapat dihapus karena belum kosong';
       END
END
G<sub>0</sub>
DELETE FROM TblJenisMotor_201011402125_andri
       WHERE KodeJenis_201011402125_andri = 'J017';
SET ANSI_NULLS ON
SET QUOTED_IDENTIFIER ON
```

```
CREATE TRIGGER TanggalModifikasiData
   ON TblJenisMotor_201011402125_andri
   AFTER UPDATE
AS
BEGIN
       SET NOCOUNT ON;
       UPDATE TblJenisMotor_201011402125_andri
              SET TblJenisMotor_201011402125_andri.MODIFIKASIDATA = GETDATE()
       FROM inserted
       WHERE inserted.KodeJenis_201011402125_andri =
TblJenisMotor_201011402125_andri.KodeJenis_201011402125_andri;
       PRINT 'Anda telah melakukan update data pada tabel item';
END
GO
UPDATE TblJenisMotor 201011402125 andri
       SET LamaGaransi 201011402125 andri = 4
       WHERE KodeJenis_201011402125_andri = 'J001';
SELECT * FROM TblJenisMotor_201011402125_andri;
CREATE TRIGGER HapusTabel
       ON DATABASE
       FOR DROP TABLE
AS
BEGIN
       SET NOCOUNT ON;
       PRINT 'Tabel tidak dapat dihapus, non aktifkan database trigger';
       ROLLBACK;
END
GO
DROP TABLE PelangganLama;
CREATE TRIGGER UserBaru
ON ALL SERVER
FOR CREATE_LOGIN
AS
BEGIN
       PRINT 'Selamat user baru telah terdaftar pada server';
END
CREATE LOGIN ACHMAD WITH PASSWORD = '12345';
CREATE LOGIN ANDRI WITH PASSWORD = '12345';
DISABLE TRIGGER HapusTabel ON DATABASE;
DROP TABLE PelangganLama;
```