


数据结构与算法 Data Structure and Algorithm

Introduction

ZHANG Luping

2023年6月24日





This template is a secondary creation of SINTEF Presentation template from Federico Zenith

Following a brief introduction written by Federico Zenith about how to use \LaTeX and beamer to prepare slides. All rights reserved by him

This template is released under Creative Commons CC BY 4.0 license



Table of Contents

1 Desired Outcomes

▶ Desired Outcomes

► Algorithm



- You have knowledge of the most common abstractions for data collections (e.g., stacks, queues, lists, trees, maps).
- You understand algorithm strategies for producing efficient realizations of common data structures.
- You can analyze algorithmic performance, both theoretically and experimentally, and recognize common trade-offs between competing strategies.
- You can wisely use existing data structures and algorithms found in modern programming language libraries.
- You have experience working with concrete implementations for most foundational data structures and algorithms.
- You can apply data structures and algorithm to solve complex problems.



$\begin{array}{c} \textbf{Table of Contents} \\ {\tiny 2~Algorithm} \end{array}$

Desired Outcomes

► Algorithm



All knowledge can be thought of as either **declarative or imperative**.

• **Declarative knowledge** is composed of statements of fact.



All knowledge can be thought of as either **declarative or imperative**.

- **Declarative knowledge** is composed of statements of fact.
 - The square root of x is a number y such that $y \times y = x$,



All knowledge can be thought of as either **declarative or imperative**.

- **Declarative knowledge** is composed of statements of fact.
 - The square root of x is a number y such that $y \times y = x$,
 - It is possible to travel by train from Qingdao to Beijing



All knowledge can be thought of as either **declarative or imperative**.

- **Declarative knowledge** is composed of statements of fact.
 - The square root of x is a number y such that $y \times y = x$,
 - It is possible to travel by train from Qingdao to Beijing
- Imperative knowledge is "how to" knowledge, or recipes for deducing information.



A way to compute the square root of a number $_{\rm 2~Algorithm}$



A way to compute the square root of a number 2 Algorithm

- 1. Start with a guess, g.
- 2. If $g \times g$ is close enough to x, stop and say that g is the answer.
- 3. Otherwise, create a new guess by averaging g and $\frac{x}{g}$, i.e., $\frac{(g+\frac{x}{g})}{2}$.
- 4. Using this new guess, which we again call g, repeat the process until $g \times g$ is close enough to x.



• Note that the description of the method is a sequence of simple steps, together with a flow of control that specifies when to execute each step. Such a description is called an algorithm.



- Note that the description of the method is a sequence of simple steps, together with a flow of control that specifies when to execute each step. Such a description is called an algorithm.
- More formally, an algorithm is a finite list of instructions describing a set of computations that when executed on a set of inputs will proceed through a sequence of well-defined states and eventually produce an output.



Examples: Perfect cube root

2 Algorithm

This code prints the integer cube root, if it exists, of an integer. If the input is not a perfect cube, it prints a message to that effect.

```
# Find the cube root of a perfect cube
       x = int(input("Enter an integer: "))
       ans = 0
       while ans**3 < abs(x):
            ans += 1
       if ans**3 != abs(x):
6
            print(x, "is not a perfect cube")
       else:
           if x < 0:
                ans = -ans
            print("Cube root of", x, "is", ans)
```



Examples: Prime number

2 Algorithm

This code tests whether an integer is a prime number and returning the smallest divisor if it is not.

```
# Test if an int > 2 is prime. If not, print smallest divisor
        x = int(input("Enter an integer greater than 2: "))
        smallest divisor = None
        for guess in range (2, x):
4
            if x\%guess == 0:
                smallest_divisor = guess
                break
        if smallest divisor != None:
            print("Smallest divisor of", x, "is", smallest_divisor)
        else:
            print(x. "is a prime number")
```



Q&A

Thank you for listening!
Your feedback will be highly appreciated!