Offer 100482

2026-08-10

Produsent
Windows and doors, made to measure
Pramones g. 8, LT-00000, Lithuania
sales@produsent.example +370 000 00000

Customer: Vestbygg Prosjekt AS
Contact: Ola Nordmann
Project.: Bjorkelia Terrasse, bygg B
Address: Storgata 14, 3050 Mjondalen
Mobile: +47 900 12 345
E-mail: post@vestbyggprosjekt.no

1



Type:	Produsent W92 inward-opening window R4 (standard)
Wood:	Finger-jointed pine
Color:	Inside: White RAL 9010 Outside: Dark grey RAL 7016
Glass:	44.1TH/14Ar/4/14Ar/4TH (44.1 (8,38mm) Thermofloat 1.1/14Ar/4mm Float/14Ar/4mm Thermofloat 1.1) (Spacer bars: Warm edge, grey)
Frames/hardware:	1 x Fixed frame 1 x Inside opening tilt-turn
Bottomframe:	Small rain deflector RAL colour, black endings 7016, wooden rain deflector
Gaskets:	Black gaskets
Glass sealing:	Inside: White paintable sealant Outside: Black sealant
Lining groove:	Standard 5x10mm
Bottom groove:	V1 / L1

Seen from inside, opens inward
Weight 54 kg.
Uw <= 0.94.

		Price, EUR	Qty	Sum, EUR
1200x1400mm	1.68m²	742.35	12	8908.20

2



Type:	Produsent W92 inward-opening window R4 (standard)
Wood:	Finger-jointed pine
Color:	Inside: White RAL 9010 Outside: Dark grey RAL 7016
Glass:	44.1TH/14Ar/4/14Ar/4TH (44.1 (8,38mm) Thermofloat 1.1/14Ar/4mm Float/14Ar/4mm Thermofloat 1.1) (Spacer bars: Warm edge, grey)
Frames/hardware:	1 x Inside opening tilt-turn Telescopic ventilation / child protection
Bottomframe:	Small rain deflector RAL colour, black endings 7016, wooden rain deflector
Gaskets:	Black gaskets
Glass sealing:	Inside: White paintable sealant Outside: Black sealant
Lining groove:	Standard 5x10mm
Bottom groove:	V1 / L1

Seen from inside, opens inward
Weight 36 kg.
Uw <= 0.96.

		Price, EUR	Qty	Sum, EUR
900x1200mm	1.08m²	561.90	8	4495.20

3



Type:	Produsent W78 inward-opening window R4 (standard)
Wood:	Finger-jointed pine
Color:	Inside: White RAL 9010
	Outside: White RAL 9010
Glass:	33.1TH/14Ar/4/12Ar/4TH (33.1 (6,38mm) Thermofloat 1.1/14Ar/4mm
	Float/12Ar/4mm Thermofloat 1.1) (Spacer bars: Warm edge, grey)
Frames/hardware:	2 x Fixed frame
	1 x Inside opening tilt-turn
Bottomframe:	Small rain deflector RAL colour, white endings 9010,
	wooden rain deflector
Gaskets:	White gaskets
Glass sealing:	White paintable sealant
Lining groove:	Standard 5x10mm
Bottom groove:	V1 / L1

Seen from inside, opens inward
Weight 88 kg.
Uw <= 0.99.

		Price, EUR	Qty	Sum, EUR
1600x1700mm	2.72m²	968.44	4	3873.76

4

Type:	Produsent W78 fixed window R4 (standard)
Wood:	Finger-jointed pine
Color:	Inside: White RAL 9010
	Outside: White RAL 9010
Glass:	33.1TH/14Ar/4/12Ar/4TH (33.1 (6,38mm) Thermofloat 1.1/14Ar/4mm
	Float/12Ar/4mm Thermofloat 1.1) (Spacer bars: Warm edge, grey)
Frames/hardware:	1 x Fixed frame
Bottomframe:	Small rain deflector RAL colour, white endings 9010
Gaskets:	White gaskets
Glass sealing:	White paintable sealant
Lining groove:	Standard 5x10mm
Bottom groove:	V1 / L1

Seen from inside
Weight 41 kg.
Uw <= 1.02.

		Price, EUR	Qty	Sum, EUR
2000x900mm	1.80m²	604.15	6	3624.90

5



Type:	Produsent LS-160 lift-and-slide door (alu door sill)
Wood:	Finger-jointed pine
Color:	Inside: White RAL 9010
	Outside: Dark grey RAL 7016
Glass:	44.1TH/16Ar/4/16Ar/44.1TH (44.1 (8,38mm) Thermofloat 1.1/16Ar/4mm
	Float/16Ar/44.1 (8,38mm) Thermofloat 1.1) (Spacer bars: Warm edge, grey)
Frames/hardware:	1 x Fixed frame
	1 x Lift-and-slide sash, sliding to the left
	Lift-and-slide handle, brushed steel
Bottomframe:	Alu door sill 68/62, thermally broken
Gaskets:	Black gaskets
Glass sealing:	
	Inside: White paintable sealant
	Outside: Black sealant
Lining groove:	Standard 10x10mm
Bottom groove:	V1 / L1

Seen from inside, opens inward
Weight 214 kg.
Uw <= 1.18.

		Price, EUR	Qty	Sum, EUR
2400x2300mm	5.52m²	3287.60	2	6575.20

6



Type:	Produsent W92 inward-opening balcony door (alu door sill)
Wood:	Finger-jointed pine
Color:	Inside: White RAL 9010
	Outside: Dark grey RAL 7016
Glass:	44.1TH/14Ar/4/14Ar/4TH (44.1 (8,38mm) Thermofloat 1.1/14Ar/4mm
	Float/14Ar/4mm Thermofloat 1.1) (Spacer bars: Warm edge, grey)
Frames/hardware:	1 x Right inward-opening door
	Handle, brushed steel
	Door hinges, stainless steel
Bottomframe:	Alu door sill 68/62, thermally broken
Gaskets:	Black gaskets
Glass sealing:	
	Inside: White paintable sealant
	Outside: Black sealant
Lining groove:	Standard 10x10mm
Bottom groove:	V1 / L1

Seen from inside, opens inward
Weight 63 kg.
Uw <= 1.06.

		Price, EUR	Qty	Sum, EUR
900x2100mm	1.89m²	1145.70	3	3437.10

7



Type:	Produsent D115 outward-opening entrance door (frame 53x115 / alu door sill)
Wood:	Finger-jointed pine
Color:	Inside: White RAL 9010
	Outside: Dark grey RAL 7016
Glass:	Rectangle glass (450x750mm, 1pcs)
	33.2TH/14Ar/4TH (33.2 (6,76mm) Thermofloat 1.1/14Ar/4mm Thermofloat
	1.1) (Spacer bars: Warm edge, grey)
Frames/hardware:	1 x Left outward-opening door
	Handle set, cylinder/cylinder, nickel
	Door hinges, stainless steel
	3-point lock
Glazing bars:	24mm bars EXT: bevelled INT: round
Bottomframe:	Wood
Gaskets:	Grey gaskets
Glass sealing:	White sealant
Lining groove:	Standard 10x10mm

Seen from outside, opens outward
Weight 79 kg.
Uw <= 1.14.

		Price, EUR	Qty	Sum, EUR
1000x2100mm	2.10m²	2418.90	1	2418.90

8



Type:	Produsent D115 outward-opening double entrance door (frame 53x115 / alu door sill)
Wood:	Finger-jointed pine
Color:	Inside: White RAL 9010
	Outside: Dark grey RAL 7016
Glass:	Rectangle glass (350x900mm, 2pcs)
	33.2TH/14Ar/4TH (33.2 (6,76mm) Thermofloat 1.1/14Ar/4mm Thermofloat
	1.1) (Spacer bars: Warm edge, grey)
Frames/hardware:	1 x Right outward-opening double door
	Handle set, cylinder/cylinder, nickel
	Door hinges, stainless steel
	3-point lock, espagnolette in secondary sash
Glazing bars:	24mm bars EXT: bevelled INT: round
Bottomframe:	Wood
Gaskets:	Grey gaskets
Glass sealing:	White sealant
Lining groove:	Standard 10x10mm

Seen from outside, opens outward
Weight 126 kg.
Uw <= 1.21.

		Price, EUR	Qty	Sum, EUR
1600x2100mm	3.36m²	3892.45	1	3892.45

Qty.:	37
m2:	72.65
Total excl. VAT	37 225.71
Discount, 35%:	-13 029.00
Total incl. discount	**24 196.71**
Grand total, EUR	**24 196.71**

All prices exclusive of VAT.
Average U-value, all windows: 1.03
Total weight: 2356 kg

Terms and conditions:

1. Goods are delivered ex works unless otherwise agreed.
2. The offer is subject to a 25% down payment on order and is valid for 14 days.
3. Acceptance of the offer confirms that the customer has checked, understood and accepted it.
4. General warranty period is 5 years.
5. Lead time from confirmed order: 8 to 10 weeks.

Manager: Tomas Kazlauskas
E-mail: sales@produsent.example